



Tables

A primary deliverable of this study is the consequence scoring results. Each of the 2,200 individual Town assets was assigned a consequence score. These scores provide the initial basis for the vulnerability study and prioritization. With so many Town assets, there are voluminous tables summarizing the results. For purposes of this report, the information is attached as a hard copy. The Town also is provided with the raw data and spreadsheets, which can be refined by Town staff as appropriate. Other clients have used these tables to add future assets, and/or to refine the scores as more is learned about the different assets. The tables also include the other data elements necessary to compute the coastal vulnerability index (CVI) to help prioritize Town assets for actions to increase coastal resilience.

The individual criteria scores and consequence scores are provided in Tables 3-1 through 3-7 (by asset category and asset), and again in Table 3-8 for all assets combined. These different formats help facilitate review. For instance, the individual categories of assets can be reviewed independently using Tables 3-1 through 3-7, whereas Table 3-8 provides a full list of all the Town assets ranked by descending consequence score. This is particularly helpful when comparing individual buildings that fit on one single page table (Table 3-4). By contrast, the data for the 1,700 stormwater basin inlets (Table 3-6) requires almost a 30 page table. To understand the relative consequence scores for all Town assets types, Table 3-8 listed them in descending order by consequence score, comprising more than 50 pages. To facilitate review, the attached section of tables contains an upfront index of the contents to guide the reader, as well as color-coded page breaks between different tables.

The tables also include the computed coastal vulnerability index (CVI) for each asset, which is the product of the consequence score and the inundation probability (i.e., the maximum possible score is $100 \times 1 = 100$). Sections 3.3 and 4.1 of the report explain this method. The Tables include a CVI for present day vulnerabilities, a CVI for future vulnerability, and a Total CVI capturing a combined present/future vulnerability. For purposes of this assessment, the Total CVI was computed based on 70% of the Present Day CVI and 30% of the Future Case CVI. Tables 3-1 through 3-7 include CVI values for individual asset categories (e.g., buildings, parks, streets, etc.). A full list of ranked combined CVIs for all assets is provided in Table 4-9. The raw data and Excel-compatible files are provided to the Town as information can be added or refined and in case a different calculation method is desired (e.g., to reduce or raise influence of the future case CVI).



Table of Contents

Table 3-1.	Consequence Score and Coastal Vulnerability Index Summary – Asset Group Parks	Page 1
Table 3-2.	Consequence Score and Coastal Vulnerability Index Summary – Asset Group Streets	Pages 2-7
Table 3-3.	Consequence Score and Coastal Vulnerability Index Summary – Asset Group Beach Access	Page 8
Table 3-4.	Consequence Score and Coastal Vulnerability Index Summary – Asset Group Buildings	Page 9
Table 3-5.	Consequence Score and Coastal Vulnerability Index Summary – Asset Group Sewer Lift Stations	Page 10
Table 3-6.	Consequence Score and Coastal Vulnerability Index Summary – Asset Group Stormwater Basin Inlets	Pages 11-37
Table 3-7.	Consequence Score and Coastal Vulnerability Index Summary – Asset Group Stormwater Pump Stations	Page 38
Table 3-8.	Ranked Consequence Score All Assets	Pages 39-92
Table 4-9.	Consequence Score and Coastal Vulnerability Index Summary – All Assets	Pages 93-146



Table 3-1. Consequence Score and Coastal Vulnerability Index Summary
Asset Group Parks

Table 3-1. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Parks
 Coastal Vulnerability Assessment
 Town of Palm Beach

			NAME	Scoring Criteria						NOTES	Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
				Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss							
Parks	1	50-10	MUNICIPAL DOCKS	1	4	4	2	3	3	No ""key infrastructure""	57	0.77	1	44	57	48
Parks	0	50-04	SEAVIEW AVENUE PARK	1	5	4	1	3	1	Generator	50	0.17	0.48	9	24	13
Parks	3	50-05	BRADLEY PARK	1	4	1	1	3	1	No ""key infrastructure""	37	0.84	1	31	37	33
Parks	9	50-20	SOUTHERN BLVD. CAUSEWAY	1	1	1	4	3	2	No ""key infrastructure""	40	1	1	40	40	40
Parks	5	50-01	PHIPPS OCEAN PARK	1	5	3	4	4	3	Generator	67	0.78	1	52	67	56
Parks	2	50-12	PHIPPS PARK PLAZA	1	1	3	1	1	2	No ""key infrastructure""	30	0.17	0.47	5	14	8
Parks	4	50-16	TANGIER/MIRAFLORES PARK	1	1	1	1	1	2	No ""key infrastructure""	23	0.17	0.47	4	11	6
Parks	8	38-01	BARTON PARK/MUNICIPAL POOL	1	1	2	1	2	3	No ""key infrastructure""	33	1	1	33	33	33
Parks	7	50-09	MUNICIPAL BEACH	1	2	1	1	2	2	No ""key infrastructure""	30	0.46	0.57	14	17	15
Parks	6	50-19	CLARKE AVENUE BEACH	1	1	1	1	2	2	No ""key infrastructure""	27	0.31	0.48	8	13	10



Table 3-2. Consequence Score and Coastal Vulnerability Index Summary

Asset Group Streets

Table 3-2 Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Streets
Coastal Vulnerability Assessment
Town of Palm Beach

STREET	Address	Scoring Criteria						Notes	Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
		Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss							
Adam Rd	1012 Adam Rd	1	2	1	2	2	1		30	0.188	0.408	6	12	8
Algoma Rd	1101 Algoma Rd	1	2	1	2	2	2		33	0.153	0.421	5	14	8
Angler Ave	1238 Angler Ave	1	2	1	2	2	2		33	0.117	0.389	4	13	7
Antigua Ln	1260 Antigua Ln	1	2	1	2	2	2		33	0.171	0.465	6	15	9
Arabian Rd	1309 Arabian Rd	1	2	1	2	2	2		33	0.072	0.434	2	14	6
Atlantic Ave	1440 Atlantic Ave	1	2	1	2	2	2		33	0.263	0.476	9	16	11
Australian Ave	17513 Australian Ave	1	2	1	2	2	1		30	0.182	0.470	5	14	8
Bahama Ln	1582 Bahama Ln	1	2	1	2	2	2		33	0.182	0.388	6	13	8
Banyan Rd	1645 Banyan Rd	1	2	1	2	2	2		33	0.176	0.394	6	13	8
Barton Ave	1709 Barton Ave	1	2	1	2	2	1		30	0.172	0.477	5	14	8
Bermuda Ln	1927 Bermuda Ln	1	2	1	2	2	2		33	0.171	0.385	6	13	8
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.053	0.326	3	16	7
Bradley Pl	2260 Bradley Pl	1	2	3	2	2	2		40	0.177	0.476	7	19	11
Brazilian Ave	2280 Brazilian Ave	1	2	1	2	2	1		30	0.182	0.470	5	14	8
Breakers Row	2283 Breakers Row	1	2	1	2	2	1		30	0.173	0.477	5	14	8
Breakers Row	2283 Breakers Row	1	2	1	2	2	2		33	0.004	0.081	0	3	1
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.188	0.461	9	23	13
Caribbean Rd	2724 Caribbean Rd	1	2	1	2	2	2		33	0.065	0.420	2	14	6
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.191	0.474	10	24	14
Clarke Ave	3148 Clarke Ave	1	2	1	2	2	1		30	0.171	0.478	5	14	8
Cocoanut Row	3230 Cocoanut Row	1	2	1	2	2	2		33	0.150	0.349	5	12	7
Chateaux Dr	2980 Chateaux Dr	1	2	1	2	2	1		30	0.191	0.439	6	13	8
Cherry Ln	3012 Cherry Ln	1	2	1	2	2	2		33	0.176	0.470	6	16	9
Chilean Ave	3052 Chilean Ave	1	2	1	2	2	1		30	0.182	0.470	5	14	8
Clarendon Ave	3142 Clarendon Ave	1	2	1	2	2	2		33	0.216	0.448	7	15	10
Cocoanut Row	3230 Cocoanut Row	1	2	1	2	2	1		30	0.182	0.465	5	14	8
Cocoanut Walk	3231 Cocoanut Walk	1	2	1	2	2	1		30	0.173	0.477	5	14	8
Colonial Ln	3280 Colonial Ln	1	2	1	2	2	1		30	0.197	0.413	6	12	8
Coral Ln	3391 Coral Ln	1	2	1	2	2	1		30	0.188	0.475	6	14	8
Country Club Rd	3498 Country Club Rd	1	2	1	2	2	1		30	0.178	0.470	5	14	8
Crescent Dr	3579 Crescent Dr	1	2	1	2	2	1		30	0.188	0.475	6	14	8
Plantation Rd	9673 Plantation Rd	1	2	1	2	2	2		33	0.006	0.029	0	1	0
Crest Rd	3587 Crest Rd	1	2	1	2	2	2		33	0.006	0.029	0	1	0
Debra Ln	3817 Debra Ln	1	2	1	2	2	1		30	0.079	0.417	2	13	5
Dolphin Rd	3959 Dolphin Rd	1	2	1	2	2	2		33	0.083	0.400	3	13	6
Dunbar Rd	4075 Dunbar Rd	1	2	1	2	2	2		33	0.393	0.940	13	31	19
E Inlet Dr	4191 E Inlet Dr	1	2	1	2	2	2		33	0.085	0.403	3	13	6
E Woods Rd	4270 E Woods Rd	1	2	1	2	2	1		30	0.171	0.472	5	14	8
Eden Rd	4347 Eden Rd	1	2	1	2	2	2		33	0.186	0.406	6	14	8
El Bravo Way	4403 El Bravo Way	1	2	1	2	2	2		33	0.212	0.446	7	15	9
El Brillo Way	4404 El Brillo Way	1	2	1	2	2	2		33	0.179	0.434	6	14	9
El Dorado Ln	4417 El Dorado Ln	1	2	1	2	2	1		30	0.177	0.400	5	12	7
El Jan Ln	4418 El Jan Ln	1	2	1	2	2	2		33	0.112	0.377	4	13	6
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.188	0.474	9	24	14
El Pueblo Way	4426 El Pueblo Way	1	2	1	2	2	2		33	0.198	0.414	7	14	9
El Vedado Rd	4430 El Vedado Rd	1	2	1	2	2	2		33	0.177	0.440	6	15	9
Emerald Beach Way	4490 Emerald Beach Way	1	2	1	2	2	1		30	0.163	0.398	5	12	7
Emerald Ln	4498 Emerald Ln	1	2	1	2	2	2		33	0.191	0.474	6	16	9
Esplanade Way	4574 Esplanade Way	1	2	1	2	2	2		33	0.085	0.415	3	14	6
Bradley Pl	2260 Bradley Pl	1	2	3	2	2	2		40	0.177	0.476	7	19	11
Fairview Rd	4670 Fairview Rd	1	2	1	2	2	1		30	0.177	0.470	5	14	8
Flagler Dr	4822 Flagler Dr	1	2	1	2	2	2		33	0.004	0.069	0	2	1
Flagler Memorial Bridge	4826 Flagler Memorial Bridge	1	2	1	2	2	2		33	0.176	0.416	6	14	8
Four Arts Plz	4968 Four Arts Plz	1	2	1	2	2	2		33	0.265	0.479	9	16	11
Garden Rd	5102 Garden Rd	1	2	1	2	2	2		33	0.188	0.408	6	14	8
Golfview Rd	5277 Golfview Rd	1	2	1	2	2	1		30	0.182	0.444	5	13	8
Gulfstream Rd	5492 Gulfstream Rd	1	2	1	2	2	2		33	0.180	0.402	6	13	8
Hammon Ave	5545 Hammon Ave	1	2	1	2	2	2		33	0.171	0.354	6	12	8
Hi Mount Rd	5756 Hi Mount Rd	1	2	1	2	2	2		33	0.000	0.001	0	0	0
Hibiscus Ave	5762 Hibiscus Ave	1	2	1	2	2	1		30	0.182	0.470	5	14	8
Ibis Isle Rd	5992 Ibis Isle Rd	1	2	1	2	2	2		33	0.023	0.170	1	6	2

Table 3-2 Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Streets
Coastal Vulnerability Assessment
Town of Palm Beach

STREET	Address	Scoring Criteria						Notes	Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
		Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss							
Ibis Isle Rd E	5993 Ibis Isle Rd E	1	2	1	2	2	2		33	0.024	0.198	1	7	3
Ibis Isle Rd S	5994 Ibis Isle Rd S	1	2	1	2	2	2		33	0.024	0.182	1	6	2
Ibis Isle Rd W	5995 Ibis Isle Rd W	1	2	1	2	2	2		33	0.023	0.179	1	6	2
Ibis Way	5997 Ibis Way	1	2	1	2	2	2		33	0.024	0.173	1	6	2
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.093	0.291	5	16	8
Ibis Way	5997 Ibis Way	1	2	1	2	2	2		33	0.023	0.171	1	6	2
Indian Rd	6030 Indian Rd	1	2	1	2	2	2		33	0.085	0.405	3	13	6
Island Dr	6129 Island Dr	1	2	1	2	2	2		33	0.046	0.280	2	9	4
Island Rd	6134 Island Rd	1	2	1	2	2	2		33	0.180	0.444	6	15	9
Jamaica Ln	6192 Jamaica Ln	1	2	1	2	2	1		30	0.182	0.404	5	12	7
Jungle Rd	6298 Jungle Rd	1	2	1	2	2	2		33	0.177	0.440	6	15	9
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.191	0.474	10	25	15
Kings Rd	6465 Kings Rd	1	2	1	2	2	2		33	0.125	0.340	4	11	6
La Puerta Way	6562 La Puerta Way	1	2	1	2	2	2		33	0.198	0.414	7	14	9
Lagomar Rd	6604 Lagomar Rd	1	2	1	2	2	2		33	0.044	0.258	1	9	4
Lake Ct	6640 Lake Ct	1	2	1	2	2	2		33	0.070	0.403	2	13	6
Lake Trail Cir	6706 Lake Trail Cir	1	2	1	2	2	2		33	0.171	0.476	6	16	9
Lake Worth Rd	6715 Lake Worth Rd	1	2	1	2	2	2		33	0.043	0.279	1	9	4
Laurian Ln	6883 Laurian Ln	1	2	1	2	2	1		30	0.166	0.364	5	11	7
Laurie Ln	6884 Laurie Ln	1	2	1	2	2	1		30	0.085	0.415	3	12	6
List Rd	7041 List Rd	1	2	1	2	2	1		30	0.188	0.408	6	12	8
Mediterranean Rd	7567 Mediterranean Rd	1	2	1	2	2	2		33	0.079	0.417	3	14	6
Merrain Rd	7610 Merrain Rd	1	2	1	2	2	2		33	0.143	0.420	5	14	8
Middle Rd	7642 Middle Rd	1	2	1	2	2	2		33	0.008	0.092	0	3	1
Miraflores Dr	7705 Miraflores Dr	1	2	1	2	2	1		30	0.165	0.473	5	14	8
Mockingbird Trl	7750 Mockingbird Trl	1	2	1	2	2	1		30	0.199	0.415	6	12	8
Monterey Rd	7806 Monterey Rd	1	2	1	2	2	1		30	0.192	0.411	6	12	8
N Breakers Row	7953 N Breakers Row	1	2	1	2	2	1		30	0.176	0.416	5	12	7
N County Rd	7979 N County Rd	1	3	3	5	4	1	High Priority	57	0.177	0.434	10	25	14
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.191	0.474	10	24	14
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.100	0.182	5	9	6
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.176	0.454	9	24	14
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.173	0.417	9	22	13
N County Rd	7979 N County Rd	1	3	3	5	4	1	High Priority	57	0.177	0.434	10	25	14
Royal Poinciana Way	10371 Royal Poinciana Way	1	3	3	5	4	1	Access Bridge	57	0.176	0.435	10	25	14
Ridgeview Dr	10136 Ridgeview Dr	1	2	1	2	2	2		33	0.169	0.443	6	15	8
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.108	0.409	5	20	10
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.174	0.410	9	22	13
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.178	0.410	9	22	13
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.188	0.412	10	22	14
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.190	0.475	10	24	14
N County Rd	7979 N County Rd	1	3	3	5	4	1	High Priority	57	0.177	0.416	10	24	14
N County Rd	7979 N County Rd	1	3	3	5	4	1	High Priority	57	0.177	0.434	10	25	14
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.146	0.428	8	23	12
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.191	0.474	10	24	14
N County Rd	7979 N County Rd	1	3	3	5	4	1	High Priority	57	0.176	0.435	10	25	14
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.165	0.416	9	22	13
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.177	0.409	9	20	12
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.141	0.419	7	22	12
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.103	0.325	5	17	9
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.189	0.474	9	24	14
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.110	0.292	6	16	9
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.170	0.457	9	24	14
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.173	0.477	9	24	13
N Lake Trl	8040 N Lake Trl	1	2	1	2	2	2		33	0.198	0.922	7	31	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.191	0.474	10	25	15
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.169	0.418	9	22	13
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.198	0.414	11	22	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.165	0.473	9	25	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.191	0.474	10	25	15
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.168	0.472	9	25	14

Table 3-2 Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Streets
Coastal Vulnerability Assessment
Town of Palm Beach

STREET	Address	Scoring Criteria						Notes	Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
		Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss							
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.191	0.474	10	25	15
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.169	0.472	9	25	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.065	0.420	3	22	9
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.170	0.429	9	23	13
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.172	0.317	9	17	11
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.000	0.014	0	1	0
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.165	0.473	9	25	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.112	0.280	6	15	9
N Lake Way	8041 N Lake Way	1	3	1	5	4	1	KEY ROAD	50	0.149	0.342	7	17	10
N Lake Way	8041 N Lake Way	1	3	1	5	4	1	KEY ROAD	50	0.164	0.430	8	21	12
N Lake Way	8041 N Lake Way	1	3	1	5	4	1	KEY ROAD	50	0.078	0.247	4	12	6
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.079	0.417	4	22	10
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.072	0.434	4	23	10
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.064	0.372	3	20	8
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.017	0.074	1	4	2
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.040	0.141	2	7	4
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.186	0.406	10	22	13
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.186	0.406	10	22	13
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.197	0.383	10	20	13
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.199	0.415	11	22	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.085	0.415	5	22	10
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.068	0.309	4	17	7
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.144	0.421	8	22	12
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.176	0.418	9	22	13
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.188	0.408	10	22	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.051	0.080	3	4	3
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.143	0.420	8	22	12
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.172	0.407	9	22	13
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.188	0.475	10	25	15
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.197	0.413	10	22	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	1	KEY ROAD	50	0.173	0.397	9	20	12
N Lake Way	8041 N Lake Way	1	3	1	5	4	1	KEY ROAD	50	0.032	0.106	2	5	3
N Lake Way	8041 N Lake Way	1	3	1	5	4	1	KEY ROAD	50	0.077	0.160	4	8	5
N Lake Way	8041 N Lake Way	1	3	1	5	4	1	KEY ROAD	50	0.103	0.222	5	11	7
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.165	0.473	9	25	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.168	0.472	9	25	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.079	0.417	4	22	10
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.085	0.415	5	22	10
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.117	0.389	6	21	11
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.083	0.400	4	21	10
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.198	0.415	11	22	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.133	0.393	7	21	11
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.199	0.415	11	22	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.114	0.389	6	21	10
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.085	0.415	5	22	10
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.198	0.414	11	22	14
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.020	0.083	1	4	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.038	0.211	2	11	5
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.011	0.104	1	6	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.005	0.028	0	1	1
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.188	0.408	10	22	14
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.010	0.058	1	3	1
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.188	0.408	10	22	14
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.071	0.243	4	13	7
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.021	0.095	1	5	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.009	0.094	0	5	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.025	0.098	1	5	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.188	0.384	10	20	13
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.093	0.223	5	12	7
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.192	0.354	10	19	13
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.188	0.408	10	22	14

Table 3-2 Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Streets
Coastal Vulnerability Assessment
Town of Palm Beach

STREET	Address	Scoring Criteria						Notes	Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
		Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss							
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.006	0.073	0	4	1
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.013	0.073	1	4	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.186	0.396	10	21	13
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.188	0.408	10	22	14
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.014	0.069	1	4	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.008	0.086	0	5	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.026	0.107	1	6	3
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.009	0.046	0	2	1
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.085	0.405	5	22	10
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.188	0.408	10	22	14
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.186	0.405	10	22	13
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.028	0.090	1	5	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.528	0.683	28	36	31
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.027	0.089	1	5	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.013	0.053	1	3	1
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.188	0.384	10	20	13
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.010	0.091	1	5	2
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.085	0.405	5	22	10
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.188	0.384	10	20	13
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.037	0.084	2	4	3
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.079	0.417	4	21	9
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.085	0.415	4	21	9
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.188	0.408	10	22	14
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.079	0.417	4	21	9
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.085	0.405	4	20	9
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.079	0.417	4	21	9
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.085	0.405	4	20	9
N Ocean Blvd	17192 N Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.182	0.382	10	20	13
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	2	Main Thoroughfare	53	0.139	0.304	7	16	10
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	2	Main Thoroughfare	53	0.140	0.413	7	22	12
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	2	Main Thoroughfare	53	0.158	0.419	8	22	13
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	1	Main Thoroughfare	50	0.085	0.405	4	20	9
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	2	Main Thoroughfare	53	0.199	0.415	11	22	14
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	1	Main Thoroughfare	50	0.037	0.123	2	6	3
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	2	Main Thoroughfare	53	0.199	0.387	11	21	14
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	2	Main Thoroughfare	53	0.197	0.413	10	22	14
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	2	Main Thoroughfare	53	0.197	0.413	10	22	14
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	2	Main Thoroughfare	53	0.144	0.421	8	22	12
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	2	Main Thoroughfare	53	0.139	0.262	7	14	9
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	2	Main Thoroughfare	53	0.139	0.373	7	20	11
N Ocean Way	8081 N Ocean Way	1	3	1	5	4	1	Main Thoroughfare	50	0.085	0.405	4	20	9
N Woods Rd	8149 N Woods Rd	1	2	1	2	2	1		30	0.171	0.472	5	14	8
N County Rd	7979 N County Rd	1	3	1	5	4	2	High Priority	53	0.178	0.470	9	25	14
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.144	0.421	8	22	12
Oceanview Rd	8907 Oceanview Rd	1	2	1	2	2	2		33	0.048	0.338	2	11	4
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.112	0.265	6	14	8
Oleander Ave	8986 Oleander Ave	1	2	3	2	2	2		40	0.177	0.476	7	19	11
Onondaga Ave	9014 Onondaga Ave	1	2	1	2	2	2		33	0.085	0.415	3	14	6
Orange Grove Rd	9028 Orange Grove Rd	1	2	1	2	2	1		30	0.190	0.409	6	12	8
Palmo Way	9222 Palmo Way	1	2	1	2	2	1		30	0.143	0.420	4	13	7
Parc Monceau	9262 Parc Monceau	1	2	1	2	2	2		33	0.002	0.178	0	6	2
Park Ave	9265 Park Ave	1	2	3	2	2	2		40	0.177	0.476	7	19	11
Pelican Ln	9400 Pelican Ln	1	2	1	2	2	2		33	0.177	0.437	6	15	9
Cocoanut Row	3230 Cocoanut Row	1	2	1	2	2	2		33	0.173	0.476	6	16	9
Peruvian Ave	9459 Peruvian Ave	1	2	1	2	2	2		33	0.266	0.470	9	16	11
Via Tortuga	12832 Via Tortuga	1	2	1	2	2	1		30	0.189	0.474	6	14	8
Phipps Plz	9477 Phipps Plz	1	2	1	2	2	1		30	0.173	0.471	5	14	8
Pine Walk	9590 Pine Walk	1	2	1	2	2	1		30	0.173	0.477	5	14	8
Plantation Rd	9673 Plantation Rd	1	2	1	2	2	1		30	0.171	0.472	5	14	8
N Lake Way	8041 N Lake Way	1	3	1	5	4	1	KEY ROAD	50	0.031	0.153	2	8	3

Table 3-2 Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Streets
Coastal Vulnerability Assessment
Town of Palm Beach

STREET	Address	Scoring Criteria						Notes	Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
		Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss							
Primavera Ave	29308 Primavera Ave	1	2	1	2	2	2		33	0.170	0.452	6	15	8
Queens Ln	9926 Queens Ln	1	2	1	2	2	1		30	0.197	0.411	6	12	8
Reef Rd	10059 Reef Rd	1	2	1	2	2	2		33	0.083	0.397	3	13	6
Regents Park Rd	10076 Regents Park Rd	1	2	1	2	2	2		33	0.164	0.438	5	15	8
Ridgeview Dr	10136 Ridgeview Dr	1	2	1	2	2	1		30	0.177	0.470	5	14	8
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.123	0.220	6	11	8
Royal Palm Way	10362 Royal Palm Way	1	3	3	5	4	1	Access Bridge	57	0.099	0.374	6	21	10
Royal Palm Way	10362 Royal Palm Way	1	3	3	5	4	1	Access Bridge	57	0.173	0.477	10	27	15
Royal Palm Way	10362 Royal Palm Way	1	3	3	5	4	2	Access Bridge	60	0.265	0.479	16	29	20
Royal Palm Way	10362 Royal Palm Way	1	3	3	5	4	1	Access Bridge	57	0.173	0.477	10	27	15
Royal Palm Way	10362 Royal Palm Way	1	3	3	5	4	2	Access Bridge	60	0.265	0.479	16	29	20
Royal Palm Way	10362 Royal Palm Way	1	3	1	5	4	2	Access Bridge	53	0.672	0.747	36	40	37
Royal Poinciana Plz	10370 Royal Poinciana Plz	1	2	3	2	2	2		40	0.176	0.413	7	17	10
Royal Poinciana Way	10371 Royal Poinciana Way	1	3	3	5	4	2	Access Bridge	60	0.176	0.476	11	29	16
Royal Poinciana Way	10371 Royal Poinciana Way	1	3	3	5	4	1	Access Bridge	57	0.176	0.435	10	25	14
Royal Poinciana Way	10371 Royal Poinciana Way	1	3	3	5	4	2	Access Bridge	60	0.168	0.459	10	28	15
Royal Poinciana Way	10371 Royal Poinciana Way	1	3	3	5	4	2	Access Bridge	60	0.176	0.476	11	29	16
Royal Poinciana Way	10371 Royal Poinciana Way	1	3	3	5	4	2	Access Bridge	60	0.176	0.476	11	29	16
S County Rd	10496 S County Rd	1	2	1	2	2	1		30	0.173	0.477	5	14	8
S Lake Dr	10562 S Lake Dr	1	2	1	2	2	2		33	0.156	0.450	5	15	8
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.004	0.047	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.084	0.248	4	12	7
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.005	0.069	0	4	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.003	0.040	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.002	0.035	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.004	0.031	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.005	0.045	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.016	0.076	1	4	2
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.116	0.389	6	19	10
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.007	0.067	0	4	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.155	0.391	8	20	11
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.164	0.404	8	20	12
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.002	0.029	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.021	0.140	1	7	3
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.003	0.044	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.069	0.348	3	17	8
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.046	0.282	2	15	6
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.002	0.029	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.073	0.357	4	19	8
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.002	0.021	0	1	0
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.062	0.317	3	17	7
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.008	0.069	0	4	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.008	0.064	0	3	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.007	0.067	0	4	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.004	0.047	0	3	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.004	0.071	0	4	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.006	0.064	0	3	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.009	0.070	0	4	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.009	0.069	0	4	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.007	0.066	0	4	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.002	0.050	0	3	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.003	0.037	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.003	0.040	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	3	5	4	2	Main Thoroughfare	60	0.138	0.391	8.30574	23.4387	12.845628
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.002	0.026	0	1	0
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.147	0.393	7	20	11
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	1	Main Thoroughfare	50	0.150	0.429	8	21	12
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.007	0.086	0	5	2
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.004	0.042	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.004	0.039	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.014	0.120	1	6	2

Table 3-2 Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Streets
Coastal Vulnerability Assessment
Town of Palm Beach

STREET	Address	Scoring Criteria						Notes	Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
		Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss							
S Ocean Blvd	10595 S Ocean Blvd	1	3	3	5	4	2	Main Thoroughfare	60	0.004	0.049	0	3	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.004	0.048	0	3	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.004	0.043	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.003	0.030	0	2	1
S Ocean Blvd	10595 S Ocean Blvd	1	3	1	5	4	2	Main Thoroughfare	53	0.013	0.117	1	6	2
S Woods Rd	10659 S Woods Rd	1	2	1	2	2	1		30	0.170	0.472	5	14	8
Sanford Ave	10841 Sanford Ave	1	2	1	2	2	2		33	0.191	0.474	6	16	9
S Lake Trl	17046 S Lake Trl	1	2	1	2	2	2		33	0.385	0.602	13	20	15
Seagrape Cir	17386 Seagrape Cir	1	2	1	2	2	2		33	0.018	0.190	1	6	2
Seaspray Ave	11107 Seaspray Ave	1	2	1	2	2	1		30	0.173	0.479	5	14	8
Seaview Ave	11109 Seaview Ave	1	2	1	2	2	2		33	0.265	0.478	9	16	11
Seminole Ave	11131 Seminole Ave	1	2	1	2	2	2		33	0.238	1.000	8	33	16
Sloans Curve Dr	11381 Sloans Curve Dr	1	2	1	2	2	2		33	0.094	0.252	3	8	5
Slope Trl	11382 Slope Trl	1	2	1	2	2	1		30	0.177	0.470	5	14	8
Southern Blvd	11459 Southern Blvd	1	3	1	5	4	2	Access Bridge	53	0.097	0.429	5	23	10
Southland Rd	11469 Southland Rd	1	2	1	2	2	1		30	0.173	0.472	5	14	8
Sunrise Ave	11855 Sunrise Ave	1	2	3	2	2	2		40	0.177	0.476	7	19	11
Sunset Ave	11863 Sunset Ave	1	2	1	2	2	2		33	0.294	1.000	10	33	17
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.165	0.473	9	25	14
Tarpon Way	12223 Tarpon Way	1	2	1	2	2	2		33	0.524	1.000	17	33	22
Tarpon Way	12223 Tarpon Way	1	2	1	2	2	2		33	0.266	0.444	9	15	11
Tradewind Dr	12432 Tradewind Dr	1	2	1	2	2	1		30	0.186	0.406	6	12	8
El Bravo Way	4403 El Bravo Way	1	2	1	2	2	2		33	0.182	0.435	6	15	9
Via Agape	12682 Via Agape	1	2	1	2	2	2		33	0.002	0.049	0	2	1
Via Bellaria	12694 Via Bellaria	1	2	1	2	2	2		33	0.200	0.718	7	24	12
Via Bethesda	12697 Via Bethesda	1	2	1	2	2	1		30	0.173	0.457	5	14	8
Via Del Lago	12721 Via Del Lago	1	2	1	2	2	2		33	0.169	0.440	6	15	8
Via Del Mar	12723 Via Del Mar	1	2	1	2	2	2		33	0.231	0.684	8	23	12
Via Fontana	12739 Via Fontana	1	2	1	2	2	2		33	0.007	0.075	0	3	1
S County Rd	10496 S County Rd	1	2	1	2	2	1		30	0.036	0.241	1	7	3
Via Linda	12761 Via Linda	1	2	1	2	2	1		30	0.173	0.472	5	14	8
N County Rd	7979 N County Rd	1	3	1	5	4	1	High Priority	50	0.191	0.461	10	23	14
Manana Ln	7305 Manana Ln	1	2	1	2	2	2		33	0.079	0.417	3	14	6
Via Marila	12769 Via Marila	1	2	1	2	2	1		30	0.188	0.408	6	12	8
Via Marina	12770 Via Marina	1	2	1	2	2	1		30	0.130	0.414	4	12	6
Worth Ave	13783 Worth Ave	1	2	3	2	2	2		40	0.182	0.467	7	19	11
Via Palma	12790 Via Palma	1	2	1	2	2	2		33	0.180	0.445	6	15	9
Worth Ave	13783 Worth Ave	1	2	3	2	2	2		40	0.228	0.470	9	19	12
Via Sunny	12825 Via Sunny	1	2	1	2	2	2		33	0.111	0.302	4	10	6
N Lake Way	8041 N Lake Way	1	3	1	5	4	2	KEY ROAD	53	0.165	0.442	9	24	13
Via Vizcaya	12861 Via Vizcaya	1	2	1	2	2	1		30	0.038	0.130	1	4	2
Via Vizcaya	12861 Via Vizcaya	1	2	1	2	2	2		33	0.161	0.436	5	15	8
Vita Serena	12954 Vita Serena	1	2	1	2	2	2		33	0.146	0.399	5	13	7
W Indies Dr	13085 W Indies Dr	1	2	1	2	2	2		33	0.176	0.470	6	16	9
Wells Cir	13323 Wells Cir	1	2	1	2	2	1		30	0.106	0.402	3	12	6
Wells Rd	13324 Wells Rd	1	2	1	2	2	2		33	0.241	1.000	8	33	16
Whitehall Way	13475 Whitehall Way	1	2	3	2	2	2		40	0.173	0.477	7	19	11
Williams Rd	13532 Williams Rd	1	2	1	2	2	2		33	0.002	0.057	0	2	1
Windsor Ct	13619 Windsor Ct	1	2	1	2	2	2		33	0.177	0.470	6	16	9
Woodbridge Rd	13710 Woodbridge Rd	1	2	1	2	2	2		33	0.125	0.404	4	13	7
Worth Ave	13783 Worth Ave	1	2	1	2	2	2		33	0.266	0.907	9	30	15



Table 3-3. Consequence Score and Coastal Vulnerability Index Summary

Asset Group Beach Access

Table 3-3_ Consequence Score and Coastal Vulnerability Index Summary
 ASSET GROUP: Beach Access
 Coastal Vulnerability Assessment
 Town of Palm Beach

StAddr	Pedestrian	Scoring Criteria						Notes	Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
		Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss							
N Ocean Blvd	Pedestrian	1	2	2	2	3	1	Pedestrian Access	37	0.16	0.36	5.87	13.20	8.07
Arabian Rd	Dirt Path, 650ft from road to sand	2	1	1	2	2	1	Pedestrian Access	30	0.085	0.400	2.55	12.00	5.39
Ocean Ln	Sand	2	1	1	2	3	1	Pedestrian Access	33	0.072	0.160	2.40	5.33	3.28
Dunbar Rd	Patio Stones	1	2	1	5	2	1	High Priority - Heavy Equipment; beach access; nourishment	40	0.011	0.100	0.44	4.00	1.51
Caribbean Rd	Dirt Path, 650ft from road to sand	2	1	1	2	2	1	Pedestrian Access	30	0.039	0.210	1.17	6.30	2.71
Angler Ave	Sand	2	1	1	5	3	1	Highest Priority - heavy equipment access; proximity; best emergency	43	0.011	0.077	0.48	3.34	1.33
Mediterranean Rd	Dirt Path to sand	2	1	1	2	2	1	Pedestrian Access	30	0.037	0.120	1.11	3.60	1.86
Merrain Rd	Sand and Patio Stones	2	2	1	4	2	1	High Priority - heavy equipment access	40	0.011	0.067	0.44	2.68	1.11
Kenlyn Rd	Concrete	1	2	1	4	2	1	High Priority - heavy equipment access:	37	0.010	0.055	0.36	2.02	0.86
Clarke Ave	Wood decking	1	3	1	2	3	2	Pedestrian Access	40	0.013	0.110	0.52	4.40	1.68
Palmo Way	Grass with Patio Stones	2	2	1	4	2	1	High Priority - heavy equipment access	40	0.0055	0.051	0.22	2.04	0.77
Peruvian Ave		1	2	2	5	2	1	High Priority - heavy equipment access point	43	0.005	0.046	0.20	1.99	0.74
Atlantic Ave	Patio Stones	1	2	1	2	2	1	Pedestrian Access	30	0.008	0.110	0.24	3.30	1.16
El Pueblo Way	Patio Stones	1	2	1	2	2	1	Pedestrian Access	30	0.010	0.054	0.29	1.62	0.69
Sunset Ave	Sand	2	1	1	2	3	1	Pedestrian Access	33	0.007	0.083	0.24	2.77	1.00
La Puerta Way	Patio Stones	1	2	1	2	2	1	Pedestrian Access	30	0.010	0.058	0.30	1.74	0.73
Brazilian Ave	Wood decking	1	3	2	2	2	2	Public - Pedestrian Access; midtown project area	40	0.004	0.057	0.16	2.28	0.79
Gulfstream Rd	Wood decking	1	3	2	2	3	2	Public - Pedestrian Access; midtown project area	43	0.009	0.058	0.38	2.51	1.02
Chilean Ave	Wood decking	1	3	2	2	2	2	Public - Pedestrian Access; midtown project area	40	0.002	0.039	0.10	1.56	0.54



Table 3-4. Consequence Score and Coastal Vulnerability Index Summary

Asset Group Buildings

Table3-4. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Buildings
 Coastal Vulnerability Assessment
 Town of Palm Beach

Buildings	FID	OBJECTID	Loc_name	Match_addr	Scoring Criteria						Critical_E	Critical_B	Comments	Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
					Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss									
Buildings	0	1	Town Hall	Town Hall Complex	3	4	3	3	5	4	18'''	7	Generator	73	0.18	0.44	13.2	32.26666667	18.92
Buildings	1	2	Police	Police Department	3	4	3	5	5	4	minus 12'	11	Cooling tower pumps in basement	80	0.087	0.39	7	31	14
Buildings	2	3	Central Fire	Central Fire Station	3	4	3	5	3	4	18'''	8	Generator/also fuel tanks are located at this station for C. Fire & TH.	73	0.087	0.36	6	26	12
Buildings	3	4	North Fire Station	North Fire Station	3	3	3	5	3	4	18'''	9	Generator/also fuel tanks are located at this station.	70	0.19	0.41	13	29	18
Buildings	4	5	South Fire	South Fire Station	1	3	1	4	3	4	18'''	9	Generator	53	0.013	0.17	1	9	3
Buildings	5	9	Bath Rooms	Phipps South Restroom	1	1	1	1	2	2	N/A	0	No ""key infrastructure""	27	0.013	0.16	0	4	2
Buildings	6	10	Bath Rooms	Phipps North Restroom	1	1	1	1	2	2	N/A	0	No ""key infrastructure""	27	0.061	0.29	2	8	3
Buildings	7	13	Life Guard Office	Mid-Town	1	1	1	1	2	1	N/A	6	No ""key infrastructure""	23	0.0025	0.038	0	1	0
Buildings	8	14	Memorial Fountain	Memorial Fountain	1	1	1	1	1	3	N/A	0	No ""key infrastructure""	27	0.15	0.43	4	11	6
Buildings	12	21	Bradley Casino		1	1	1	1	1	3	N/A	0	No ""key infrastructure""	27	0.11	0.21	3	6	4
Buildings	21	30	Storage		1	1	1	1	1	1	N/A	0	No ""key infrastructure""	20	0.049	0.29	1	6	2
Buildings	22	31	Tennis Office		1	1	2	1	1	1	N/A	8	No ""key infrastructure""	23	0.064	0.29	1	7	3
Buildings	23	32	Tennis Storage		1	1	1	1	1	1	N/A	0	No ""key infrastructure""	20	0.064	0.29	1	6	3
Buildings	24	33	Tennis Pavillion		1	1	1	1	1	1	N/A	0	No ""key infrastructure""	20	0.061	0.27	1	5	2
Buildings	25	34	Par 3 Maint bldg		1	2	1	1	1	1	N/A	8	No ""key infrastructure""	23	0.12	0.31	3	7	4
Buildings	26	35	Golf Pro Shop		1	2	2	1	1	1	N/A	15	No ""key infrastructure""	27	0.057	0.17	2	5	2
Buildings	27	36	Par 3 Restaurant		1	2	3	1	1	1	N/A	0	No ""key infrastructure""	30	0.013	0.17	0	5	2
Buildings	32	42	Brazilian Docs		1	1	3	1	1	1	N/A	0	No ""key infrastructure""	27	0.51	1	14	27	18
Buildings	33	43	Australian Docs		1	1	3	1	1	1	N/A	0	No ""key infrastructure""	27	0.34	1	9	27	14
Buildings	34	44	Rec Center		1	3	3	2	3	3	N/A	8	No ""key infrastructure""	50	0.17	0.45	9	23	13
Buildings	35	46	Tennis Office		1	1	2	1	1	1	N/A	6	No ""key infrastructure""	23	0.17	0.48	4	11	6
Buildings	36	47	Life Guard		1	1	1	1	2	1	N/A	100	No ""key infrastructure""	23	0.0015	0.042	0	1	0
Buildings	39	55	Bath Rooms		1	1	1	1	2	2	N/A	0	No ""key infrastructure""	27	0.003	0.038	0	1	0
Buildings	40	56	Life Guard		1	1	1	1	2	1	N/A	0	No ""key infrastructure""	23	0.012	0.088	0	2	1
Buildings	41	57	Life Guard		1	1	1	1	2	1	N/A	0	No ""key infrastructure""	23	0.011	0.08	0	2	1
Buildings	42	58	Life Guard		1	1	1	1	2	1	N/A	0	No ""key infrastructure""	23	0.013	0.1	0	2	1



Table 3-5. Consequence Score and Coastal Vulnerability Index Summary

Asset Group Sewer Lift Stations

Table 3-5. Consequence Score and Coastal Vulnerability Index Summary
 ASSET GROUP: Sewer Lift Stations
 Coastal Vulnerability Assessment
 Town of Palm Beach

Sewer_LiftStations	FID	OBJECTID	FACILITYID	STRUCTTYPE	TPB_LSID	TPB_Type	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
							Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Sewer_LiftStations	0	1	E-02	Lift Station	E-2	Submersable	5	4	3	3	2	2	63	0.2	0.41	13	26	17
Sewer_LiftStations	1	4	E-01	Lift Station	E-1	Wet Well	5	4	3	3	2	2	63	0.08	0.42	5	27	12
Sewer_LiftStations	2	7	E-03	Lift Station	E-3	Submersable	5	4	3	3	2	2	63	0.12	0.39	8	25	13
Sewer_LiftStations	3	8	E-07	Lift Station	E7	Submersable	5	4	3	3	1	2	60	0.17	0.47	10	28	16
Sewer_LiftStations	4	9	E-06	Lift Station	E-6	Pumps and Well	5	4	3	3	1	2	60	0.16	0.41	10	25	14
Sewer_LiftStations	5	11	E-05	Lift Station	E-5	Submersable	5	4	3	3	2	2	63	0.18	0.47	11	30	17
Sewer_LiftStations	6	13	E-04	Lift Station	E-4	Submersable	5	4	3	3	2	2	63	0.41	0.6	26	38	30
Sewer_LiftStations	7	14	S-02	Lift Station	S-2	Master Station	5	4	3	3	1	2	60	0.11	0.34	7	20	11
Sewer_LiftStations	8	15	A-05	Lift Station	A-5	Dry Pit Submers	5	4	3	3	1	2	60	0.11	0.23	7	14	9
Sewer_LiftStations	9	16	A-06	Lift Station	A-6	Dry Pit Submers	5	4	3	3	1	2	60	0.19	0.43	11	26	16
Sewer_LiftStations	10	17	G-07	Lift Station	G-7	Submersable	5	4	3	3	1	2	60	0.2	0.88	12	53	24
Sewer_LiftStations	11	18	Sani Sailor	Lift Station	G7	LS	5	4	3	3	1	2	60	0.27	1	16	60	29
Sewer_LiftStations	12	19	Sani Sailor	Lift Station	SANA		5	4	3	3	1	2	60	0.52	0.8	31	48	36
Sewer_LiftStations	13	20	G-09	Lift Station	G-9	Submersable	5	4	3	3	1	2	60	0.0024	0.038	0	2	1
Sewer_LiftStations	14	21	E-08	Lift Station	E-8	Ejector	5	4	3	3	1	2	60	0.091	0.38	5	23	11
Sewer_LiftStations	15	22	E-09	Lift Station	E-9	Ejector	5	4	3	3	1	2	60	0.18	0.44	11	26	15
Sewer_LiftStations	16	23	EverG-Club	Lift Station	EverG-Club		5	4	3	3	1	2	60	0.18	0.43	11	26	15
Sewer_LiftStations	17	24	E-10	Lift Station	E-10	Ejector	5	4	3	3	1	2	60	0.18	0.44	11	26	15
Sewer_LiftStations	18	25	E-11	Lift Station	E11	Submersable	5	4	3	3	1	2	60	0.18	0.44	11	26	15
Sewer_LiftStations	19	26	E-12	Lift Station	E-12	Ejector	5	4	3	3	1	2	60	0.22	0.53	13	32	19
Sewer_LiftStations	20	27	E-13	Lift Station	E-13	Ejector	5	4	3	3	1	2	60	0.22	0.45	13	27	17
Sewer_LiftStations	21	28	E-14	Lift Station	E-14	Ejector	5	4	3	3	1	2	60	0.16	0.44	10	26	15
Sewer_LiftStations	22	29	E-15	Lift Station	E15	Ejector	5	4	3	3	1	2	60	0.17	0.44	10	26	15
Sewer_LiftStations	23	30	E-16	Lift Station	E-16	Ejector	5	4	3	3	1	2	60	0.17	0.44	10	26	15
Sewer_LiftStations	24	31	E-17	Lift Station	E-17	Ejector	5	4	3	3	1	2	60	0.12	0.34	7	20	11
Sewer_LiftStations	25	32	E-18	Lift Station	E-18	Ejector	5	4	3	3	1	2	60	0.12	0.4	7	24	12
Sewer_LiftStations	26	33	E-20	Lift Station	E-20	Ejector	5	4	3	3	1	2	60	0.16	0.43	10	26	14
Sewer_LiftStations	27	34	E-19	Lift Station	E-19	Submersable	5	4	3	3	1	2	60	0.14	0.4	8	24	13
Sewer_LiftStations	28	35	E-50	Lift Station	E-50	Submersable	5	4	3	3	2	2	63	0.18	0.47	11	30	17
Sewer_LiftStations	29	36	E-21	Lift Station	E-21	Ejector	5	4	3	3	2	2	63	0.094	0.39	6	25	12
Sewer_LiftStations	30	37	E-22	Lift Station	E-22	Ejector	5	4	3	3	1	2	60	0.049	0.43	3	26	10
Sewer_LiftStations	31	38	E-23	Lift Station	E-23	Ejector	5	4	3	3	1	2	60	0.14	0.41	8	25	13
Sewer_LiftStations	32	39	E-44	Lift Station	E-44	Ejector	5	4	3	3	1	2	60	0.042	0.18	3	11	5
Sewer_LiftStations	33	40	E-24	Lift Station	E-24	Ejector	5	4	3	3	1	2	60	0.01	0.18	1	11	4
Sewer_LiftStations	34	41	E-25	Lift Station	E-25	Ejector	5	4	3	3	1	2	60	0.0064	0.068	0	4	1
Sewer_LiftStations	35	42	E-27	Lift Station	E-27	Ejector	5	4	3	3	1	2	60	0.0018	0.18	0	11	3
Sewer_LiftStations	37	44	E-28	Lift Station	E-28	Ejector	5	4	3	3	1	2	60	0.0016	0.051	0	3	1
Sewer_LiftStations	48	55	E-38	Lift Station	E-38	Ejector	5	4	3	3	2	2	63	0.092	0.2	6	13	8
Sewer_LiftStations	49	56	E-40	Lift Station	E-40	DoublePot	5	4	3	3	2	2	63	0.024	0.17	2	11	4
Sewer_LiftStations	50	57	A-39	Lift Station	A-39	Dry Pit Submers	5	4	3	3	2	2	63	0.09	0.29	6	18	10
Sewer_LiftStations	51	58	A-41	Lift Station	A-41	Dry Pit Submers	5	4	3	3	2	2	63	0.13	0.37	8	23	13
Sewer_LiftStations	52	60	A-42	Lift Station	A-42	Dry Pit Submers	5	4	3	3	1	2	60	0.054	0.3	3	18	8
Sewer_LiftStations	53	61	A-43	Lift Station	A-43	Dry Pit Submers	5	4	3	3	1	2	60	0.048	0.29	3	17	7
Sewer_LiftStations	54	62	SPB STA	Lift Station	SPB STA		5	4	3	3	1	2	60	0.21	0.48	13	29	17
Sewer_LiftStations	55	63	G-01	Lift Station	G-1	WetWell	5	4	3	3	1	2	60	0.17	0.48	10	29	16
Sewer_LiftStations	56	64	A-04	Lift Station	A-4	Submersable	5	4	3	3	1	2	60	0.11	0.42	7	25	12
Sewer_LiftStations	57	66	PVT	Lift Station	A-4		5	4	3	3	1	2	60	0.1	0.42	6	25	12
Sewer_LiftStations	63	72	A-07	Lift Station	A-7	Booster Station	5	4	3	3	1	2	60	0.17	0.4	10	24	14
Sewer_LiftStations	64	73	Sani Sailor	Lift Station	SANA		5	4	3	3	1	2	60	0.19	0.9	11	54	24



Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

Asset Group Stormwater Basin Inlets

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1	9	1.25	9	A	Inlet	3.61	9	2	1	1	2	5	1	40	0.070	0.40	3	16	7
Stormwater	2	10	1.89	10	A	Inlet	3.77	10	2	1	1	2	5	1	40	0.071	0.40	3	16	7
Stormwater	3	13	2.23	13	A	Inlet	4.48	13	3	1	2	3	5	2	53	0.078	0.42	4	22	10
Stormwater	4	15	2.34	15	A	Inlet	4.44	15	2	1	1	2	5	1	40	0.078	0.42	3	17	7
Stormwater	5	12	2.26	12	A	Inlet	4.51	12	3	1	2	3	1	2	40	0.077	0.430	3	17	7
Stormwater	6	18	2.24	18	A	Inlet	4.03	18	2	1	1	2	1	1	27	0.080	0.420	2	11	5
Stormwater	7	19	2.4	19	A	Inlet	4.03	19	2	1	1	2	1	1	27	0.080	0.420	2	11	5
Stormwater	8	2	2.1	2	A	Inlet	4.43	2	3	1	2	3	1	2	40	0.237	0.500	9	20	13
Stormwater	9	3	2.55	3	A	Inlet	4.37	3	3	1	2	3	1	2	40	0.085	0.400	3	16	7
Stormwater	10	6	1.27	6	A	Inlet	5.19	6	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	11	7	1.55	7	A	Inlet	5.11	7	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	12	20	1.11	20	A	Inlet	3.61	20	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	13	21	1.72	21	A	Inlet	3.51	21	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	14	24	0.76	24	A	Inlet	3.57	24	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	15	29	2.48	29	A	Inlet	3.24	29	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	16	26	3.99	26	A	Inlet	5.24	26	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	17	25	3.46	25	A	Inlet	5.21	25	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	18	27	3.42	27	A	Inlet	5.3	27	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	19	0029A	0.4	29A	A	Inlet	3.2	0	2	1	1	2	1	1	27	0.072	0.430	2	11	5
Stormwater	20	30	0.4	30	A	Inlet	3.3	30	2	1	1	2	1	1	27	0.072	0.430	2	11	5
Stormwater	21	32	0.1	32	A	Inlet	3	32	3	1	2	3	1	2	40	0.072	0.43	3	17	7
Stormwater	22	33	-0.1	33	A	Inlet	2.8	33	3	1	2	3	1	2	40	0.072	0.43	3	17	7
Stormwater	23	34	-2	34	A	Inlet	2.6	34	3	1	2	3	1	2	40	0.072	0.43	3	17	7
Stormwater	24	36	0.6	36	A	Inlet	3.11	36	2	1	1	2	1	1	27	0.083	0.41	2	11	5
Stormwater	25	38	0.6	38	A	Inlet	3	38	2	1	1	2	1	1	27	0.084	0.41	2	11	5
Stormwater	26	40	2.01	40	A	Inlet	3.51	40	3	1	2	3	1	2	40	0.085	0.41	3	16	7
Stormwater	27	39	1.48	39	A	Inlet	3.15	39	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	28	41	0.84	41	A	Inlet	3.34	41	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	29	42	0.58	42	A	Inlet	3.39	42	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	30	44	2.41	44	A	Inlet	4.2	44	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	31	47	2.52	47	A	Inlet	4.1	47	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	32	50	-0.2	50	A	Inlet	2.8	50	3	1	2	3	1	2	40	0.065	0.39	3	16	7
Stormwater	33	51	-0.01	51	A	Inlet	2.8	51	3	1	2	3	1	2	40	0.071	0.43	3	17	7
Stormwater	34	49	1.78	49	A	Inlet	3.52	49	3	1	2	3	1	2	40	0.085	0.410	3	16	7
Stormwater	35	67	3.93	67	A	Inlet	5.93	67	3	1	2	3	1	2	40	0.038	0.15	2	6	3
Stormwater	36	68	4.17	68	A	Inlet	6.17	68	3	1	2	3	1	2	40	0.036	0.12	1	5	3
Stormwater	37	64	1.72	64	A	Inlet	3.55	64	3	1	2	3	1	2	40	0.080	0.41	3	17	7
Stormwater	38	66	2	66	A	Inlet	3.5	66	3	1	2	3	1	2	40	0.079	0.42	3	17	7
Stormwater	39	61	1.84	61	A	Inlet	3.51	61	3	1	2	3	1	2	40	0.082	0.41	3	16	7
Stormwater	40	62	1.53	62	A	Inlet	3.24	62	3	1	2	3	1	2	40	0.080	0.420	3	17	7
Stormwater	41	58	1.44	58	A	Inlet	3.02	58	2	1	1	2	1	1	27	0.080	0.41	2	11	5
Stormwater	42	59	1.51	59	A	Inlet	3.09	59	2	1	1	2	1	1	27	0.082	0.41	2	11	5
Stormwater	43	57	0.53	57	A	Inlet	2.61	57	2	1	1	2	1	1	27	0.065	0.42	2	11	5
Stormwater	44	55	0.38	55	A	Inlet	2.63	55	2	1	1	2	1	1	27	0.065	0.42	2	11	5
Stormwater	45	52	0.6	52	A	Inlet	3.5	52	3	1	2	3	1	2	40	0.065	0.42	3	17	7
Stormwater	46	53	1.34	53	A	Inlet	3.51	53	3	1	2	3	1	2	40	0.065	0.42	3	17	7
Stormwater	47	0054A	-0.2	54A	A	Inlet	2.91	0	3	1	2	3	1	2	40	0.065	0.42	3	17	7
Stormwater	48	71	0	71	A	Inlet	0	71	3	1	2	3	1	2	40	0.065	0.42	3	17	7
Stormwater	49	0072A	-0.1	72A	A	Inlet	2.93	0	3	1	2	3	1	2	40	0.066	0.42	3	17	7
Stormwater	50	79	-1.2	79	A	Inlet	2.7	79	2	1	1	2	1	1	27	0.065	0.42	2	11	5
Stormwater	51	80	-1.3	80	A	Inlet	2.7	80	2	1	1	2	1	1	27	0.065	0.42	2	11	5
Stormwater	52	73	-0.1	73	A	Inlet	2.9	73	3	1	2	3	1	2	40	0.077	0.42	3	17	7
Stormwater	53	75	-0.1	75	A	Inlet	3.18	75	2	1	1	2	1	1	27	0.079	0.42	2	11	5
Stormwater	54	76	-2.25	76	A	Inlet	3	76	2	1	1	2	1	1	27	0.079	0.42	2	11	5
Stormwater	55	0077A	-2.4	77A	A	Inlet	2.7	0	2	1	1	2	1	1	27	0.079	0.42	2	11	5
Stormwater	56	0077B	-2.2	77B	A	Inlet	2.7	0	2	1	1	2	1	1	27	0.079	0.42	2	11	5
Stormwater	57	81	-1.2	81	A	Inlet	3.1	81	2	1	1	2	1	1	27	0.079	0.42	2	11	5
Stormwater	58	83	-1.2	83	A	Inlet	3	83	2	1	1	2	1	1	27	0.079	0.42	2	11	5
Stormwater	59	84	1.2	84	A	Inlet	4.11	84	3	1	2	3	1	2	40	0.079	0.42	3	17	7
Stormwater	60	85	1.2	85	A	Inlet	4.1	85	3	1	2	3	1	2	40	0.079	0.42	3	17	7
Stormwater	61	89	1.2	89	A	Inlet	4.2	89	3	1	2	3	1	2	40	0.074	0.38	3	15	7
Stormwater	62	87	1.3	87	A	Inlet	4.3	87	3	1	2	3	1	2	40	0.079	0.42	3	17	7
Stormwater	63	90	3.95	90	A	Inlet	5.8	90	3	1	2	3	1	2	40	0.037	0.12	1	5	3
Stormwater	64	91	3.94	91	A	Inlet	5.86	91	3	1	2	3	1	2	40	0.037	0.12	1	5	3
Stormwater	65	92	4.83	92	A	Inlet	5.93	92	3	1	2	3	1	2	40	0.037	0.12	1	5	3
Stormwater	66	104	-0.6	104	A	Inlet	3.9	104	3	1	2	3	1	2	40	0.079	0.42	3	17	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	67	107	1.1	107	A	Inlet	4	107	3	1	2	3	1	2	40	0.079	0.42	3	17	7
Stormwater	68	101	2.15	101	A	Inlet	3.72	101	2	1	1	2	1	1	27	0.079	0.42	2	11	5
Stormwater	69	103	2.01	103	A	Inlet	3.98	103	2	1	1	2	1	1	27	0.079	0.42	2	11	5
Stormwater	70	0097A	0	97A	A	Inlet	0	0	3	1	2	3	1	2	40	0.079	0.42	3	17	7
Stormwater	71	98	0	98	A	Inlet	0	98	3	1	2	3	1	2	40	0.079	0.42	3	17	7
Stormwater	72	99	0.1	99	A	Inlet	3.11	99	3	1	2	3	1	2	40	0.079	0.42	3	17	7
Stormwater	73	110	0.2	110	A	Inlet	3.4	110	3	1	2	3	1	2	40	0.085	0.420	3	17	7
Stormwater	74	111	0.4	111	A	Inlet	3.5	111	3	1	2	3	1	2	40	0.085	0.420	3	17	7
Stormwater	75	112	-0.6	112	A	Inlet	3.6	112	3	1	2	3	1	2	40	0.085	0.420	3	17	7
Stormwater	76	119	0.9	119	A	Inlet	4.9	119	3	1	2	3	1	2	40	0.081	0.390	3	16	7
Stormwater	77	120	1.5	120	A	Inlet	4.5	120	3	1	2	3	1	2	40	0.085	0.420	3	17	7
Stormwater	78	134	6.2	134	A	Inlet	8.05	134	2	1	1	2	1	1	27	0.079	0.240	2	6	3
Stormwater	79	0121A	1.94	121	A	Inlet	3.47	121	2	1	1	2	1	1	27	0.085	0.420	2	11	5
Stormwater	80	0121B	2.15	122	A	Inlet	3.26	122	2	1	1	2	1	1	27	0.085	0.420	2	11	5
Stormwater	81	122A	2.1	123B	A	Inlet	3.52	0	2	1	1	2	1	1	27	0.085	0.420	2	11	5
Stormwater	82	129	5.65	129	A	Inlet	6.59	129	3	1	2	3	1	2	40	0.042	0.260	2	10	4
Stormwater	83	125	3.73	125	A	Inlet	5.15	125	3	1	2	3	1	2	40	0.085	0.420	3	17	7
Stormwater	84	127	2.15	127	A	Inlet	4.17	127	2	1	1	2	1	1	27	0.085	0.420	2	11	5
Stormwater	85	115	0.83	115	A	Inlet	3.67	115	3	1	2	3	1	2	40	0.079	0.417	3	17	7
Stormwater	86	116	1.76	116	A	Inlet	3.48	116	3	1	2	3	1	2	40	0.079	0.417	3	17	7
Stormwater	87	113	2	113	A	Inlet	3.44	113	3	1	2	3	1	2	40	0.079	0.417	3	17	7
Stormwater	88	131	3.14	131	A	Inlet	4.84	131	2	1	1	2	1	1	27	0.085	0.415	2	11	5
Stormwater	89	133	3.19	133	A	Inlet	4.9	133	2	1	1	2	1	1	27	0.085	0.415	2	11	5
Stormwater	90	156	0	156	A	Inlet	4.92	156	3	1	2	3	1	2	40	0.143	0.415	6	17	9
Stormwater	91	155A	0	155A	A	Inlet	0	0	3	1	2	3	1	2	40	0.144	0.421	6	17	9
Stormwater	92	149	0	149	A	Inlet	4.9	149	3	1	2	3	1	2	40	0.117	0.389	5	16	8
Stormwater	93	146	2.3	146	A	Inlet	5.3	146	3	1	2	3	1	2	40	0.117	0.389	5	16	8
Stormwater	94	148	0	148	A	Inlet	0	148	3	1	2	3	1	2	40	0.117	0.389	5	16	8
Stormwater	95	144	1.2	144	A	Inlet	5.5	144	3	1	2	3	1	2	40	0.114	0.389	5	16	8
Stormwater	96	140	3.5	140	A	Inlet	6.5	140	3	1	2	3	1	2	40	0.083	0.400	3	16	7
Stormwater	97	139A	0	139A	A	Inlet	0	0	3	1	2	3	1	2	40	0.083	0.400	3	16	7
Stormwater	98	157	0	157	A	Inlet	4.57	157	3	1	2	3	1	2	40	0.144	0.421	6	17	9
Stormwater	99	159	2.55	159	A	Inlet	4.55	159	3	1	2	3	1	2	40	0.144	0.421	6	17	9
Stormwater	100	160	2.51	160	UNK	Inlet	4.45	160	3	1	2	3	1	2	40	0.144	0.421	6	17	9
Stormwater	101	174	3.11	174	A	Inlet	4.69	174	3	1	2	3	1	2	40	0.144	0.421	6	17	9
Stormwater	102	172	3.45	172	A	Inlet	4.45	172	2	1	1	2	1	1	27	0.144	0.421	4	11	6
Stormwater	103	170	2.87	170	A	Inlet	4.45	170	2	1	1	2	1	1	27	0.144	0.421	4	11	6
Stormwater	104	167	2.34	167	A	Inlet	4.51	167	2	1	1	2	1	1	27	0.144	0.421	4	11	6
Stormwater	105	168	2.3	168	A	Inlet	4.55	168	2	1	1	2	1	1	27	0.144	0.421	4	11	6
Stormwater	106	163	1.43	163	A	Inlet	40.01	163	2	1	1	2	1	1	27	0.143	0.420	4	11	6
Stormwater	107	162	0	162	A	Inlet	3.6	162	2	1	1	2	1	1	27	0.143	0.420	4	11	6
Stormwater	108	165	0.15	165	A	Inlet	3.98	165	2	1	1	2	1	1	27	0.143	0.420	4	11	6
Stormwater	109	176	1.41	176	A	Inlet	3.49	176	3	1	2	3	1	2	40	0.176	0.418	7	17	10
Stormwater	110	171	0	171	A	Inlet	0	171	2	1	1	2	1	1	27	0.144	0.421	4	11	6
Stormwater	111	189	0	189	A	Inlet	0	189	2	1	1	2	1	1	27	0.143	0.420	4	11	6
Stormwater	112	178	1.69	178	A	Inlet	3.52	178	3	1	2	3	1	2	40	0.176	0.418	7	17	10
Stormwater	113	182	1.22	182	A	Inlet	3.37	182	3	1	2	3	1	2	40	0.176	0.418	7	17	10
Stormwater	114	181	1.02	181	A	Inlet	3.35	181	3	1	2	3	1	2	40	0.176	0.418	7	17	10
Stormwater	115	183	2.31	183	A	Inlet	3.96	183	2	1	1	2	1	1	27	0.156	0.419	4	11	6
Stormwater	116	185	2.07	185	A	Inlet	3.99	185	2	1	1	2	1	1	27	0.161	0.419	4	11	6
Stormwater	117	186	1.79	186	A	Inlet	4.12	186	2	1	1	2	1	1	27	0.143	0.420	4	11	6
Stormwater	118	188	1.89	188	A	Inlet	4.22	188	2	1	1	2	1	1	27	0.143	0.420	4	11	6
Stormwater	119	217	2.46	217	A	Inlet	4.69	217	3	1	2	3	1	2	40	0.143	0.421	6	17	9
Stormwater	120	216	2.64	216	A	Inlet	4.64	216	3	1	2	3	1	2	40	0.144	0.421	6	17	9
Stormwater	121	215	1.57	215	A	Inlet	4.82	215	3	1	2	3	1	2	40	0.143	0.420	6	17	9
Stormwater	122	213	1.87	213	A	Inlet	4.02	213	3	1	2	3	1	2	40	0.143	0.420	6	17	9
Stormwater	123	211	2.12	211	A	Inlet	4.25	211	3	1	2	3	1	2	40	0.137	0.407	5	16	9
Stormwater	124	175	3.27	175	A	Inlet	4.77	175	3	1	2	3	1	2	40	0.144	0.421	6	17	9
Stormwater	125	190	2.1	190	A	Inlet	4.27	190	3	1	2	3	1	2	40	0.178	0.418	7	17	10
Stormwater	126	0191A	0	191A	A	Inlet	0	0	3	1	2	3	1	2	40	0.178	0.418	7	17	10
Stormwater	127	195	1.39	195	A	Inlet	4.31	195	3	1	2	3	1	2	40	0.178	0.418	7	17	10
Stormwater	128	194	1.63	194	A	Inlet	4.21	194	3	1	2	3	1	2	40	0.178	0.418	7	17	10
Stormwater	129	196	2.02	196	A	Inlet	4.1	196	2	1	1	2	1	1	27	0.178	0.418	5	11	7
Stormwater	130	198	0.94	198	A	Inlet	4.07	198	2	1	1	2	1	1	27	0.178	0.418	5	11	7
Stormwater	131	199	1.71	199	A	Inlet	3.63	199	2	1	1	2	1	1	27	0.178	0.418	5	11	7
Stormwater	132	201	0.87	201	A	Inlet	3.45	201	2	1	1	2	1	1	27	0.178	0.418	5	11	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	133	228	1.36	228	A	Inlet	3.99	228	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	134	230	1.56	230	A	Inlet	3.69	230	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	135	222	0.4	222	A	Inlet	3.53	222	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	136	219	2.59	219	A	Inlet	3.92	219	3	1	2	3	1	2	40	0.199	0.415	8	17	11
Stormwater	137	221	-0.04	221	A	Inlet	3.56	221	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	138	224	1.4	224	A	Inlet	3.73	224	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	139	0225A	0.4	222	A	Inlet	3.53	222	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	140	236	1.96	236	A	Inlet	3.84	236	3	1	2	3	1	2	40	0.199	0.415	8	17	11
Stormwater	141	237	-0.51	237	A	Inlet	3.49	237	3	1	2	3	1	2	40	0.199	0.415	8	17	11
Stormwater	142	239	1.03	239	A	Inlet	3.47	239	3	1	2	3	1	2	40	0.199	0.415	8	17	11
Stormwater	143	241	1.7	241	A	Inlet	3.97	241	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	144	0242A	1.39	242A	A	Inlet	3.95	0	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	145	243	1.64	243	A	Inlet	4.2	243	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	146	245	1.44	245	A	Inlet	4.27	245	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	147	246	1.76	246	A	Inlet	4.05	246	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	148	248	2.1	248	A	Inlet	4.02	248	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	149	203	-0.32	203	A	Inlet	3.18	203	2	1	1	2	1	1	27	0.143	0.420	4	11	6
Stormwater	150	204	1.23	204	A	Inlet	2.9	204	2	1	1	2	1	1	27	0.143	0.420	4	11	6
Stormwater	151	209	1.91	209	A	Inlet	3.99	209	3	1	2	3	1	2	40	0.143	0.420	6	17	9
Stormwater	152	210	2.38	210	A	Inlet	4.21	210	3	1	2	3	1	2	40	0.142	0.414	6	17	9
Stormwater	153	206	0.81	206	A	Inlet	4.04	206	3	1	2	3	1	2	40	0.152	0.419	6	17	9
Stormwater	154	207	2.57	207	A	Inlet	4.65	207	3	1	2	3	1	2	40	0.142	0.412	6	16	9
Stormwater	155	205	1.77	205	A	Inlet	4.5	205	3	1	2	3	1	2	40	0.157	0.419	6	17	9
Stormwater	156	0233A	2.57	223	A	Inlet	5.86	223	3	1	2	3	1	2	40	0.199	0.387	8	15	10
Stormwater	157	232	3.24	232	A	Inlet	6.07	232	3	1	2	3	1	2	40	0.199	0.387	8	15	10
Stormwater	158	235	5.1	235	A	Inlet	6.93	235	3	1	2	3	1	2	40	0.199	0.387	8	15	10
Stormwater	159	234	3.73	234	A	Inlet	6.36	234	3	1	2	3	1	2	40	0.199	0.387	8	15	10
Stormwater	160	249	1.75	249	A	Inlet	5	249	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	161	251	2.44	251	A	Inlet	5.09	251	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	162	252	3.81	252	A	Inlet	6.35	252	3	1	2	3	1	2	40	0.199	0.415	8	17	11
Stormwater	163	254	2.47	254	A	Inlet	6.32	254	3	1	2	3	1	2	40	0.199	0.415	8	17	11
Stormwater	164	0253A	3.81	252	A	Inlet	6.35	252	3	1	2	3	1	2	40	0.199	0.415	8	17	11
Stormwater	165	258	3.21	258	A	Inlet	5.38	258	3	1	2	3	1	2	40	0.199	0.415	8	17	11
Stormwater	166	257	3.48	257	A	Inlet	5.77	257	3	1	2	3	1	2	40	0.199	0.415	8	17	11
Stormwater	167	263	0.6	263		Inlet	3.4	263	3	1	2	3	1	2	40	0.199	0.414	8	17	11
Stormwater	168	261	0.7	261	A	Inlet	3.5	261	3	1	2	3	1	2	40	0.198	0.414	8	17	11
Stormwater	169	264	0.7	264	A	Inlet	3.4	264	3	1	2	3	1	2	40	0.198	0.414	8	17	11
Stormwater	170	265	1.99	265	A	Inlet	4.57	265	2	1	1	2	1	1	27	0.198	0.414	5	11	7
Stormwater	171	267	1.49	267	A	Inlet	4.66	267	2	1	1	2	1	1	27	0.198	0.414	5	11	7
Stormwater	172	268	2.84	268	A	Inlet	5.01	268	2	1	1	2	1	1	27	0.198	0.414	5	11	7
Stormwater	173	270	3.61	270	A	Inlet	5.21	270	2	1	1	2	1	1	27	0.198	0.414	5	11	7
Stormwater	174	275	0.9	275	A	Inlet	3.9	275	3	1	2	3	1	2	40	0.198	0.414	8	17	11
Stormwater	175	276	0.21	276	A	Inlet	4.13	276	3	1	2	3	1	2	40	0.198	0.414	8	17	11
Stormwater	176	278	0.9	278	A	Inlet	3.9	278	3	1	2	3	1	2	40	0.198	0.414	8	17	11
Stormwater	177	279	1.52	279	A	Inlet	4.31	279	2	1	1	2	1	1	27	0.197	0.413	5	11	7
Stormwater	178	281	2.4	281	A	Inlet	4.32	281	2	1	1	2	1	1	27	0.197	0.413	5	11	7
Stormwater	179	0291A	0	291A	A	Inlet	0	0	3	1	2	3	1	2	40	0.197	0.413	8	17	10
Stormwater	180	294	1.1	294	A	Inlet	0	294	3	1	2	3	1	2	40	0.197	0.413	8	17	10
Stormwater	181	293	1.27	293	A	Inlet	4.15	293	3	1	2	3	1	2	40	0.197	0.413	8	17	10
Stormwater	182	295	1.43	295	A	Inlet	3.91	295	2	1	1	2	1	1	27	0.197	0.383	5	10	7
Stormwater	183	297	1.82	297	A	Inlet	3.86	297	2	1	1	2	1	1	27	0.197	0.383	5	10	7
Stormwater	184	299	2.03	299	A	Inlet	4.08	299	2	1	1	2	1	1	27	0.197	0.413	5	11	7
Stormwater	185	300	0	3000	A	Inlet	0	3000	2	1	1	2	1	1	27	0.197	0.408	5	11	7
Stormwater	186	310	-0.5	310	A	Inlet	4.3	310	2	1	1	2	1	1	27	0.197	0.413	5	11	7
Stormwater	187	312	1.2	312	A	Inlet	4.2	312	2	1	1	2	1	1	27	0.197	0.413	5	11	7
Stormwater	188	317	4.49	317		Inlet	6.66	317	3	1	2	3	1	2	40	0.039	0.135	2	5	3
Stormwater	189	318	4.37	318	A	Inlet	6.66	318	3	1	2	3	1	2	40	0.040	0.141	2	6	3
Stormwater	190	319	2.56	319	A	Inlet	4.53	319	2	1	1	2	1	1	27	0.193	0.408	5	11	7
Stormwater	191	321	2	321	A	Inlet	4.61	321	2	1	1	2	1	1	27	0.191	0.410	5	11	7
Stormwater	192	322	3.32	322	A	Inlet	4.88	322	2	1	1	2	1	1	27	0.191	0.410	5	11	7
Stormwater	193	324	3.89	324	A	Inlet	4.98	324	2	1	1	2	1	1	27	0.191	0.410	5	11	7
Stormwater	194	326	1.6	326	A	Inlet	4.6	326	3	1	2	3	1	2	40	0.188	0.384	8	15	10
Stormwater	195	327	2.95	327	A	Inlet	5.32	327	3	1	2	3	1	2	40	0.188	0.384	8	15	10
Stormwater	196	328	3.52	328	A	Inlet	5.37	328	3	1	2	3	1	2	40	0.188	0.384	8	15	10
Stormwater	197	313	1.5	313	A	Inlet	6	313	3	1	2	3	1	2	40	0.197	0.383	8	15	10
Stormwater	198	302	0.7	302	A	Inlet	4.5	302	3	1	2	3	1	2	40	0.197	0.413	8	17	10

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	199	304	1.7	304	A	Inlet	4.7	304	3	1	2	3	1	2	40	0.197	0.413	8	17	10
Stormwater	200	307	2.66	307	A	Inlet	4.78	307	2	1	1	2	1	1	27	0.197	0.413	5	11	7
Stormwater	201	301	0.8	301	A	Inlet	4.6	301	3	1	2	3	1	2	40	0.197	0.413	8	17	10
Stormwater	202	305	1.6	305	A	Inlet	4.6	305	3	1	2	3	1	2	40	0.197	0.413	8	17	10
Stormwater	203	308	2.9	308	A	Inlet	4.81	308	2	1	1	2	1	1	27	0.197	0.413	5	11	7
Stormwater	204	282	2.56	282	A	Inlet	4.85	282	2	1	1	2	1	1	27	0.197	0.413	5	11	7
Stormwater	205	287	1.5	287	A	Inlet	4.5	287	3	1	2	3	1	2	40	0.197	0.413	8	17	10
Stormwater	206	284	2.72	284	A	Inlet	4.53	284	2	1	1	2	1	1	27	0.197	0.413	5	11	7
Stormwater	207	289	1.65	289	A	Inlet	4.6	289	3	1	2	3	1	2	40	0.197	0.413	8	17	10
Stormwater	208	288	1.8	288	A	Inlet	4.8	288	3	1	2	3	1	2	40	0.197	0.412	8	16	10
Stormwater	209	285	1.6	285	A	Inlet	4.6	285	3	1	2	3	1	2	40	0.197	0.413	8	17	10
Stormwater	210	271	2.2	271	A	Inlet	5.2	271	3	1	2	3	1	2	40	0.198	0.414	8	17	11
Stormwater	211	273	2.2	273	A	Inlet	5.2	273	3	1	2	3	1	2	40	0.197	0.414	8	17	10
Stormwater	212	386	0	386	A	Inlet	0	386	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	213	0386B	0	386.B	A	Inlet	0	0	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	214	372	-1.29	372	A	Inlet	4.43	372	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	215	374	0.87	374	A	Inlet	4.53	374	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	216	376	-0.73	376	A	Inlet	4.34	376	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	217	361	0.81	361	A	Inlet	3.26	361	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	218	363	0.54	363	A	Inlet	3.19	363	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	219	0359A	0	359A	A	Inlet	0	0	3	1	2	3	1	2	40	0.188	0.341	8	14	9
Stormwater	220	0360A	0	360A	A	Inlet	0	0	3	1	2	3	1	2	40	0.148	0.275	6	11	7
Stormwater	221	348	2.11	348	A	Inlet	4.11	348	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	222	349	2.4	349	A	Inlet	4.18	349	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	223	351	1.87	351	A	Inlet	3.44	351	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	224	333	1.59	333	UNK	Inlet	3.54	333	2	1	1	2	1	1	27	0.191	0.410	5	11	7
Stormwater	225	0354A	1.2	355	A	Inlet	3.47	355	2	1	1	2	1	1	27	0.190	0.410	5	11	7
Stormwater	226	336	1.05	336	A	Inlet	3.1	336	2	1	1	2	1	1	27	0.190	0.409	5	11	7
Stormwater	227	338	0.3	338	A	Inlet	3.2	338	2	1	1	2	1	1	27	0.190	0.409	5	11	7
Stormwater	228	341	0	341	A	Inlet	0	341	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	229	343	1.5	343	A	Inlet	4.5	343	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	230	395	0	395	A	Inlet	0	395	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	231	387	0.6	387	A	Inlet	3.64	387	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	232	388	0.7	388	A	Inlet	3.69	388	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	233	390	0.3	390	A	Inlet	3.3	390	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	234	664	0	634	A	Inlet	0	634	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	235	0364A	0.54	363	A	Inlet	3.19	363	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	236	356	2.14	356	A	Inlet	3.16	356	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	237	0358A	2.27	360	A	Inlet	4.27	360	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	238	358	2.31	358	A	Inlet	4.13	358	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	239	352	0	352	A	Inlet	0	352	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	240	354	0	354	A	Inlet	0	354	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	241	329	5.75	329	A	Inlet	7.72	329	3	1	2	3	1	2	40	0.188	0.384	8	15	10
Stormwater	242	330	5.11	330	A	Inlet	7.66	330	3	1	2	3	1	2	40	0.188	0.384	8	15	10
Stormwater	243	0382B	1.87	382B	A	Inlet	4.61	0	5	1	2	3	1	2	47	0.188	0.408	9	19	12
Stormwater	244	392	0	392	A	Inlet	0	392	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	245	0392A	0	392A	A	Inlet	0	0	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	246	397	0	397	A	Inlet	0	397	3	1	2	3	1	2	40	0.186	0.406	7	16	10
Stormwater	247	408	2.07	408	A	Inlet	4.07	408	3	1	2	3	1	2	40	0.186	0.406	7	16	10
Stormwater	248	399	0	399A	A	Inlet	0	0	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	249	410	1.92	410	A	Inlet	3.94	410	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	250	411	0.7	411	A	Inlet	3.95	411	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	251	400	0.8	400	A	Inlet	3.84	400	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	252	402	1.1	402	A	Inlet	4.1	402	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	253	412	1	412	A	Inlet	4.02	412	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	254	413	1	413	A	Inlet	3.98	413	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	255	417	1	417	A	Inlet	3.97	417	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	256	415	1	415	A	Inlet	3.96	415	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	257	422	-1.82	422	A	Inlet	4.85	422	3	1	2	3	1	2	40	0.104	0.229	4	9	6
Stormwater	258	423	-0.78	423	A	Inlet	5.35	423	3	1	2	3	1	2	40	0.120	0.263	5	11	7
Stormwater	259	426	0	426	A	Inlet	0	426	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	260	0426A	0	426A	A	Inlet	0	0	2	1	1	2	1	1	27	0.181	0.396	5	11	7
Stormwater	261	437	-0.75	437	A	Inlet	3.92	437	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	262	435	-0.77	435	A	Inlet	3.9	435	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	263	441	0.4	441	A	Inlet	3.9	441	2	1	1	2	1	1	27	0.184	0.405	5	11	7
Stormwater	264	443	-0.9	433	UNK	Inlet	3.9	433	2	1	1	2	1	1	27	0.183	0.405	5	11	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	265	403	2.66	403	A	Inlet	4.11	403	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	266	405	0.4	405	A	Inlet	3.7	405	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	267	406	0.9	406	A	Inlet	3.9	406	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	268	418	1.1	418	A	Inlet	4.1	418	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	269	431	0.7	431	A	Inlet	3.7	431	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	270	419	0	419	A	Inlet	0	419	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	271	440	0	440	A	Inlet	0	440	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	272	438	0.8	438	A	Inlet	3.8	438	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	273	0447C	1.1	447A	A	Inlet	4.4	0	3	1	2	3	1	2	40	0.186	0.406	7	16	10
Stormwater	274	444	2.1	444	A	Inlet	4.8	444	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	275	446	0	446	A	Inlet	4.8	446	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	276	448	0	448	A	Inlet	0	448	3	1	2	3	1	2	40	0.136	0.374	5	15	8
Stormwater	277	447	0	447	A	Inlet	0	447	3	1	2	3	1	2	40	0.186	0.406	7	16	10
Stormwater	278	449	1.7	449	A	Inlet	4.7	449	3	1	2	3	1	2	40	0.186	0.402	7	16	10
Stormwater	279	450	13.24	450	A	Inlet	15.29	450	3	1	2	3	1	2	40	0.000	0.014	0	1	0
Stormwater	280	451	13.87	451	A	Inlet	15.42	451	3	1	2	3	1	2	40	0.000	0.014	0	1	0
Stormwater	281	453	2.5	453	A	Inlet	5.6	453	2	1	1	2	1	1	27	0.182	0.404	5	11	7
Stormwater	282	455	-0.1	455	A	Inlet	5.8	455	2	1	1	2	1	1	27	0.182	0.404	5	11	7
Stormwater	283	457	1.6	457	A	Inlet	4.7	457	2	1	1	2	1	1	27	0.182	0.404	5	11	7
Stormwater	284	456	-0.1	456	A	Inlet	4.5	456	2	1	1	2	1	1	27	0.182	0.404	5	11	7
Stormwater	285	459	1.2	459	A	Inlet	4.3	459	2	1	1	2	1	1	27	0.182	0.404	5	11	7
Stormwater	286	461	0.7	461	A	Inlet	4.33	461	2	1	1	2	1	1	27	0.182	0.404	5	11	7
Stormwater	287	462	1.2	462	A	Inlet	4.2	462	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	288	0436A	0	436A	A	Inlet	0	0	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	289	0436C	0	436C	A	Inlet	0	0	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	290	463	0.9	463	A	Inlet	4.2	463	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	291	466	1.59	466	A	Inlet	4.76	466	3	1	2	3	1	2	40	0.186	0.387	7	15	10
Stormwater	292	467	3.1	467	A	Inlet	7.7	467	2	1	1	2	1	1	27	0.172	0.378	5	10	6
Stormwater	293	468	4.7	468	A	Inlet	7.7	468	2	1	1	2	1	1	27	0.121	0.355	3	9	5
Stormwater	294	470	2.5	470	A	Inlet	6.9	470	2	1	1	2	1	1	27	0.182	0.390	5	10	7
Stormwater	295	472	4	472	A	Inlet	7	472	2	1	1	2	1	1	27	0.182	0.390	5	10	7
Stormwater	296	473	1.7	473	A	Inlet	6.4	473	2	1	1	2	1	1	27	0.182	0.390	5	10	7
Stormwater	297	475	3.5	475	A	Inlet	6.5	475	2	1	1	2	1	1	27	0.182	0.389	5	10	7
Stormwater	298	477	3.6	477	A	Inlet	6.69	477	2	1	1	2	1	1	27	0.182	0.382	5	10	6
Stormwater	299	525	22.78	525	A	Inlet	25.7	525	2	1	1	2	1	1	27	0.001	0.020	0	1	0
Stormwater	300	526	23.45	526	A	Inlet	25.87	526	2	1	1	2	1	1	27	0.003	0.021	0	1	0
Stormwater	301	530	18.77	530	A	Inlet	20.6	530	2	1	1	2	1	1	27	0.000	0.001	0	0	0
Stormwater	302	527	18.77	527	A	Inlet	20.83	527	2	1	1	2	1	1	27	0.000	0.001	0	0	0
Stormwater	303	528	18.49	528		Inlet	20.79	528	2	1	1	2	1	1	27	0.000	0.001	0	0	0
Stormwater	304	478	0	478	A	Inlet	0	478	2	1	1	2	1	1	27	0.145	0.388	4	10	6
Stormwater	305	481	0	481	A	Inlet	0	481	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	306	0479C	0	479C	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	307	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	308	0479A	0	479A	A	Inlet	0	0	2	1	1	2	1	1	27	0.178	0.466	5	12	7
Stormwater	309	484	1.1	484	A	Inlet	2.84	484	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	310	500	1.06	500	A	Inlet	3.06	500	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	311	558	2.57	558	A	Inlet	5.15	558	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	312	557	3.61	557	A	Inlet	5.19	557	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	313	556	2.48	556	UNK	Inlet	5.23	556	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	314	555	3.63	555	A	Inlet	5.3	555	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	315	554	2.69	554	A	Inlet	4.94	554	2	1	1	2	1	1	27	0.177	0.400	5	11	6
Stormwater	316	553	3.09	533	A	Inlet	4.9	533	2	1	1	2	1	1	27	0.177	0.399	5	11	6
Stormwater	317	551	2.78	551	A	Inlet	5.49	551	2	1	1	2	1	1	27	0.176	0.399	5	11	6
Stormwater	318	552	2.68	552	A	Inlet	5.43	552	2	1	1	2	1	1	27	0.176	0.399	5	11	6
Stormwater	319	533	-0.9	533	A	Inlet	2.31	533	2	1	1	2	1	1	27	0.177	0.450	5	12	7
Stormwater	320	534	-0.77	534	A	Inlet	2.47	534	2	1	1	2	1	1	27	0.177	0.450	5	12	7
Stormwater	321	537	1.67	537	A	Inlet	2.18	537	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	322	535	-1.06	535	A	Inlet	2.15	535	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	323	538	-1.04	538	A	Inlet	2.17	538	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	324	540	-0.47	540	A	Inlet	2.36	540	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	325	541	-1.3	541	A	Inlet	2.14	541	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	326	560	0	560	A	Inlet	0	560	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	327	562	0	562	A	Inlet	0	562	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	328	542	-4.33	542	A	Inlet	2.25	542	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	329	544	2.06	544	A	Inlet	3.69	544	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	330	545	3.49	545	A	Inlet	4.95	545	2	1	1	2	1	1	27	0.178	0.470	5	13	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	331	547	2.33	547	A	Inlet	5	547	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	332	548	3.61	548		Inlet	5.94	548	3	1	2	3	1	2	40	0.164	0.430	7	17	10
Stormwater	333	549	3.09	549	A	Inlet	5.76	549	3	1	2	3	1	2	40	0.162	0.422	6	17	10
Stormwater	334	521	1.82	521	A	Inlet	5.15	521	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	335	523	3.32	523	A	Inlet	5.82	523	3	1	2	3	1	2	40	0.178	0.404	7	16	10
Stormwater	336	524	2.45	524	A	Inlet	4.99	524	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	337	0521A	1.03	521A	A	Inlet	3.7	0	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	338	519	1.41	519	A	Inlet	3.35	519	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	339	520	0.85	520	A	Inlet	3.51	520	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	340	514	0.08	514	A	Inlet	3.37	514	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	341	516	1.67	516	A	Inlet	3.52	516	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	342	513	0	513	A	Inlet	0	513	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	343	510	1.49	510	A	Inlet	3.38	510	2	1	1	2	1	1	27	0.177	0.458	5	12	7
Stormwater	344	512	0.18	512	A	Inlet	3.4	512	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	345	508	1	508	A	Inlet	3.39	508	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	346	509	0.07	509	A	Inlet	3.37	509	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	347	501	1.65	501	UNK	Inlet	3.16	501	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	348	505	0.95	505	A	Inlet	3.1	505	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	349	503	0	503	A	Inlet	0	503	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	350	506	0.18	506	UNK	Inlet	3.14	506	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	351	507	0	507	A	Inlet	0	507	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	352	0486A	1.11	486A	A	Inlet	2.88	0	2	1	1	2	1	1	27	0.178	0.423	5	11	7
Stormwater	353	486	1.09	486	A	Inlet	3.14	486	2	1	1	2	1	1	27	0.178	0.419	5	11	7
Stormwater	354	488	1.26	488	A	Inlet	3.79	488	2	1	1	2	1	1	27	0.178	0.451	5	12	7
Stormwater	355	490	-2.38	490	UNK	Inlet	4.12	490	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	356	492	2.39	492	A	Inlet	4.77	492	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	357	497	3.48	497	A	Inlet	5.53	497	2	1	1	2	1	1	27	0.178	0.469	5	13	7
Stormwater	358	493	0	493	A	Inlet	0	493	2	1	1	2	1	1	27	0.178	0.457	5	12	7
Stormwater	359	496	4.4	496	A	Inlet	5.9	496	3	1	2	3	1	2	40	0.178	0.383	7	15	10
Stormwater	360	0574A	4.84	574A	A	Inlet	7.33	0	3	1	2	3	1	2	40	0.121	0.280	5	11	7
Stormwater	361	570	4.54	570	A	Inlet	6.5	570	2	1	1	2	1	1	27	0.175	0.398	5	11	6
Stormwater	362	571	5.05	571	A	Inlet	6.47	571	2	1	1	2	1	1	27	0.175	0.397	5	11	6
Stormwater	363	586	0.51	586	A	Inlet	5.51	586	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	364	588	0.72	588	A	Inlet	5.3	588	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	365	592	4.35	592	A	Inlet	5.68	592	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	366	590	4.38	590	A	Inlet	5.46	590	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	367	596	1	596	A	Inlet	5.4	596	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	368	602	1.5	602	A	Inlet	5.6	602	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	369	598	4.71	598	A	Inlet	5.52	598	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	370	600	1	600	A	Inlet	5.6	600	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	371	595	1	595	A	Inlet	5.3	595	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	372	593	1.35	593	A	Inlet	5.2	593	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	373	576	4.61	576	A	Inlet	5.86	576	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	374	577	4.72	577	A	Inlet	5.93	577	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	375	584	3	584	A	Inlet	5.6	584	3	1	2	3	1	2	40	0.173	0.453	7	18	10
Stormwater	376	583	4.1	583	UNK	Inlet	6.32	583	3	1	2	3	1	2	40	0.169	0.385	7	15	9
Stormwater	377	582	4.19	582	A	Inlet	6.23	582	3	1	2	3	1	2	40	0.165	0.395	7	16	9
Stormwater	378	581	4.05	581	A	Inlet	6.39	581	3	1	2	3	1	2	40	0.162	0.435	6	17	10
Stormwater	379	580	3.86	580	A	Inlet	6.36	580	3	1	2	3	1	2	40	0.159	0.425	6	17	10
Stormwater	380	578	2.5	578	A	Inlet	5.6	578	3	1	2	3	1	2	40	0.175	0.471	7	19	11
Stormwater	381	566	3.94	566	A	Inlet	5.27	566	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	382	607	4.89	607	A	Inlet	10.66	607	2	1	1	2	1	1	27	0.007	0.029	0	1	0
Stormwater	383	606	6.79	606	A	Inlet	10.54	606	2	1	1	2	1	1	27	0.006	0.029	0	1	0
Stormwater	384	610	3.74	610	A	Inlet	7.02	610	3	1	2	3	1	2	40	0.158	0.362	6	14	9
Stormwater	385	611	2.5	611	A	Inlet	6.66	611	2	1	1	2	1	1	27	0.171	0.385	5	10	6
Stormwater	386	613	4	613	A	Inlet	7.27	613	3	1	2	3	1	2	40	0.140	0.361	6	14	8
Stormwater	387	619	0.49	619	UNK	Inlet	5.41	619	2	1	1	2	1	1	27	0.171	0.472	5	13	7
Stormwater	388	620	-0.24	620	A	Inlet	5.09	620	2	1	1	2	1	1	27	0.171	0.472	5	13	7
Stormwater	389	627	2.1	627	A	Inlet	5.57	627	2	1	1	2	1	1	27	0.133	0.335	4	9	5
Stormwater	390	628	3.36	628	A	Inlet	5.59	628	2	1	1	2	1	1	27	0.170	0.465	5	12	7
Stormwater	391	633	0	634	A	Inlet	0	634	2	1	1	2	1	1	27	0.171	0.455	5	12	7
Stormwater	392	632	1.02	632	A	Inlet	4.94	632	2	1	1	2	1	1	27	0.171	0.472	5	13	7
Stormwater	393	639	-0.16	639	A	Inlet	4.34	639	2	1	1	2	1	1	27	0.171	0.472	5	13	7
Stormwater	394	653	0	638		Inlet	0	638	2	1	1	2	1	1	27	0.170	0.461	5	12	7
Stormwater	395	656	1.47	656	A	Inlet	4.18	656	2	1	1	2	1	1	27	0.170	0.436	5	12	7
Stormwater	396	655	1.92	655	A	Inlet	4.65	655	2	1	1	2	1	1	27	0.170	0.472	5	13	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	397	651	0	651	A	Inlet	0	651	2	1	1	2	1	1	27	0.170	0.472	5	13	7
Stormwater	398	652	0	653	A	Inlet	0	653	2	1	0	1	2	1	27	0.170	0.472	5	13	7
Stormwater	399	645	1.58	645	A	Inlet	4.5	645	2	1	1	2	1	1	27	0.169	0.472	5	13	7
Stormwater	400	647	1.96	647	A	Inlet	4.46	647	2	1	1	2	1	1	27	0.169	0.461	5	12	7
Stormwater	401	648	1.73	648	A	Inlet	5.5	648	2	1	1	2	1	1	27	0.169	0.472	5	13	7
Stormwater	402	659	2	659	A	Inlet	4.9	659	3	1	2	3	1	2	40	0.168	0.446	7	18	10
Stormwater	403	657	0	657	A	Inlet	4.9	657	3	1	2	3	1	2	40	0.168	0.472	7	19	10
Stormwater	404	663	0.5	663	A	Inlet	4	663	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	405	661	-1	661	A	Inlet	4	661	3	1	4	3	1	2	40	0.165	0.449	7	18	10
Stormwater	406	644	0	644	A	Inlet	0	644	3	1	2	3	1	2	40	0.169	0.472	7	19	10
Stormwater	407	0644B	1.58	645	A	Inlet	4.5	645	3	1	2	3	1	2	40	0.170	0.472	7	19	10
Stormwater	408	640	0	640	A	Inlet	0	640	2	1	1	2	1	1	27	0.171	0.387	5	10	6
Stormwater	409	667	4	667	A	Inlet	7.6	667	3	1	2	3	1	2	40	0.154	0.357	6	14	9
Stormwater	410	666	2.5	666	A	Inlet	8.3	666	3	1	2	3	1	2	40	0.126	0.306	5	12	7
Stormwater	411	668	3	668	UNK	Inlet	8.5	668	3	1	2	3	1	2	40	0.171	0.378	7	15	9
Stormwater	412	750	0	750	A	Inlet	0	750	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	413	708	-1.5	708	A	Inlet	2.21	708	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	414	701	1.3	701	A	Inlet	3.3	701	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	415	702	0	702	A	Inlet	0	702	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	416	704	0	704	A	Inlet	0	704	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	417	705	0.6	705	A	Inlet	2.7	705	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	418	706	-0.5	706	A	Inlet	2.2	706	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	419	682	-3.21	682	A	Inlet	3.34	682	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	420	681	-0.9	681	A	Inlet	3.25	681	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	421	684	1.4	684	A	Inlet	3.8	684	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	422	685	1.5	685	A	Inlet	3.3	685	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	423	711	-2	711	A	Inlet	2.41	711	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	424	710	-1	710	A	Inlet	2.42	710	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	425	713	-2	713	UNK	Inlet	2.4	713	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	426	712	-0.5	712	A	Inlet	2.22	712	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	427	696	2.56	696	A	Inlet	4.65	696	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	428	694	2.44	694	A	Inlet	4.52	694	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	429	690	1.87	690	A	Inlet	3.72	690	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	430	688	1.6	688	A	Inlet	3.48	688	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	431	687	0.44	687	A	Inlet	3.7	687	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	432	686	1.9	686	A	Inlet	3.59	686	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	433	0693A	2.18	693A	A	Inlet	4.83	0	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	434	0772A	0	772A	A	Inlet	0	0	2	1	1	2	1	1	27	0.095	0.166	3	4	3
Stormwater	435	693	2.8	693	A	Inlet	4.96	693	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	436	676	3.97	676	A	Inlet	6.75	676	3	1	2	3	1	2	40	0.141	0.366	6	15	8
Stormwater	437	675	2.5	675	A	Inlet	8.1	675	3	1	2	3	1	2	40	0.084	0.289	3	12	6
Stormwater	438	699	0	699	A	Inlet	0	699	3	1	2	3	1	2	40	0.165	0.446	7	18	10
Stormwater	439	697	1	697	A	Inlet	6.3	697	3	1	2	3	1	2	40	0.148	0.366	6	15	9
Stormwater	440	717	3	717	A	Inlet	5.5	717	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	441	716	0.5	716	A	Inlet	5.18	716	2	1	1	2	1	1	27	0.165	0.423	4	11	6
Stormwater	442	719	0.5	719	A	Inlet	5.16	719	3	1	2	3	1	2	40	0.179	0.474	7	19	11
Stormwater	443	718	1	718	A	Inlet	5.42	718	2	1	1	2	1	1	27	0.156	0.390	4	10	6
Stormwater	444	721	1	721	A	Inlet	4.9	721	3	1	2	3	1	2	40	0.169	0.473	7	19	10
Stormwater	445	0769A	0	769A	UNK	Inlet	0	0	3	1	2	3	1	2	40	0.191	0.474	8	19	11
Stormwater	446	771	-1	771	A	Inlet	5.7	771	2	1	1	2	1	1	27	0.191	0.455	5	12	7
Stormwater	447	767	0	767	A	Inlet	0	767	3	1	2	3	1	2	40	0.191	0.474	8	19	11
Stormwater	448	0772C	0	772C	A	Inlet	0	0	2	1	1	2	1	1	27	0.191	0.461	5	12	7
Stormwater	449	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.080	0.173	2	5	3
Stormwater	450	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.080	0.173	2	5	3
Stormwater	451	796	1.1	796	A	Inlet	5.7	796	3	1	2	3	1	2	40	0.191	0.425	8	17	10
Stormwater	452	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.149	0.375	4	10	6
Stormwater	453	797	0.4	797	A	Inlet	5.7	797	3	1	2	3	1	2	40	0.191	0.474	8	19	11
Stormwater	454	778	2.59	778	A	Inlet	6.19	778	2	1	1	2	1	1	27	0.191	0.439	5	12	7
Stormwater	455	777	0.41	777	A	Inlet	5.08	777	2	1	1	2	1	1	27	0.184	0.433	5	12	7
Stormwater	456	773	1.5	773	A	Inlet	4.7	773	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	457	775	1.5	775	A	Inlet	4.7	775	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	458	780	3.32	780	A	Inlet	9.45	780	2	1	1	2	1	1	27	0.076	0.166	2	4	3
Stormwater	459	779	2.76	779	A	Inlet	9.47	779	2	1	1	2	1	1	27	0.078	0.166	2	4	3
Stormwater	460	781	0	781	A	Inlet	0	781	2	1	0	2	1	1	27	0.078	0.166	2	4	3
Stormwater	461	783	0	783	A	Inlet	0	783	2	1	1	2	1	1	27	0.078	0.166	2	4	3
Stormwater	462	833	1.29	833	UNK	Inlet	2.8	833	2	1	1	2	1	1	27	0.234	1.000	6	27	12

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total	
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss							
Stormwater	463	835	1.22	835	A	Inlet	2.74	835	2	1	1	2	1	1	27	0.243	1.000	6	27	13	
Stormwater	464	862	0	862	A	Inlet	0	862	3	1	0	2	3	1	2	40	0.008	0.071	0	3	1
Stormwater	465	801	0.7	801	A	Inlet	4.56	801	3	1	2	3	1	2	40	0.191	0.474	8	19	11	
Stormwater	466	803	2.55	803	A	Inlet	4.24	803	3	1	2	3	1	2	40	0.190	0.475	8	19	11	
Stormwater	467	837	2.01	837	A	Inlet	3.78	837	3	1	2	3	1	2	40	0.188	0.475	8	19	11	
Stormwater	468	0772B	0	772B	A	Inlet	0	0	2	1	0	1	2	1	27	0.095	0.166	3	4	3	
Stormwater	469	0802A	0	802A	A	Inlet	0	0	2	1	1	2	1	1	27	0.191	0.474	5	13	7	
Stormwater	470	0802B	0	802B	A	Inlet	0	0	2	1	1	2	1	1	27	0.191	0.474	5	13	7	
Stormwater	471	841	1.99	841	A	Inlet	4.14	841	3	1	2	3	1	2	40	0.188	0.475	8	19	11	
Stormwater	472	838	0.3	338	A	Inlet	3.2	338	3	1	2	3	1	2	40	0.188	0.475	8	19	11	
Stormwater	473	840	1.74	840	A	Inlet	3.81	840	3	1	2	3	1	2	40	0.188	0.475	8	19	11	
Stormwater	474	842	2.99	842	A	Inlet	4.78	842	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	475	843	3.17	843	A	Inlet	4.69	843	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	476	827	0	827	A	Inlet	0	827	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	477	826	0	826	A	Inlet	0	826	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	478	828	2.62	828	A	Inlet	3.95	828	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	479	830	3.19	830	A	Inlet	4.09	830	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	480	832	2.56	832	A	Inlet	3.78	832	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	481	831	2.49	831	A	Inlet	3.94	831	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	482	822	2.49	822	A	Inlet	4.15	822	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	483	823	2.36	823	A	Inlet	4.16	823	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	484	804	1.7	804	A	Inlet	4.17	804	2	1	1	2	1	1	27	0.191	0.474	5	13	7	
Stormwater	485	806	2.38	806	A	Inlet	4.12	806	2	1	1	2	1	1	27	0.191	0.474	5	13	7	
Stormwater	486	0819A	0.76	819A	A	Inlet	0	0	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	487	821	2.07	821	A	Inlet	5.97	821	2	1	1	2	1	1	27	0.188	0.414	5	11	7	
Stormwater	488	0820A	0	820A	A	Inlet	0	0	2	1	1	2	1	1	27	0.159	0.416	4	11	6	
Stormwater	489	850	2.33	850	A	Inlet	4.13	850	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	490	854	1.69	854	A	Inlet	3.65	854	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	491	851	2.25	851	A	Inlet	4.12	851	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	492	852	1.56	852	A	Inlet	3.44	852	2	1	1	2	1	1	27	0.188	0.475	5	13	7	
Stormwater	493	0865B	0	865B	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	494	863	2.02	863	A	Inlet	3.12	863	2	1	1	2	1	1	27	0.177	0.462	5	12	7	
Stormwater	495	0863A	0	863A	A	Inlet	0	0	2	1	1	2	1	1	27	0.323	0.519	9	14	10	
Stormwater	496	896	0	896	A	Inlet	0	896	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	497	867	1.56	867	A	Inlet	3.11	867	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	498	866	1.49	866	A	Inlet	2.99	866	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	499	868	1.59	868	A	Inlet	2.99	868	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	500	869	2.25	869	A	Inlet	3.6	869	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	501	871	1.53	871	A	Inlet	3.38	871	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	502	873	3.38	873	A	Inlet	5.11	873	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	503	875	2.82	875	A	Inlet	4.56	875	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	504	891	1.96	891	A	Inlet	3.41	891	2	1	1	2	1	1	27	0.177	0.409	5	11	7	
Stormwater	505	893	0.79	893	A	Inlet	3.09	893	2	1	1	2	1	1	27	0.168	0.391	4	10	6	
Stormwater	506	892	1.68	892	A	Inlet	3.18	892	2	1	1	2	1	1	27	0.125	0.302	3	8	5	
Stormwater	507	899	2.18	899	A	Inlet	3.18	899	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	508	903	1.47	903	A	Inlet	3.3	903	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	509	901	1.16	901	A	Inlet	3.11	901	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	510	904	1.47	904	A	Inlet	3.31	904	2	1	1	2	1	1	27	0.177	0.476	5	13	7	
Stormwater	511	857	5.51	857	A	Inlet	7.81	857	3	1	2	3	1	2	40	0.177	0.409	7	16	10	
Stormwater	512	858	5.4	858	A	Inlet	7.75	858	3	1	2	3	1	2	40	0.177	0.409	7	16	10	
Stormwater	513	861	6.7	861	UNK	Inlet	8.2	861	3	1	2	3	1	2	40	0.163	0.409	7	16	9	
Stormwater	514	860	6.13	860		Inlet	7.76	860	3	1	2	3	1	2	40	0.148	0.409	6	16	9	
Stormwater	515	889	0	889	A	Inlet	14.58	889	3	1	2	3	1	2	40	0.008	0.085	0	3	1	
Stormwater	516	890	0	890	A	Inlet	14.55	890	3	1	2	3	1	2	40	0.008	0.084	0	3	1	
Stormwater	517	886	4.2	886	A	Inlet	5.99	886	2	1	1	2	1	1	27	0.108	0.409	3	11	5	
Stormwater	518	887	0	887	A	Inlet	0	887	2	1	1	2	1	1	27	0.108	0.409	3	11	5	
Stormwater	519	888	4.21	888	A	Inlet	6.16	888	2	1	1	2	1	1	27	0.108	0.409	3	11	5	
Stormwater	520	884	4.27	884	A	Inlet	6.26	884	2	1	1	2	1	1	27	0.108	0.409	3	11	5	
Stormwater	521	885	3.54	885	A	Inlet	6.12	885	2	1	1	2	1	1	27	0.108	0.409	3	11	5	
Stormwater	522	881	4.31	881	A	Inlet	6.39	881	2	1	1	2	1	1	27	0.108	0.409	3	11	5	
Stormwater	523	883	1.29	833	A	Inlet	2.8	833	2	1	1	2	1	1	27	0.108	0.409	3	11	5	
Stormwater	524	878	3.94	878	A	Inlet	7.12	878	3	1	2	3	1	2	40	0.175	0.409	7	16	10	
Stormwater	525	880	3.64	880	A	Inlet	7.24	880	3	1	2	3	1	2	40	0.161	0.409	6	16	9	
Stormwater	526	911	6.99	911	A	Inlet	8.54	911	3	1	2	3	1	2	40	0.108	0.409	4	16	8	
Stormwater	527	910	6.59	910	A	Inlet	8.46	910	3	1	2	3	1	2	40	0.108	0.409	4	16	8	
Stormwater	528	905	0	905	A	Inlet	0	905	2	1	1	2	1	1	27	0.177	0.476	5	13	7	

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	529	912	-0.18	912	A	Inlet	2.68	912	2	1	1	2	1	1	27	0.227	0.906	6	24	11
Stormwater	530	0913A	2.78	913A	A	Inlet	4.25	0	2	1	1	2	1	1	27	0.013	0.060	0	2	1
Stormwater	531	0913B	2.4	913B	A	Inlet	4.07	0	2	1	1	2	1	1	27	0.003	0.034	0	1	0
Stormwater	532	0913C	2.71	913C	A	Inlet	4.35	0	2	1	1	2	1	1	27	0.012	0.050	0	1	1
Stormwater	533	915	2.11	915		Inlet	3.44	915	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	534	916	0	916	A	Inlet	0	916	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	535	920	1.08	920	A	Inlet	3.28	920	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	536	921	1.38	921	A	Inlet	3.16	921	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	537	922	1.13	922	A	Inlet	2.62	922	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	538	917	2.54	917	A	Inlet	2.91	917	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	539	930	2.04	930	A	Inlet	3.43	930	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	540	927	0.48	927	A	Inlet	3.13	927	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	541	932	0.55	932	A	Inlet	3.21	932	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	542	933	0	933	A	Inlet	0	933	2	1	1	2	1	1	27	0.177	0.461	5	12	7
Stormwater	543	934	0	934	A	Inlet	0	934	2	1	1	2	1	1	27	0.177	0.462	5	12	7
Stormwater	544	940	-1.93	940	A	Inlet	4.22	940	2	1	1	2	1	1	27	0.029	0.161	1	4	2
Stormwater	545	946	0	946	A	Inlet	0	946	2	1	1	2	1	1	27	0.138	0.385	4	10	6
Stormwater	546	945	1.02	945	A	Inlet	3.22	945	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	547	949	1.62	949	A	Inlet	2.82	949	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	548	948	0.25	948	A	Inlet	2.94	948	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	549	961	1.05	961	A	Inlet	2.64	961	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	550	0953A	0.89	9451	A	Inlet	2.7	9451	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	551	952	0.75	952	A	Inlet	2.84	952	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	552	958	0	958	A	Inlet	0	958	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	553	963	0	963	A	Inlet	0.23	963	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	554	965	-0.55	965	A	Inlet	2.85	965	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	555	970	-0.64	970	A	Inlet	3.64	970	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	556	971	2.05	971	A	Inlet	3.79	971	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	557	974	1.87	974	A	Inlet	3.92	974	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	558	0974A	0	974A	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	559	975	3.07	975	A	Inlet	4.14	975	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	560	976	2.62	976	A	Inlet	5.17	976	2	1	1	2	1	1	27	0.177	0.434	5	12	7
Stormwater	561	978	0.71	978	A	Inlet	5.01	978	2	1	1	2	1	1	27	0.177	0.434	5	12	7
Stormwater	562	1153A	0	1153A	A	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.420	5	11	7
Stormwater	563	1153B	0	1153B	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.474	5	13	7
Stormwater	564	0964A	0	964A	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	565	0964B	0	964B	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	566	925	7.95	925	UNK	Inlet	9.43	925	3	1	2	3	1	2	40	0.100	0.181	4	7	5
Stormwater	567	1001	-0.28	1001	A	Inlet	3.13	1001	2	1	1	2	1	1	27	0.176	0.463	5	12	7
Stormwater	568	1000	0.18	1000	A	Inlet	3.12	1000	2	1	1	2	1	1	27	0.176	0.449	5	12	7
Stormwater	569	1002	1.24	1002	A	Inlet	3.33	1002	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	570	1004	1.59	1004	A	Inlet	3.35	1004	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	571	1008	0.75	1008	A	Inlet	3.23	1008	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	572	1009	0	10009	A	Inlet	0	10009	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	573	1012	0	1012	A	Inlet	0	1012	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	574	1019	0	1019	A	Inlet	0	1019	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	575	1024	0	1024	A	Inlet	0	1024	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	576	1021	0	1021	A	Inlet	0	1021	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	577	1025	0	1025	A	Inlet	0	1025	2	1	1	2	1	1	27	0.176	0.468	5	12	7
Stormwater	578	1022	0	1022	A	Inlet	0	1022	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	579	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.435	7	17	10
Stormwater	580	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	581	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.465	7	19	11
Stormwater	582	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.425	7	17	10
Stormwater	583	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	584	DOT	3.26	DOT	UNK	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	585	DOT	3.26	DOT	UNK	Inlet	5.5	0	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	586	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	587	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.416	7	17	10
Stormwater	588	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.416	7	17	10
Stormwater	589	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.418	7	17	10
Stormwater	590	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	591	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.416	7	17	10
Stormwater	592	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.416	7	17	10
Stormwater	593	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	594	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.476	5	13	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	595	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	596	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.468	5	12	7
Stormwater	597	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.416	7	17	10
Stormwater	598	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.463	7	19	10
Stormwater	599	1043	3.21	1043	A	Inlet	5.92	1043	2	1	1	2	1	1	27	0.176	0.459	5	12	7
Stormwater	600	1045	3.5	1045	A	Inlet	5.58	1045	2	1	1	2	1	1	27	0.140	0.398	4	11	6
Stormwater	601	1044	3.05	1044	A	Inlet	5.34	1044	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	602	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.178	0.416	5	11	7
Stormwater	603	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.414	5	11	7
Stormwater	604	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.416	5	11	7
Stormwater	605	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.415	5	11	7
Stormwater	606	1026	2.06	1026	A	Inlet	5.57	1026	2	1	1	2	1	1	27	0.177	0.435	5	12	7
Stormwater	607	1027	0.76	1027	A	Inlet	7.2	1027	2	1	1	2	1	1	27	0.177	0.433	5	12	7
Stormwater	608	1031	4.36	1031	A	Inlet	7.3	1031	2	1	1	2	1	1	27	0.177	0.409	5	11	7
Stormwater	609	1036	4.07	1036	A	Inlet	8.57	1036	2	1	1	2	1	1	27	0.177	0.434	5	12	7
Stormwater	610	1039	7	1039	A	Inlet	11.8	1039	2	1	1	2	1	1	27	0.037	0.081	1	2	1
Stormwater	611	1042	9.65	1042	A	Inlet	13.3	1042	2	1	1	2	1	1	27	0.010	0.079	0	2	1
Stormwater	612	1040	10.15	1040	UNK	Inlet	13.17	1040	2	1	1	2	1	1	27	0.010	0.079	0	2	1
Stormwater	613	1037	8.5	1037	A	Inlet	11.8	1037	2	1	1	2	1	1	27	0.028	0.081	1	2	1
Stormwater	614	1034	5.97	1034	A	Inlet	8.55	1034	2	1	1	2	1	1	27	0.177	0.434	5	12	7
Stormwater	615	1030	1.79	1030	A	Inlet	7.49	1030	2	1	1	2	1	1	27	0.177	0.412	5	11	7
Stormwater	616	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.435	7	17	10
Stormwater	617	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.176	0.435	5	12	7
Stormwater	618	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.416	7	17	10
Stormwater	619	DOT	3.26	DOT	UNK	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.416	7	17	10
Stormwater	620	1069	2.01	1069	A	Inlet	4.13	1069	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	621	1068	2.21	1068	A	Inlet	4.14	1068	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	622	1065	2.66	1065	A	Inlet	4.52	1065	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	623	1063	2.59	1063	A	Inlet	4.61	1063	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	624	1062	3.72	1062	A	Inlet	5.02	1062	2	1	1	2	1	1	27	0.173	0.455	5	12	7
Stormwater	625	1061	3.34	1061	A	Inlet	4.9	1061	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	626	1051	2.83	1051	A	Inlet	5.37	1051	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	627	1054	1.96	1054	A	Inlet	5.5	1054	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	628	1053	2.8	1053	A	Inlet	5.35	1053	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	629	1048	3.01	1048	A	Inlet	5.47	1048	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	630	1047	3.33	1047	A	Inlet	5.74	1047	2	1	1	2	1	1	27	0.168	0.465	4	12	7
Stormwater	631	1050	2.68	1050	A	Inlet	5.29	1050	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	632	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	633	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	634	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	635	1049	3.67	1049	A	Inlet	5.55	1049	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	636	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	637	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	638	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	639	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	640	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.416	5	11	7
Stormwater	641	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.416	5	11	7
Stormwater	642	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.416	5	11	7
Stormwater	643	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.416	5	11	7
Stormwater	644	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.416	5	11	7
Stormwater	645	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.416	5	11	7
Stormwater	646	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.421	7	17	10
Stormwater	647	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.422	7	17	10
Stormwater	648	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	649	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	650	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	654	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.474	5	13	7
Stormwater	655	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	656	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.469	5	13	7
Stormwater	657	1088B	0	1088B	A	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.476	5	13	7
Stormwater	658	1088C	0	1088C	A	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.475	5	13	7
Stormwater	663	1091	2.92	1091	A	Inlet	3.98	1091	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	664	1092	-0.32	1092	A	Inlet	3.75	1092	2	1	1	2	1	1	27	0.172	0.472	5	13	7
Stormwater	665	1093	-2.87	1093	A	Inlet	2.76	1093	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	666	1095	-1.53	1095	A	Inlet	2.73	1095	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	667	1114	-0.45	1114	A	Inlet	4.07	1114	2	1	1	2	1	1	27	0.171	0.477	5	13	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	668	1111	2.66	1111	A	Inlet	4.76	1111	2	1	1	2	1	1	27	0.170	0.434	5	12	7
Stormwater	669	1122	1.12	1122	A	Inlet	3.53	1122	2	1	1	2	1	1	27	0.171	0.477	5	13	7
Stormwater	670	1125	0	1225	A	Inlet	0	1225	2	1	1	2	1	1	27	0.171	0.477	5	13	7
Stormwater	671	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.420	5	11	7
Stormwater	672	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.420	5	11	7
Stormwater	673	1160	1.1	1160	A	Inlet	3.56	1160	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	674	1159	0	1159	A	Inlet	3.42	1159	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	675	1164	-0.18	1164	A	Inlet	3.53	1164	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	676	1162	0.3	1162	A	Inlet	3.63	1162	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	677	1153C	2.54	1153C	A	Inlet	3.38	0	2	1	1	2	1	1	27	0.171	0.476	5	13	7
Stormwater	678	1155	1.92	1155	A	Inlet	3.52	1155	2	1	1	2	1	1	27	0.171	0.477	5	13	7
Stormwater	679	1097	-0.5	1097	A	Inlet	3.61	1097	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	680	1099	-0.5	1099	A	Inlet	3.58	1099	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	681	1102	-1.48	1102	A	Inlet	3.72	1102	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	682	1104	0.37	1104	A	Inlet	3.75	1104	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	683	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.171	0.456	5	12	7
Stormwater	684	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	685	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.171	0.477	5	13	7
Stormwater	686	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.171	0.465	5	12	7
Stormwater	687	1126	1.24	1126	A	Inlet	3.18	1126	2	1	1	2	1	1	27	0.171	0.478	5	13	7
Stormwater	688	1128	1.37	128	A	Inlet	3.27	128	2	1	1	2	1	1	27	0.171	0.478	5	13	7
Stormwater	689	1132	1.85	1132	A	Inlet	3.34	1132	2	1	1	2	1	1	27	0.171	0.478	5	13	7
Stormwater	690	1130	1.45	1130	A	Inlet	3.11	1130	2	1	1	2	1	1	27	0.171	0.478	5	13	7
Stormwater	691	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.170	0.430	5	11	7
Stormwater	692	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.098	0.420	3	11	5
Stormwater	693	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.100	0.420	3	11	5
Stormwater	694	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.103	0.420	3	11	5
Stormwater	695	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.092	0.421	2	11	5
Stormwater	696	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.091	0.421	2	11	5
Stormwater	697	1170	-3.14	1170	A	Inlet	2.75	1170	2	1	1	2	1	1	27	0.172	0.478	5	13	7
Stormwater	698	1171	-2.26	11171	A	Inlet	2.72	11171	2	1	1	2	1	1	27	0.172	0.478	5	13	7
Stormwater	699	1166	1.62	1166	A	Inlet	2.83	1166	2	1	1	2	1	1	27	0.172	0.478	5	13	7
Stormwater	700	1168	1.44	1168	A	Inlet	2.96	1168	2	1	1	2	1	1	27	0.172	0.478	5	13	7
Stormwater	701	1183	0	1183	A	Inlet	0	1183	3	1	2	3	1	2	40	0.008	0.064	0	3	1
Stormwater	702	1185	0	1185	A	Inlet	0	1185	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	703	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.171	0.477	5	13	7
Stormwater	704	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.171	0.477	5	13	7
Stormwater	705	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.172	0.476	5	13	7
Stormwater	706	1115	-0.65	1115	UNK	Inlet	3.84	1115	2	1	1	2	1	1	27	0.171	0.478	5	13	7
Stormwater	707	1187	0	1187	A	Inlet	0	1187	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	708	1186	0	1186	A	Inlet	0	1186	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	709	1189A	0	1189	A	Inlet	0	1189	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	710	1190	0	1190	A	Inlet	0	1190	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	711	1192	0	1192	A	Inlet	0	1192	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	712	1193	1.21	1193	A	Inlet	2.73	1193	2	1	1	2	1	1	27	0.172	0.478	5	13	7
Stormwater	713	1197	1.68	1197	A	Inlet	2.92	1197	2	1	1	2	1	1	27	0.172	0.478	5	13	7
Stormwater	714	1195	1.51	1195	A	Inlet	2.71	1195	2	1	1	2	1	1	27	0.172	0.478	5	13	7
Stormwater	715	1199	1.41	1199	A	Inlet	2.99	1199	2	1	1	2	1	1	27	0.172	0.478	5	13	7
Stormwater	716	1222	0.9	1222	A	Inlet	3.05	1222	2	1	1	2	1	1	27	0.173	0.479	5	13	7
Stormwater	717	1229A	0	1229A	A	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.479	5	13	7
Stormwater	718	1223	0	1223	A	Inlet	0	1223	2	1	1	2	1	1	27	0.173	0.479	5	13	7
Stormwater	719	1225	0	1225	A	Inlet	0	1225	2	1	1	2	1	1	27	0.173	0.479	5	13	7
Stormwater	720	1227	0	1227	A	Inlet	0	1227	2	1	1	2	1	1	27	0.173	0.479	5	13	7
Stormwater	721	1228	0	1228	UNK	Inlet	0	1228	2	1	1	2	1	1	27	0.173	0.466	5	12	7
Stormwater	722	1213	0.3	1213	A	Inlet	2.39	1213	2	1	1	2	1	1	27	0.265	0.474	7	13	9
Stormwater	723	1216	0	1216	UNK	Inlet	0	1216	2	1	1	2	1	1	27	0.265	0.478	7	13	9
Stormwater	724	1215	0	1215	UNK	Inlet	0	1215	2	1	1	2	1	1	27	0.265	0.478	7	13	9
Stormwater	725	1218	0	1218	A	Inlet	0	1218	2	1	1	2	1	1	27	0.265	0.479	7	13	9
Stormwater	726	1214	0	1214	A	Inlet	0	1214	2	1	1	2	1	1	27	0.265	0.479	7	13	9
Stormwater	727	1221	1	1221	A	Inlet	2.61	1221	2	1	1	2	1	1	27	0.265	0.479	7	13	9
Stormwater	728	1220	0.87	1220	UNK	Inlet	2.62	1220	2	1	1	2	1	1	27	0.265	0.479	7	13	9
Stormwater	729	1201	0.47	1201	A	Inlet	1.73	1201	2	1	1	2	1	1	27	0.173	0.479	5	13	7
Stormwater	730	1203	-0.61	1203	A	Inlet	1.95	1203	2	1	1	2	1	1	27	0.173	0.479	5	13	7
Stormwater	731	1204	0	1204	A	Inlet	0	1204	2	1	1	2	1	1	27	0.173	0.471	5	13	7
Stormwater	732	1206	0	1206	A	Inlet	0	1206	2	1	1	2	1	1	27	0.173	0.471	5	13	7
Stormwater	733	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.091	0.383	2	10	5

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	734	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.093	0.421	2	11	5
Stormwater	735	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.093	0.381	2	10	5
Stormwater	736	1262	0	1262	A	Inlet	0	1262	2	1	1	2	1	1	27	0.179	0.470	5	13	7
Stormwater	737	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.091	0.318	2	8	4
Stormwater	738	1190	0	1191	A	Inlet	0	1191	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	739	1056	4.28	1056	A	Inlet	6.08	1056	2	1	1	2	1	1	27	0.136	0.305	4	8	5
Stormwater	740	1059	3.62	1059	A	Inlet	6.62	1059	2	1	1	2	1	1	27	0.173	0.419	5	11	7
Stormwater	741	1057	4.11	1057	A	Inlet	6.01	1057	2	1	1	2	1	1	27	0.173	0.419	5	11	7
Stormwater	742	1244	0	1244	A	Inlet	0	1244	2	1	1	2	1	1	27	0.173	0.471	5	13	7
Stormwater	743	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.091	0.272	2	7	4
Stormwater	744	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.091	0.259	2	7	4
Stormwater	745	1239	2.27	1239	UNK	Inlet	3.6	1239	2	1	1	2	1	1	27	0.173	0.471	5	13	7
Stormwater	746	1238B	0	1239A	A	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.471	5	13	7
Stormwater	747	1237	1.6	1237	A	Inlet	3.22	1237	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	748	1234	1.17	1234	A	Inlet	2.55	1234	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	749	1230	1.08	1230	UNK	Inlet	2.4	1230	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	750	1231	-0.18	1231	A	Inlet	2.24	1231	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	751	1246	2.04	1246	UNK	Inlet	3.65	1246	2	1	1	2	1	1	27	0.173	0.471	5	13	7
Stormwater	752	1245	2.73	1245	UNK	Inlet	3.8	1245	2	1	1	2	1	1	27	0.173	0.471	5	13	7
Stormwater	753	1247	2.18	1247	UNK	Inlet	3.73	1247	2	1	1	2	1	1	27	0.173	0.471	5	13	7
Stormwater	754	1211	0	1211	A	Inlet	0	1211	3	1	2	3	1	2	40	0.004	0.047	0	2	1
Stormwater	755	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.871	11	35	18
Stormwater	756	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.209	0.414	8	17	11
Stormwater	757	1318	0.56	1318	A	Inlet	3.49	1318	2	1	1	2	1	1	27	0.190	0.450	5	12	7
Stormwater	758	1321	1.48	1321	A	Inlet	3.86	1321	2	1	1	2	1	1	27	0.139	0.445	4	12	6
Stormwater	759	1319	1.43	1319	A	Inlet	3.91	1319	2	1	1	2	1	1	27	0.265	0.450	7	12	9
Stormwater	760	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.203	0.441	5	12	7
Stormwater	761	1253	0.75	1253	A	Inlet	3.76	1253	2	1	1	2	1	1	27	0.265	0.450	7	12	9
Stormwater	762	1256	-5.24	1256	A	Inlet	3.57	1256	2	1	1	2	1	1	27	0.265	0.450	7	12	9
Stormwater	763	1254	1.16	1254	A	Inlet	3.61	1254	2	1	1	2	1	1	27	0.265	0.450	7	12	9
Stormwater	764	1252	1.59	1252	A	Inlet	3.48	1252	2	1	1	2	1	1	27	0.265	0.450	7	12	9
Stormwater	765	1251	2.34	1251	A	Inlet	3.66	1251	2	1	1	2	1	1	27	0.168	0.450	4	12	7
Stormwater	766	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.479	11	19	13
Stormwater	767	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.479	11	19	13
Stormwater	768	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.479	11	19	13
Stormwater	769	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.479	11	19	13
Stormwater	770	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.239	0.469	10	19	12
Stormwater	771	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.242	0.471	10	19	12
Stormwater	772	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.478	11	19	13
Stormwater	773	1255	0.59	1255	A	Inlet	3.5	1255	2	1	1	2	1	1	27	0.265	0.450	7	12	9
Stormwater	774	1235	0	1235	A	Inlet	0	1235	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	775	1209	0	1209	A	Inlet	0	1209	2	1	1	2	1	1	27	0.003	0.030	0	1	0
Stormwater	776	1210	0	1210	A	Inlet	0	1210	2	1	1	2	1	1	27	0.003	0.031	0	1	0
Stormwater	777	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.259	0.476	10	19	13
Stormwater	778	DOT	3.26	DOT	UNK	Inlet	5.5	0	3	1	2	3	1	2	40	0.159	0.441	6	18	10
Stormwater	779	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.250	0.469	10	19	13
Stormwater	780	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.479	11	19	13
Stormwater	781	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.478	11	19	13
Stormwater	782	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.465	5	12	7
Stormwater	783	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.192	0.472	5	13	7
Stormwater	784	1258	-4.61	1258	A	Inlet	3.24	1258	2	1	1	2	1	1	27	0.167	0.463	4	12	7
Stormwater	785	1260	3.38	1260	A	Inlet	3.42	1260	2	1	1	2	1	1	27	0.179	0.470	5	13	7
Stormwater	786	1261	0.38	1261	A	Inlet	3.3	1261	2	1	1	2	1	1	27	0.179	0.470	5	13	7
Stormwater	787	1259	0.3	1259	A	Inlet	2.91	1259	2	1	1	2	1	1	27	0.179	0.470	5	13	7
Stormwater	788	1265	0.54	1265	A	Inlet	3.41	1265	2	1	1	2	1	1	27	0.176	0.470	5	13	7
Stormwater	789	1265A	-0.43	1265A	A	Inlet	3.4	0	2	1	1	2	1	1	27	0.174	0.470	5	13	7
Stormwater	790	1264	1.12	1264	UNK	Inlet	3.38	1264	2	1	1	2	1	1	27	0.176	0.470	5	13	7
Stormwater	791	1263	-3.08	1263	A	Inlet	3.17	1263	2	1	1	2	1	1	27	0.179	0.470	5	13	7
Stormwater	792	1268	-2.28	1268	A	Inlet	3.55	1268	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	793	1268A	0	1268A	A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	794	1269	0	1269	A	Inlet	0	1269	2	1	1	2	1	1	27	0.181	0.470	5	13	7
Stormwater	795	1339	-2.17	1339	A	Inlet	2.73	1339	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	796	1340	0	1340	A	Inlet	0	1340	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	797	1332	1.06	1331	A	Inlet	3.22	1331	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	798	1336	0.12	1336	A	Inlet	3.22	1336	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	799	1333	1.4	1333	A	Inlet	3.31	1333	2	1	1	2	1	1	27	0.182	0.470	5	13	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	800	1337	0.99	1337	A	Inlet	3.17	1337	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	801	1330	0.65	1330	A	Inlet	2.92	1330	2	1	1	2	1	1	27	0.218	0.470	6	13	8
Stormwater	802	1328	1.24	1328	A	Inlet	3.12	1328	2	1	1	2	1	1	27	0.182	0.468	5	12	7
Stormwater	803	1329	-0.93	1329	A	Inlet	3.01	1329	2	1	1	2	1	1	27	0.201	0.470	5	13	8
Stormwater	804	1326	0.41	1326	UNK	Inlet	2.85	1326	2	1	1	2	1	1	27	0.265	0.470	7	13	9
Stormwater	805	1322	0.38	1322	A	Inlet	2.82	1322	2	1	1	2	1	1	27	0.265	0.470	7	13	9
Stormwater	806	1324	0.7	1324	A	Inlet	2.98	1324	2	1	1	2	1	1	27	0.265	0.470	7	13	9
Stormwater	807	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	808	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	809	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	810	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	811	1299	3.61	1299	A	Inlet	8.67	1299	2	1	1	2	1	1	27	0.073	0.284	2	8	4
Stormwater	812	1300	4.61	1300	A	Inlet	8.55	1300	2	1	1	2	1	1	27	0.078	0.314	2	8	4
Stormwater	813	1298	5.66	1298	A	Inlet	7.24	1298	2	1	1	2	1	1	27	0.087	0.394	2	11	5
Stormwater	814	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	815	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	816	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	817	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	818	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	819	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	820	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	821	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	822	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	823	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	824	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.475	7	19	11
Stormwater	825	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	826	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	827	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	828	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.475	7	19	11
Stormwater	829	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	830	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	831	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.473	7	19	11
Stormwater	832	DOT	3.26	DOT	UNK	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	833	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	834	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	835	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.163	0.438	7	18	10
Stormwater	836	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.162	0.433	4	12	6
Stormwater	837	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.111	0.386	3	10	5
Stormwater	838	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.103	0.376	4	15	7
Stormwater	839	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.097	0.319	4	13	7
Stormwater	840	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	841	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	842	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	843	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	844	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	845	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	846	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	847	1297	4.2	1297	A	Inlet	7.31	1297	2	1	1	2	1	1	27	0.087	0.397	2	11	5
Stormwater	848	1293	0.05	1293	A	Inlet	5.89	1293	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	849	1294	0.02	1294	A	Inlet	5.55	1294	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	850	1296	4.27	1296	A	Inlet	5.96	1296	2	1	1	2	1	1	27	0.169	0.430	4	11	7
Stormwater	851	1295	3.57	1295	A	Inlet	5.5	1295	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	852	1291	-0.86	1291	A	Inlet	4.13	1291	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	853	1290	2.03	1290	A	Inlet	4.57	1290	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	854	1281	1.35	1281	A	Inlet	3.06	1281	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	855	1277	1.79	1277	A	Inlet	3.19	1277	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	856	1282	-1.54	1282	A	Inlet	2.7	1282	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	857	1278	-2.12	1278	A	Inlet	2.89	1278	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	858	1275	1.78	1275	A	Inlet	3.27	1275	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	859	1276	-2.78	1276	A	Inlet	2.93	1276	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	860	1274	-2.82	1274	A	Inlet	3.21	1274	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	861	1272	1.06	1272	A	Inlet	3.38	1272	2	1	1	2	1	1	27	0.175	0.471	5	13	7
Stormwater	862	1273	1.65	1273	A	Inlet	3.26	1273	2	1	1	2	1	1	27	0.177	0.471	5	13	7
Stormwater	863	1338	1.2	1338	A	Inlet	2.7	1338	2	1	1	2	1	1	27	0.182	0.467	5	12	7
Stormwater	864	1342	1.2	1342	A	Inlet	2.7	1342	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	865	1344	-1.66	1344	A	Inlet	2.98	1344	2	1	1	2	1	1	27	0.182	0.470	5	13	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	866	1345	0.37	1345	A	Inlet	2.96	1345	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	867	1348	0	1348	A	Inlet	3	1348	2	1	3	1	2	1	27	0.182	0.470	5	13	7
Stormwater	868	1346	-1.86	1346	A	Inlet	3.06	1346	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	869	1288	0	1288	A	Inlet	0	1288	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	870	1349A	0.56	1349A	A	Inlet	3.14	0	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	871	1350	2.62	1350	A	Inlet	3.12	1350	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	872	1351	1.03	1351	A	Inlet	3.44	1351	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	873	1352	0.26	1352	A	Inlet	3.46	1352	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	874	1354	-2.15	1354	A	Inlet	3.41	1354	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	875	1356	-0.29	1356	A	Inlet	4.44	1356	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	876	1355	0.71	1355	A	Inlet	3.67	1355	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	877	1357	1.44	1357	A	Inlet	4.9	1357	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	878	1360	5.44	1360	A	Inlet	3.91	1360	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	879	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.141	0.346	6	14	8
Stormwater	880	1359	0.03	1359	A	Inlet	5.11	1359	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	881	1362	2.25	1362	A	Inlet	5.21	1362	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	882	1370	0	1370	A	Inlet	0	1370	2	1	1	2	1	1	27	0.087	0.402	2	11	5
Stormwater	883	1369	0.38	1369	A	Inlet	7.05	1369	2	1	1	2	1	1	27	0.087	0.400	2	11	5
Stormwater	884	1367	4.13	1367	A	Inlet	7	1367	2	1	1	2	1	1	27	0.087	0.392	2	10	5
Stormwater	885	1365	5.81	1365	A	Inlet	7.31	1365	2	1	1	2	1	1	27	0.087	0.391	2	10	5
Stormwater	886	1366	6.07	1366	A	Inlet	7.12	1366	2	1	1	2	1	1	27	0.087	0.392	2	10	5
Stormwater	887	1376	4.5	1376	A	Inlet	9.37	1376	2	1	1	2	1	1	27	0.037	0.178	1	5	2
Stormwater	888	1374	6.5	1374	A	Inlet	9.2	1374	2	1	1	2	1	1	27	0.037	0.160	1	4	2
Stormwater	889	1314	0	1314	A	Inlet	0	1314	3	1	2	3	1	2	40	0.004	0.043	0	2	1
Stormwater	890	1364	6.62	1364	UNK	Inlet	8.17	1364	2	1	1	2	1	1	27	0.089	0.402	2	11	5
Stormwater	891	1284	2.42	1284	A	Inlet	3.5	1284	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	892	1286	0.96	1286	A	Inlet	3.44	1286	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	893	1303	6.58	1303	A	Inlet	10.82	1303	2	1	1	2	1	1	27	0.052	0.164	1	4	2
Stormwater	894	1304	6.84	1304	A	Inlet	10.84	1304	2	1	1	2	1	1	27	0.053	0.168	1	4	2
Stormwater	895	1305	9.25	1305	A	Inlet	13.35	1305	2	1	1	2	1	1	27	0.004	0.043	0	1	0
Stormwater	896	1307	9.99	1307	A	Inlet	13.29	1307	2	1	1	2	1	1	27	0.004	0.043	0	1	0
Stormwater	897	1308	10.47	1308	A	Inlet	14.67	1308	3	1	2	3	1	2	40	0.004	0.043	0	2	1
Stormwater	898	1310	10.59	1310	A	Inlet	14.79	1310	3	1	2	3	1	2	40	0.004	0.043	0	2	1
Stormwater	899	1316	12.23	1316	A	Inlet	13.95	1316	3	1	2	3	1	2	40	0.004	0.038	0	2	1
Stormwater	900	1381	10.69	1381	A	Inlet	14.19	1381	2	1	1	2	1	1	27	0.004	0.039	0	1	0
Stormwater	901	1383	9.37	1383	A	Inlet	14.12	1383	2	1	1	2	1	1	27	0.004	0.039	0	1	0
Stormwater	902	1386	11.31	1386	A	Inlet	14.73	1386	3	1	2	3	1	2	40	0.004	0.039	0	2	1
Stormwater	903	1387	10.21	1387	A	Inlet	13.66	1387	3	1	2	3	1	2	40	0.004	0.037	0	1	1
Stormwater	904	1385	10.27	1385	A	Inlet	14.82	1385	3	1	2	3	1	2	40	0.004	0.039	0	2	1
Stormwater	905	1389	-1.01	1389	A	Inlet	3.07	1389	2	1	1	2	1	1	27	0.156	0.450	4	12	7
Stormwater	906	1391	0.87	1391	A	Inlet	3.16	1391	2	1	1	2	1	1	27	0.155	0.450	4	12	7
Stormwater	907	1392	0.75	1392	A	Inlet	3.08	1392	2	1	1	2	1	1	27	0.156	0.450	4	12	7
Stormwater	908	1393	0.78	1393	A	Inlet	3.03	1393	2	1	1	2	1	1	27	0.170	0.435	5	12	7
Stormwater	909	1395	0.44	1395	A	Inlet	2.86	1395	2	1	1	2	1	1	27	0.209	0.436	6	12	7
Stormwater	910	1396	0.68	1396	A	Inlet	2.93	1396	2	1	1	2	1	1	27	0.143	0.433	4	12	6
Stormwater	911	1397	0.84	1397	A	Inlet	2.92	1397	2	1	1	2	1	1	27	0.180	0.435	5	12	7
Stormwater	912	1399	0.35	1399	A	Inlet	2.52	1399	2	1	1	2	1	1	27	0.180	0.435	5	12	7
Stormwater	913	1400	0.1	1400	A	Inlet	2.4	1400	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	914	1404	0	1404	A	Inlet	2.37	1404	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	915	1402	0.61	1402	A	Inlet	2.44	1402	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	916	1405	-2.3	1405	A	Inlet	2.35	1405	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	917	1406	0.16	1406	A	Inlet	2.66	1406	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	918	1407	-2.45	1407	A	Inlet	2.66	1407	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	919	1471	-0.02	1471	A	Inlet	2.23	1471	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	920	1289	0	1289	A	Inlet	0	1289	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	921	1313A	0	1313	A	Inlet	0	1313	3	1	2	3	1	2	40	0.004	0.046	0	2	1
Stormwater	922	1315	0	1315	A	Inlet	0	1315	3	1	2	3	1	2	40	0.004	0.051	0	2	1
Stormwater	923	1470	1.01	1470	A	Inlet	2.18	1470	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	924	1473	0.01	1473	A	Inlet	2.26	1473	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	925	1475	0.33	1475	A	Inlet	2.16	1475	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	926	1469	0.74	1469	A	Inlet	2.15	1469	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	927	1468	-4	1468	A	Inlet	3.17	1468	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	928	1465	0.72	1465	A	Inlet	3.01	1465	2	1	1	2	1	1	27	0.266	0.452	7	12	9
Stormwater	929	1466	-2.44	1464	A	Inlet	2.39	1464	2	1	1	2	1	1	27	0.266	0.452	7	12	9
Stormwater	930	1454	1.51	1454	A	Inlet	3.43	1454	2	1	1	2	1	1	27	0.124	0.426	3	11	6
Stormwater	931	1456	0.72	1456	A	Inlet	3.64	1456	2	1	1	2	1	1	27	0.156	0.453	4	12	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	932	1455	1.12	1455	A	Inlet	3.45	1455	2	1	1	2	1	1	27	0.156	0.453	4	12	7
Stormwater	933	1459	1.09	1459	A	Inlet	3.09	1459	2	1	1	2	1	1	27	0.139	0.444	4	12	6
Stormwater	934	1460	2.08	1460	A	Inlet	3.08	1460	2	1	1	2	1	1	27	0.133	0.440	4	12	6
Stormwater	935	1461	2.17	1461	A	Inlet	3.17	1461	2	1	1	2	1	1	27	0.136	0.439	4	12	6
Stormwater	936	1518A	1.72	1518A	A	Inlet	3.14	0	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	937	1518B	0.6	1518B	UNK	Inlet	3.35	0	2	1	1	2	1	1	27	0.266	0.673	7	18	10
Stormwater	938	1518	-0.62	1518	A	Inlet	3.11	1518	2	1	1	2	1	1	27	0.266	1.000	7	27	13
Stormwater	939	1521	-0.01	1521	A	Inlet	3.11	1521	2	1	1	2	1	1	27	0.266	0.769	7	21	11
Stormwater	940	1474	0	1474	A	Inlet	0	1474	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	941	1519	1.08	1519	A	Inlet	3.16	1519	2	1	1	2	1	1	27	0.266	0.735	7	20	11
Stormwater	942	1527	0.13	1527	A	Inlet	2.82	1527	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	943	1526	1.28	1526	A	Inlet	2.86	1526	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	944	1523	1.12	1523	A	Inlet	2.97	1523	2	1	1	2	1	1	27	0.266	0.470	7	13	9
Stormwater	945	1530	0	1530	A	Inlet	0	1530	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	946	1529	0	1529	A	Inlet	0	1529	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	947	1458	0.45	1458	A	Inlet	3.45	1458	2	1	1	2	1	1	27	0.156	0.450	4	12	7
Stormwater	948	1457	1.02	1457	A	Inlet	3.27	1457	2	1	1	2	1	1	27	0.126	0.425	3	11	6
Stormwater	949	1419	2.11	1419	A	Inlet	3.69	1419	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	950	1418	1.81	1418	A	Inlet	3.64	1418	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	951	1363	4.38	1363	A	Inlet	5.05	1363	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	952	1434	0	1434	A	Inlet	2.5	1434	2	1	1	2	1	1	27	0.171	0.425	5	11	7
Stormwater	953	1436	0.5	1436	A	Inlet	5.3	1436	2	1	1	2	1	1	27	0.182	0.441	5	12	7
Stormwater	954	1431	4.49	1431	A	Inlet	5.57	1431	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	955	1432	0.08	1432	A	Inlet	5.06	1432	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	956	1429	0.08	1429	A	Inlet	4.62	1429	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	957	1430	0.43	1430	A	Inlet	5.13	1430	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	958	1463	0	1463	A	Inlet	0	1463	2	1	1	2	1	1	27	0.144	0.449	4	12	6
Stormwater	959	1491	-0.4	1491	A	Inlet	3.1	1491	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	960	1427	1.3	1427	A	Inlet	3.7	1427	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	961	1428	-1.35	1428	A	Inlet	3.65	1428	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	962	1425	0.36	1425	A	Inlet	3.06	1425	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	963	1426	-2	1426	A	Inlet	3.06	1426	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	964	1423A	0	1423A	A	Inlet	2.88	0	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	965	1424	-1.9	1424	A	Inlet	2.91	1424	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	966	1422	0.9	1422	A	Inlet	2.9	1422	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	967	1423	-1.37	1423	A	Inlet	2.86	1423	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	968	1416	-2.2	1416	A	Inlet	2.41	1416	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	969	1417	0.5	1417	A	Inlet	2.83	1417	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	970	1414	-0.08	1414	A	Inlet	2.77	1414	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	971	1413	-2	1413	A	Inlet	2.85	1413	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	972	1411	0	1411	A	Inlet	0	1411	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	973	1412	0	1412	A	Inlet	0	1412	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	974	1409	0.57	1409	A	Inlet	2.4	1409	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	975	1410	0.95	1410	A	Inlet	2.87	1410	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	976	1506	2.67	1506	A	Inlet	5.09	1506	2	1	1	2	1	1	27	0.182	0.443	5	12	7
Stormwater	977	1507	1.9	1507	A	Inlet	5.15	1507	2	1	1	2	1	1	27	0.182	0.442	5	12	7
Stormwater	978	1502	3.08	1502	A	Inlet	4.91	1502	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	979	1504	1.54	1504	UNK	Inlet	4.96	1504	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	980	1508	2.33	1508	A	Inlet	5.5	1508	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	981	1509	3.07	1509	A	Inlet	5.65	1509	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	982	1500	-0.15	1500	A	Inlet	3.31	1500	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	983	1498	0.43	1498	A	Inlet	3.43	1498	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	984	1495	-0.18	1495	A	Inlet	3.24	1495	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	985	1497	-0.51	1497	A	Inlet	2.99	1497	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	986	1493	-1.34	1493	A	Inlet	3.16	1493	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	987	1487	1.15	1487	A	Inlet	2.9	1487	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	988	1489	-1.03	1489	A	Inlet	3.18	1489	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	989	1484	0.35	1484	A	Inlet	2.6	1484	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	990	1504A	0	1504A	A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	991	1504B	0	1504B	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.180	0.431	5	11	7
Stormwater	992	1504C	0	1504C	A	Inlet	0	0	2	1	1	2	1	1	27	0.181	0.434	5	12	7
Stormwater	993	1438	0	1438	A	Inlet	0	1438	2	1	1	2	1	1	27	0.037	0.266	1	7	3
Stormwater	994	1440	0	1440	A	Inlet	0	1440	2	1	1	2	1	1	27	0.037	0.224	1	6	2
Stormwater	995	1486	-0.94	1486	A	Inlet	2.64	1486	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	996	1479	-1.95	1479	A	Inlet	2.97	1479	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	997	1478	-0.59	1478	A	Inlet	2.79	1478	2	1	1	2	1	1	27	0.182	0.470	5	13	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	998	1560	0	1560	A	Inlet	0	1560	2	1	1	2	1	1	27	0.087	0.261	2	7	4
Stormwater	999	1561	0	1562	A	Inlet	0	1562	2	1	1	2	1	1	27	0.087	0.260	2	7	4
Stormwater	1000	1555	0	1555	A	Inlet	0	1555	2	1	1	2	1	1	27	0.180	0.419	5	11	7
Stormwater	1001	1557	0	1557	UNK	Inlet	0	1557	2	1	1	2	1	1	27	0.182	0.430	5	11	7
Stormwater	1002	1553	4.92	1553	A	Inlet	5.92	1553	2	1	1	2	1	1	27	0.182	0.431	5	11	7
Stormwater	1003	1552	0	1552	A	Inlet	0	1552	2	1	1	2	1	1	27	0.182	0.431	5	11	7
Stormwater	1004	1548	0	1548	A	Inlet	0	1548	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1005	1550	0	1550	A	Inlet	0	1550	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1006	1547	0	1547	A	Inlet	0	1547	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1007	1545	0	1545	A	Inlet	0	1545	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1008	1544	0	1544	A	Inlet	0	1544	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1009	1542	0	1542	A	Inlet	0	1542	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1010	1541	0	1541	A	Inlet	0	1541	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1011	1540	0	1540	A	Inlet	0	1540	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1012	1538	0	1538	A	Inlet	0	1538	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1013	1534	0	1534	A	Inlet	0	1534	2	1	1	2	1	1	27	0.182	0.469	5	13	7
Stormwater	1014	1535	0	1535	A	Inlet	0	1535	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1015	1536	0	1536	A	Inlet	0	1536	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1016	1531	0	1531	A	Inlet	0	1531	2	1	1	2	1	1	27	0.182	0.463	5	12	7
Stormwater	1017	1533	0	1533	A	Inlet	0	1533	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1018	1421	-2.32	1421	A	Inlet	3.08	1421	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1019	1420	0.83	1420	A	Inlet	3.01	1420	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1020	1567	0	1567	A	Inlet	0	1567	3	1	2	3	1	2	40	0.005	0.091	0	4	1
Stormwater	1021	1569	0	1569	A	Inlet	0	1569	3	1	2	3	1	2	40	0.005	0.091	0	4	1
Stormwater	1022	1563	0	1563	A	Inlet	0	1563	2	1	1	2	1	1	27	0.087	0.106	2	3	2
Stormwater	1023	1562	0	1565	A	Inlet	0	1565	2	1	1	2	1	1	27	0.087	0.106	2	3	2
Stormwater	1024	1572	12.28	1572	A	Inlet	14.03	1572	5	1	2	3	1	2	47	0.004	0.046	0	2	1
Stormwater	1025	1517	11.12	1517	A	Inlet	14.95	1517	5	1	2	3	1	2	47	0.003	0.040	0	2	1
Stormwater	1026	1513	8.65	1513	A	Inlet	12.28	1513	2	1	1	2	1	1	27	0.086	0.106	2	3	2
Stormwater	1027	1515	8.11	1515	A	Inlet	12.36	1515	2	1	1	2	1	1	27	0.087	0.106	2	3	2
Stormwater	1028	1510	5.05	1510	UNK	Inlet	9.43	1510	2	1	1	2	1	1	27	0.087	0.254	2	7	4
Stormwater	1029	1512	5.68	1512	A	Inlet	9.51	1512	2	1	1	2	1	1	27	0.087	0.254	2	7	4
Stormwater	1030	1452	12.63	1452	A	Inlet	13.96	1452	3	1	2	3	1	2	40	0.004	0.040	0	2	1
Stormwater	1031	1447	10.1	1447	A	Inlet	14.8	1447	3	1	2	3	1	2	40	0.004	0.040	0	2	1
Stormwater	1032	1449	9.9	1449	A	Inlet	14.8	1449	3	1	2	3	1	2	40	0.004	0.040	0	2	1
Stormwater	1033	1451	11.62	1451	A	Inlet	14.95	1451	3	1	2	3	1	2	40	0.003	0.040	0	2	1
Stormwater	1034	1444	9	1444	UNK	Inlet	13.5	1444	2	1	1	2	1	1	27	0.037	0.106	1	3	2
Stormwater	1035	1446	8.4	1446	A	Inlet	13.5	1446	2	1	1	2	1	1	27	0.037	0.106	1	3	2
Stormwater	1036	1441	7.1	1441	A	Inlet	11.1	1441	2	1	1	2	1	1	27	0.037	0.106	1	3	2
Stormwater	1037	1443	6	1443	A	Inlet	11.1	1443	2	1	1	2	1	1	27	0.037	0.106	1	3	2
Stormwater	1038	PRIVATE	0	PRIVATE		Inlet	0	0	2	1	1	2	1	1	27	0.182	0.465	5	12	7
Stormwater	1039	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.453	5	12	7
Stormwater	1040	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.434	5	12	7
Stormwater	1041	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.436	5	12	7
Stormwater	1042	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	1043	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	1044	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	1045	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.444	5	12	7
Stormwater	1046	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.442	5	12	7
Stormwater	1047	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1048	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.433	5	12	7
Stormwater	1049	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.180	0.406	5	11	7
Stormwater	1050	DOT	3.26	DOT		Inlet	5.5	0	2	1	1	2	1	1	27	0.145	0.388	4	10	6
Stormwater	1051	1588	8.89	1588	A	Inlet	10.39	1588	2	1	1	2	1	1	27	0.079	0.184	2	5	3
Stormwater	1052	1589	7.13	1589		Inlet	10.21	1589	2	1	1	2	1	1	27	0.087	0.224	2	6	3
Stormwater	1053	1575	13.36	1575	A	Inlet	14.44	1575	3	1	2	3	1	2	40	0.007	0.087	0	3	1
Stormwater	1054	1583	13.35	1583	A	Inlet	14.43	1583	3	1	2	3	1	2	40	0.007	0.074	0	3	1
Stormwater	1055	1581	11.8	1581	A	Inlet	13.97	1581	3	1	2	3	1	2	40	0.003	0.046	0	2	1
Stormwater	1056	1584	10.46	1584	A	Inlet	13.63	1584	3	1	2	3	1	2	40	0.003	0.038	0	2	1
Stormwater	1057	1587	11.91	1587	A	Inlet	14.24	1587	3	1	2	3	1	2	40	0.007	0.077	0	3	1
Stormwater	1058	1586	11.64	1586	A	Inlet	14.39	1586	3	1	2	3	1	2	40	0.007	0.075	0	3	1
Stormwater	1059	1641	1.02	1641	UNK	Inlet	3.23	1641	2	1	1	2	1	1	27	0.266	0.444	7	12	9
Stormwater	1060	1643	0.74	1643	A	Inlet	2.74	1643	2	1	1	2	1	1	27	0.266	0.444	7	12	9
Stormwater	1061	1642	1.22	1642	A	Inlet	3.22	1642	2	1	1	2	1	1	27	0.266	0.444	7	12	9
Stormwater	1062	1633	2.55	1633	A	Inlet	3.63	1633	2	1	1	2	1	1	27	0.091	0.362	2	10	5
Stormwater	1063	1632	2.74	1632	A	Inlet	3.53	1632	2	1	1	2	1	1	27	0.091	0.362	2	10	5

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1064	1640	0	1640	A	Inlet	0	1640	2	1	1	2	1	1	27	0.243	0.443	6	12	8
Stormwater	1065	1645	0.88	1645	A	Inlet	3.13	1645	2	1	1	2	1	1	27	0.181	0.444	5	12	7
Stormwater	1066	1647	0.68	1647	UNK	Inlet	3.1	1647	2	1	1	2	1	1	27	0.180	0.444	5	12	7
Stormwater	1067	1648	0.17	1648	A	Inlet	2.84	1648	2	1	1	2	1	1	27	0.180	0.444	5	12	7
Stormwater	1068	1650	1.4	1650	A	Inlet	2.9	1650	2	1	1	2	1	1	27	0.180	0.444	5	12	7
Stormwater	1069	1651	1.68	1651	A	Inlet	3.85	1651	2	1	1	2	1	1	27	0.180	0.444	5	12	7
Stormwater	1070	1654	3.29	1654	A	Inlet	3.79	1654	2	1	1	2	1	1	27	0.180	0.444	5	12	7
Stormwater	1071	1656	3.13	1656	A	Inlet	4.63	1656	2	1	1	2	1	1	27	0.180	0.437	5	12	7
Stormwater	1072	1657	2.76	1657	A	Inlet	4.68	1657	2	1	1	2	1	1	27	0.180	0.437	5	12	7
Stormwater	1073	1658	3.84	1658	A	Inlet	5.51	1658	2	1	1	2	1	1	27	0.167	0.431	4	11	7
Stormwater	1074	1660	3.61	1660	A	Inlet	5.53	1660	2	1	1	2	1	1	27	0.169	0.431	5	11	7
Stormwater	1075	1662	4.51	1662	A	Inlet	6.34	1662	2	1	1	2	1	1	27	0.182	0.431	5	12	7
Stormwater	1076	1664	4.24	1664	A	Inlet	6.32	1664	2	1	1	2	1	1	27	0.182	0.431	5	12	7
Stormwater	1077	1591	11.84	1591	A	Inlet	14.45	1591	3	1	2	3	1	2	40	0.010	0.107	0	4	2
Stormwater	1078	1593	11.37	1593	A	Inlet	14.54	1593	3	1	2	3	1	2	40	0.014	0.128	1	5	2
Stormwater	1079	1605	4.24	1605	A	Inlet	6.99	1605	2	1	1	2	1	1	27	0.143	0.419	4	11	6
Stormwater	1080	1602	8.1	1602	A	Inlet	10.48	1602	2	1	1	2	1	1	27	0.012	0.092	0	2	1
Stormwater	1081	1601	7.65	1601		Inlet	10.73	1601	2	1	1	2	1	1	27	0.008	0.092	0	2	1
Stormwater	1082	1597	8.06	1597	A	Inlet	10.73	1597	2	1	1	2	1	1	27	0.008	0.092	0	2	1
Stormwater	1083	1607	12.24	1607	A	Inlet	14.62	1607	3	1	2	3	1	2	40	0.016	0.113	1	5	2
Stormwater	1084	1609	12.12	1609		Inlet	14.45	1609	3	1	2	3	1	2	40	0.024	0.133	1	5	2
Stormwater	1085	1610	11.69	1610	A	Inlet	14.32	1610	3	1	2	3	1	2	40	0.011	0.108	0	4	2
Stormwater	1086	1612	11.2	1612	A	Inlet	14.12	1612	3	1	2	3	1	2	40	0.016	0.132	1	5	2
Stormwater	1087	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.164	0.343	4	9	6
Stormwater	1088	1666	0	1666	A	Inlet	0	1666	2	1	1	2	1	1	27	0.174	0.402	5	11	6
Stormwater	1089	1668	3.2	1668	A	Inlet	7.12	1668	2	1	1	2	1	1	27	0.172	0.402	5	11	6
Stormwater	1090	1631	1.47	1631	A	Inlet	4.14	1631	2	1	1	2	1	1	27	0.093	0.387	2	10	5
Stormwater	1091	1630	1.5	1630	UNK	Inlet	4	1630	2	1	1	2	1	1	27	0.093	0.387	2	10	5
Stormwater	1092	1629	2.9	1629	A	Inlet	4.07	1629	2	1	1	2	1	1	27	0.093	0.387	2	10	5
Stormwater	1093	1628	2.43	1628	A	Inlet	3.93	1628	2	1	1	2	1	1	27	0.093	0.387	2	10	5
Stormwater	1094	1627	2.8	1627	A	Inlet	3.8	1627	2	1	1	2	1	1	27	0.093	0.387	2	10	5
Stormwater	1095	1626	2.24	1626	A	Inlet	3.91	1626	2	1	1	2	1	1	27	0.093	0.383	2	10	5
Stormwater	1096	1625	2.6	1625	UNK	Inlet	3.77	1625	2	1	1	2	1	1	27	0.094	0.386	3	10	5
Stormwater	1097	1623A	0	1623A	A	Inlet	0	0	2	1	1	2	1	1	27	0.095	0.386	3	10	5
Stormwater	1098	1623	0.14	1623	A	Inlet	3.47	1623	2	1	1	2	1	1	27	0.095	0.386	3	10	5
Stormwater	1099	1622	0	1622	A	Inlet	0	1622	2	1	1	2	1	1	27	0.095	0.385	3	10	5
Stormwater	1100	1622A	0	1622A	A	Inlet	0	0	2	1	1	2	1	1	27	0.095	0.386	3	10	5
Stormwater	1101	1619A	1	1619A	A	Inlet	3.17	0	2	1	1	2	1	1	27	0.095	0.385	3	10	5
Stormwater	1102	1619	0.86	1619	A	Inlet	3.19	1619	2	1	1	2	1	1	27	0.095	0.385	3	10	5
Stormwater	1103	1671	0	1671	A	Inlet	0	1671	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1104	1676	2.15	1676	A	Inlet	3.28	1676	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1105	1682	0	1682	A	Inlet	0	1682	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1106	1683	2.31	1683	A	Inlet	3.64	1683	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1107	1685	0	1685	A	Inlet	0	1685	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1108	1687	0	1687	A	Inlet	0	1687	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1109	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1110	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1111	1714	0	1714	A	Inlet	0	1714	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1112	1716	0	1716	A	Inlet	0	1716	2	1	1	2	1	1	27	0.177	0.438	5	12	7
Stormwater	1113	1717	0	1717	A	Inlet	0	1717	2	1	1	2	1	1	27	0.177	0.435	5	12	7
Stormwater	1114	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.406	5	11	7
Stormwater	1115	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.151	0.440	4	12	6
Stormwater	1116	1694	6.06	1694	A	Inlet	7.35	1694	2	1	1	2	1	1	27	0.148	0.406	4	11	6
Stormwater	1117	1696	6.23	1696	A	Inlet	7.73	1696	2	1	1	2	1	1	27	0.064	0.301	2	8	4
Stormwater	1118	1697	5.44	1697	A	Inlet	7.9	1697	2	1	1	2	1	1	27	0.111	0.383	3	10	5
Stormwater	1119	1699	12.73	1699	A	Inlet	14.06	1699	3	1	2	3	1	2	40	0.006	0.072	0	3	1
Stormwater	1120	1698	12.93	1698	UNK	Inlet	14.26	1698	3	1	2	3	1	2	40	0.007	0.078	0	3	1
Stormwater	1121	1702	11.92	1702	UNK	Inlet	14.5	1702	3	1	2	3	1	2	40	0.003	0.034	0	1	0
Stormwater	1122	1705	6.01	1705	A	Inlet	6.89	1705	2	1	1	2	1	1	27	0.158	0.402	4	11	6
Stormwater	1123	1703	4.31	1703	A	Inlet	6.81	1703	2	1	1	2	1	1	27	0.163	0.402	4	11	6
Stormwater	1124	1704	4.88	1704	A	Inlet	6.8	1704	2	1	1	2	1	1	27	0.163	0.402	4	11	6
Stormwater	1125	1706	5.36	1706	A	Inlet	7.11	1706	2	1	1	2	1	1	27	0.163	0.402	4	11	6
Stormwater	1126	1707	13.08	1707	A	Inlet	15.25	1707	3	1	2	3	1	2	40	0.003	0.032	0	1	0
Stormwater	1127	1708	12.72	1708	A	Inlet	15.14	1708	3	1	2	3	1	2	40	0.003	0.029	0	1	0
Stormwater	1128	1738	9.78	1738	UNK	Inlet	14.28	1738	3	1	2	3	1	2	40	0.006	0.060	0	2	1
Stormwater	1129	1739	9.35	1739	A	Inlet	14.27	1739	3	1	2	3	1	2	40	0.008	0.074	0	3	1

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary
 ASSET GROUP: Stormwater Basin Inlets
 Coastal Vulnerability Assessment
 Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1130	1613	-0.1	1613	A	Inlet	2.57	1613	2	1	1	2	1	1	27	0.041	0.259	1	7	3
Stormwater	1131	1614	0.28	1614	A	Inlet	2.53	1614	2	1	1	2	1	1	27	0.041	0.259	1	7	3
Stormwater	1132	1725	0	1725	A	Inlet	0	1725	2	1	1	2	1	1	27	0.253	0.482	7	13	9
Stormwater	1133	1728	1.31	1728	A	Inlet	2.89	1728	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1134	1730	1.08	1730	A	Inlet	2.75	1730	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1135	1731	1.9	1731	A	Inlet	2.84	1731	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1136	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.160	0.433	4	12	6
Stormwater	1137	DOT	3.26	DOT		Inlet	5.5	0	2	1	1	2	1	1	27	0.121	0.397	3	11	5
Stormwater	1138	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.094	0.387	3	10	5
Stormwater	1139	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.382	5	10	6
Stormwater	1140	1735	12.61	1735		Inlet	14.78	1735	3	1	2	3	1	2	40	0.004	0.044	0	2	1
Stormwater	1141	1737	0	1737	A	Inlet	5.34	1737	3	1	2	3	1	2	40	0.008	0.064	0	3	1
Stormwater	1142	1736	0	1736	A	Inlet	5.5	1736	3	1	2	3	1	2	40	0.029	0.153	1	6	3
Stormwater	1143	DOT	3.26	DOT	UNK	Inlet	5.5	0	2	1	1	2	1	1	27	0.032	0.257	1	7	3
Stormwater	1144	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.033	0.245	1	7	3
Stormwater	1145	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.038	0.250	1	7	3
Stormwater	1146	1745	15.37	1745	UNK	Inlet	17.54	1745	3	1	2	3	1	2	40	0.005	0.061	0	2	1
Stormwater	1147	1744	15.05	1744	A	Inlet	17.47	1744	3	1	2	3	1	2	40	0.005	0.050	0	2	1
Stormwater	1148	1743	15.76	1743	A	Inlet	16.93	1743	3	1	2	3	1	2	40	0.004	0.049	0	2	1
Stormwater	1149	1740	0	1740	A	Inlet	14.92	1740	3	1	2	3	1	2	40	0.007	0.078	0	3	1
Stormwater	1150	1741	0	1741	A	Inlet	14.34	1741	3	1	2	3	1	2	40	0.008	0.081	0	3	1
Stormwater	1151	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.211	0.441	8	18	11
Stormwater	1152	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.477	11	19	13
Stormwater	1153	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.477	11	19	13
Stormwater	1154	1742	11.98	1742	UNK	Inlet	14.56	1742	3	1	2	3	1	2	40	0.007	0.071	0	3	1
Stormwater	1155	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.240	0.750	6	20	10
Stormwater	1156	1746	15.63	1746	A	Inlet	18.05	1746	3	1	2	3	1	2	40	0.004	0.050	0	2	1
Stormwater	1157	1747	14.6	1747	A	Inlet	17.68	1747	3	1	2	3	1	2	40	0.009	0.048	0	2	1
Stormwater	1158	1748	15.58	1748	UNK	Inlet	18.33	1748	2	1	1	2	1	1	27	0.002	0.048	0	1	0
Stormwater	1159	1749	15.26	1749	A	Inlet	18.18	1749	2	1	1	2	1	1	27	0.005	0.075	0	2	1
Stormwater	1160	1750	17.45	1750	A	Inlet	18.7	1750	2	1	1	2	1	1	27	0.001	0.054	0	1	0
Stormwater	1161	1751	0	1751	A	Inlet	0	1751	3	1	2	3	1	2	40	0.002	0.037	0	1	1
Stormwater	1162	1752	0	1752	A	Inlet	0	1752	3	1	2	3	1	2	40	0.002	0.037	0	1	1
Stormwater	1163	1766B	0	1766B	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.429	5	11	7
Stormwater	1164	1766A	0	1766A	A	Inlet	0	0	2	1	1	2	1	1	27	0.124	0.414	3	11	6
Stormwater	1165	1756	1.86	1756	A	Inlet	5.69	1756	2	1	1	2	1	1	27	0.140	0.369	4	10	6
Stormwater	1166	1757	0	1757	A	Inlet	0	1757	2	1	1	2	1	1	27	0.096	0.319	3	8	4
Stormwater	1167	1761	0	1761	A	Inlet	0	1761	2	1	1	2	1	1	27	0.144	0.373	4	10	6
Stormwater	1168	1754	7.74	1754	A	Inlet	9.91	1754	2	1	1	2	1	1	27	0.038	0.130	1	3	2
Stormwater	1169	1753	7.96	1753	A	Inlet	9.88	1753	2	1	1	2	1	1	27	0.038	0.130	1	3	2
Stormwater	1170	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.442	5	12	7
Stormwater	1171	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.441	5	12	7
Stormwater	1172	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.441	5	12	7
Stormwater	1173	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.161	0.430	4	11	6
Stormwater	1174	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.623	0.779	17	21	18
Stormwater	1175	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.144	0.418	4	11	6
Stormwater	1176	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.043	0.345	1	9	4
Stormwater	1177	PRIVATE	0	PRIVATE		Inlet	0	0	2	1	1	2	1	1	27	0.043	0.344	1	9	4
Stormwater	1178	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.032	0.340	1	9	3
Stormwater	1179	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.002	0.026	0	1	0
Stormwater	1180	1772B	2.79	1772B	A	Inlet	4.79	0	2	1	1	2	1	1	27	0.125	0.404	3	11	6
Stormwater	1181	1772	2.28	1772	A	Inlet	4.78	1772	2	1	1	2	1	1	27	0.125	0.404	3	11	6
Stormwater	1182	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.084	0.248	3	10	5
Stormwater	1183	23	0.92	23	A	Inlet	3.71	23	3	1	2	3	1	2	40	0.085	0.405	3	16	7
Stormwater	1184	4	0	4	A	Inlet	0	4	3	1	2	3	1	2	40	0.085	0.405	3	16	7
Stormwater	1185	0003A	0	3A	A	Inlet	0	0	3	1	2	3	1	2	40	0.155	0.451	6	18	10
Stormwater	1186	1	0	1	A	Inlet	0	1	3	1	2	3	1	2	40	0.329	0.527	13	21	16
Stormwater	1187	48	2.64	48	A	Inlet	4.39	48	3	1	2	3	1	2	40	0.085	0.405	3	16	7
Stormwater	1188	45	2.07	45	A	Inlet	4.11	45	3	1	2	3	1	2	40	0.085	0.405	3	16	7
Stormwater	1189	0098B	0	98B	A	Inlet	0	0	2	1	1	2	1	1	27	0.079	0.417	2	11	5
Stormwater	1190	0126A	2.86	126	A	Inlet	4.08	126	3	1	2	3	1	2	40	0.085	0.415	3	17	7
Stormwater	1191	128	1.37	128	A	Inlet	3.27	128	3	1	2	3	1	2	40	0.039	0.238	2	10	4
Stormwater	1192	132	2.15	132	A	Inlet	5	132	2	1	1	2	1	1	27	0.085	0.415	2	11	5
Stormwater	1193	138	0	138	A	Inlet	0	138	3	1	2	3	1	2	40	0.083	0.400	3	16	7
Stormwater	1194	136A	0	136A	A	Inlet	0	0	3	1	2	3	1	2	40	0.083	0.400	3	16	7
Stormwater	1195	139	3.7	139	A	Inlet	6.2	139	3	1	2	3	1	2	40	0.083	0.400	3	16	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1196	142	0	142	A	Inlet	0	142	3	1	2	3	1	2	40	0.087	0.398	3	16	7
Stormwater	1197	148A	0	148A	A	Inlet	0	0	2	1	1	2	1	1	27	0.117	0.389	3	10	5
Stormwater	1198	148B	0	148B	A	Inlet	0	0	2	1	1	2	1	1	27	0.117	0.389	3	10	5
Stormwater	1199	193	0.58	193	A	Inlet	4.33	193	3	1	2	3	1	2	40	0.178	0.418	7	17	10
Stormwater	1200	0245B	0	245B	A	Inlet	0	0	2	1	1	2	1	1	27	0.199	0.415	5	11	7
Stormwater	1201	0260A	0	260A	A	Inlet	0	0	3	1	0	2	3	1	40	0.199	0.415	8	17	11
Stormwater	1202	259	0	259	A	Inlet	0	259	3	1	2	3	1	2	40	0.199	0.415	8	17	11
Stormwater	1203	0309C	0	309C	A	Inlet	0	0	3	1	2	3	1	2	40	0.197	0.383	8	15	10
Stormwater	1204	0309E	0	309E	A	Inlet	0	0	3	1	0	2	3	1	40	0.197	0.383	8	15	10
Stormwater	1205	0309B	0	309B	A	Inlet	0	0	3	1	2	3	1	2	40	0.197	0.383	8	15	10
Stormwater	1206	0331A	0	331A		Inlet	0	0	3	1	2	3	1	2	40	0.057	0.141	2	6	3
Stormwater	1207	0332A	0	332A	A	Inlet	0	0	3	1	2	3	1	2	40	0.043	0.141	2	6	3
Stormwater	1208	0332B	-1.01	332B	A	Inlet	7.07	0	3	1	2	3	1	2	40	0.042	0.141	2	6	3
Stormwater	1209	0375A	-0.79	375A	A	Inlet	4.75	0	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	1210	377	0.3	377	A	Inlet	3.97	377	2	1	1	2	1	1	27	0.141	0.314	4	8	5
Stormwater	1211	0373A	-1.59	373A	A	Inlet	4.37	0	3	1	2	3	1	2	40	0.186	0.406	7	16	10
Stormwater	1212	0371A	0	371A	A	Inlet	0	0	2	1	1	2	1	1	27	0.115	0.268	3	7	4
Stormwater	1213	367	0	367	A	Inlet	0	367	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	1214	369	0	369	A	Inlet	0	369	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	1215	368	0	368	A	Inlet	0	368	3	1	0	2	3	1	40	0.188	0.408	8	16	10
Stormwater	1216	393	0	393	A	Inlet	0	393	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	1217	382	6.45	382	A	Inlet	4.7	382	3	1	2	3	1	2	40	0.188	0.408	8	16	10
Stormwater	1218	398	0	398	A	Inlet	0	398	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	1219	0427B	0	427B	A	Inlet	0	0	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	1220	452	0.69	452	UNK	Inlet	15.49	452	3	1	2	3	1	2	40	0.000	0.014	0	1	0
Stormwater	1221	454	3	454	A	Inlet	6	454	2	1	1	2	1	1	27	0.182	0.404	5	11	7
Stormwater	1222	563	0	563	A	Inlet	0	563	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	1223	564	0	564	A	Inlet	0	564	2	1	1	2	1	1	27	0.177	0.400	5	11	6
Stormwater	1224	565	0	565	A	Inlet	0	565	2	1	1	2	1	1	27	0.176	0.384	5	10	6
Stormwater	1225	572	4.9	572		Inlet	7.15	572	3	1	2	3	1	2	40	0.053	0.155	2	6	3
Stormwater	1226	574	4.74	574		Inlet	7.04	574	3	1	2	3	1	2	40	0.097	0.192	4	8	5
Stormwater	1227	0574D	4.57	574D	A	Inlet	7.14	0	3	1	2	3	1	2	40	0.109	0.256	4	10	6
Stormwater	1228	575	0	575	A	Inlet	0	575	2	1	1	2	1	1	27	0.174	0.471	5	13	7
Stormwater	1229	0577A	0	577A	A	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	1230	605	0	605	A	Inlet	0	605	3	1	2	3	1	2	40	0.173	0.400	7	16	10
Stormwater	1231	615	0	615	A	Inlet	0	615	2	1	1	2	1	1	27	0.171	0.472	5	13	7
Stormwater	1232	617	0	617	A	Inlet	0	617	2	1	1	2	1	1	27	0.171	0.472	5	13	7
Stormwater	1233	649	-0.43	649	A	Inlet	3.24	649	2	1	1	2	1	1	27	0.170	0.467	5	12	7
Stormwater	1234	621	0	621	A	Inlet	0	621	2	1	1	2	1	1	27	0.172	0.472	5	13	7
Stormwater	1235	623	0	623	A	Inlet	0	623	2	1	1	2	1	1	27	0.171	0.472	5	13	7
Stormwater	1236	635	0	635	A	Inlet	0	635	2	1	1	2	1	1	27	0.171	0.472	5	13	7
Stormwater	1237	0660C	0	660B	A	Inlet	0	0	2	1	1	2	1	1	27	0.168	0.472	4	13	7
Stormwater	1238	0660D	0	660A	A	Inlet	0	0	2	1	1	2	1	1	27	0.168	0.471	4	13	7
Stormwater	1239	0640C	0	640C	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.385	5	10	6
Stormwater	1240	0640A	0	640A	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.385	5	10	6
Stormwater	1241	725	0	725	A	Inlet	0	725	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1242	0750C	0	750C	A	Inlet	0	0	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1243	727	0	727	A	Inlet	0	727	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1244	0801C	0	801C	A	Inlet	0	0	3	1	1	2	3	1	40	0.188	0.329	8	13	9
Stormwater	1245	0801D	0	801D	A	Inlet	0	0	3	1	2	3	1	2	40	0.188	0.327	8	13	9
Stormwater	1246	0830A	0	830A	A	Inlet	0	0	2	1	1	2	1	1	27	0.188	0.475	5	13	7
Stormwater	1247	0830C	0	830C	A	Inlet	0	0	2	1	1	2	1	1	27	0.188	0.475	5	13	7
Stormwater	1248	0831A	0	831A	A	Inlet	0	0	2	1	1	2	1	1	27	0.112	0.256	3	7	4
Stormwater	1249	0831C	0	831C	A	Inlet	0	0	2	1	1	2	1	1	27	0.112	0.271	3	7	4
Stormwater	1250	0832A	0	832A	A	Inlet	0	0	2	1	1	2	1	1	27	0.188	0.475	5	13	7
Stormwater	1251	0832C	0	832C	A	Inlet	0	0	2	1	1	2	1	1	27	0.188	0.475	5	13	7
Stormwater	1252	0899A	0	899A	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	1253	0901B	0	901B	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	1254	906	0	906	A	Inlet	0	906	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	1255	907	0	907	A	Inlet	0	907	2	1	1	2	1	1	27	0.177	0.409	5	11	7
Stormwater	1256	908	0	908	A	Inlet	0	908	2	1	1	2	1	1	27	0.177	0.409	5	11	7
Stormwater	1257	0908B	0	908B	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.409	5	11	7
Stormwater	1258	973	0	973	A	Inlet	0	973	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	1259	969	0	972	A	Inlet	0	972	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	1260	0963A	0	963A	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	1261	964	0	964	A	Inlet	0	964	2	1	1	2	1	1	27	0.177	0.476	5	13	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1262	0933A	0	933a	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	1263	0933B	0	933	A	Inlet	0	933	2	1	0	1	2	1	27	0.177	0.476	5	13	7
Stormwater	1264	926	7.76	926	A	Inlet	9.09	926	3	1	2	3	1	2	40	0.100	0.181	4	7	5
Stormwater	1265	936	11.34	936	A	Inlet	13.07	936	3	1	2	3	1	2	40	0.008	0.091	0	4	1
Stormwater	1266	937	11.23	937		Inlet	12.95	937	3	1	2	3	1	2	40	0.008	0.091	0	4	1
Stormwater	1267	938	11.33	938		Inlet	13.02	938	3	1	2	3	1	2	40	0.011	0.091	0	4	1
Stormwater	1268	957	7.05	957	A	Inlet	12.92	957	3	1	2	3	1	2	40	0.043	0.169	2	7	3
Stormwater	1269	997	8.13	997	A	Inlet	11.3	997	3	1	2	3	1	2	40	0.093	0.223	4	9	5
Stormwater	1270	998	9.78	998	A	Inlet	11.25	998	3	1	2	3	1	2	40	0.093	0.223	4	9	5
Stormwater	1271	993	5.91	993	A	Inlet	10.44	993	2	1	1	2	1	1	27	0.093	0.312	2	8	4
Stormwater	1272	994	6.8	994	A	Inlet	10.44	994	2	1	1	2	1	1	27	0.093	0.312	2	8	4
Stormwater	1273	990	6.05	990	A	Inlet	9.72	990	2	1	1	2	1	1	27	0.171	0.426	5	11	7
Stormwater	1274	991	0	991	A	Inlet	9.69	991	2	1	1	2	1	1	27	0.177	0.434	5	12	7
Stormwater	1275	984	6.16	984	A	Inlet	9.14	984	2	1	1	2	1	1	27	0.177	0.434	5	12	7
Stormwater	1276	986	5.39	986	A	Inlet	9.07	986	2	1	1	2	1	1	27	0.177	0.434	5	12	7
Stormwater	1277	983	7.71	983	A	Inlet	9.12	983	3	1	2	3	1	2	40	0.177	0.434	7	17	10
Stormwater	1278	982	6.33	982	A	Inlet	8.89	982	3	1	2	3	1	2	40	0.177	0.434	7	17	10
Stormwater	1279	979	4.24	979	A	Inlet	7.57	979	2	1	1	2	1	1	27	0.177	0.434	5	12	7
Stormwater	1280	0935B	10.62	0935B	A	Inlet	11.85	0	2	1	1	2	1	1	27	0.100	0.181	3	5	3
Stormwater	1281	1046	2.22	1046	A	Inlet	5.3	1046	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	1282	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	1283	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	1284	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	1285	1005	0	1013	A	Inlet	0	1013	2	1	1	2	1	1	27	0.176	0.476	5	13	7
Stormwater	1286	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.021	0.185	1	7	3
Stormwater	1287	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.017	0.169	1	7	3
Stormwater	1288	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.435	7	17	10
Stormwater	1289	847	4.54	847	A	Inlet	6.89	847	3	1	2	3	1	2	40	0.188	0.409	8	16	10
Stormwater	1290	846	4.14	846	A	Inlet	6.29	846	3	1	2	3	1	2	40	0.188	0.412	8	16	10
Stormwater	1291	844	0	844	A	Inlet	0	844	3	1	2	3	1	2	40	0.188	0.412	8	16	10
Stormwater	1292	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.473	5	13	7
Stormwater	1293	1073	0	1073	A	Inlet	0	1073	2	1	1	2	1	1	27	0.172	0.403	5	11	6
Stormwater	1294	1073A	0	1073A	A	Inlet	0	0	2	1	1	2	1	1	27	0.388	0.976	10	26	15
Stormwater	1295	1071	0	1071	A	Inlet	0	1071	2	1	1	2	1	1	27	0.135	0.304	4	8	5
Stormwater	1296	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.884	0.918	24	24	24
Stormwater	1297	1074	-0.6	1074	A	Inlet	4.3	1074	2	1	1	2	1	1	27	0.157	0.436	4	12	6
Stormwater	1298	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.402	5	11	6
Stormwater	1299	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.170	0.402	5	11	6
Stormwater	1300	1075	0	1075	A	Inlet	0	1075	2	1	1	2	1	1	27	0.173	0.476	5	13	7
Stormwater	1301	1082	0	1082	A	Inlet	0	1082	2	1	1	2	1	1	27	0.173	0.476	5	13	7
Stormwater	1302	1080	0	1080	A	Inlet	0	1080	2	1	1	2	1	1	27	0.172	0.451	5	12	7
Stormwater	1303	1081	0	1081	UNK	Inlet	0	1081	2	1	1	2	1	1	27	0.172	0.458	5	12	7
Stormwater	1304	1084	0	1084	A	Inlet	0	1084	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	1305	1086	0	1086	A	Inlet	0	1086	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	1306	1111A	0	1111A	A	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.420	5	11	7
Stormwater	1307	1111B	0	1111B	A	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.420	5	11	7
Stormwater	1309	1606	0	1606	A	Inlet	0	1606	2	1	1	2	1	1	27	0.099	0.405	3	11	5
Stormwater	1310	1624	0.58	1624	A	Inlet	3.75	1624	2	1	1	2	1	1	27	0.095	0.386	3	10	5
Stormwater	1311	1688	0	1688	A	Inlet	0	1688	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1312	1690	0	1690	UNK	Inlet	0	1690	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1313	1674	0	1674	A	Inlet	0	1674	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1314	1673	0	1673	A	Inlet	0	1673	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1315	1681	0	1681	A	Inlet	0	1681	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1316	1700	12.65	1700	A	Inlet	14.57	1700	3	1	2	3	1	2	40	0.005	0.057	0	2	1
Stormwater	1317	1618	0	1618	A	Inlet	0	1618	2	1	1	2	1	1	27	0.041	0.259	1	7	3
Stormwater	1318	1617	0	1617	A	Inlet	0	1617	2	1	1	2	1	1	27	0.041	0.259	1	7	3
Stormwater	1319	733	0	1733	UNK	Inlet	0	1733	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1320	1721A	0	1721A	A	Inlet	0	0	2	1	1	2	1	1	27	0.140	0.413	4	11	6
Stormwater	1321	1724	0	1724		Inlet	0	1724	2	1	1	2	1	1	27	0.201	0.449	5	12	7
Stormwater	1322	1723	0	1723	A	Inlet	0	1723	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1323	1726	0	1726		Inlet	0	1726	2	1	1	2	1	1	27	0.241	0.465	6	12	8
Stormwater	1324	1722	0	1722	A	Inlet	0	1722	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1325	1760	0	1760	UNK	Inlet	0	1760	2	1	1	2	1	1	27	0.171	0.404	5	11	6
Stormwater	1326	1762	0	1762	A	Inlet	0	1762	2	1	1	2	1	1	27	0.139	0.368	4	10	6
Stormwater	1327	1763	0	1763	A	Inlet	0	1763	2	1	1	2	1	1	27	0.171	0.409	5	11	6
Stormwater	1328	1764	0	1764	A	Inlet	0	1764	2	1	1	2	1	1	27	0.171	0.427	5	11	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1329	1765	0	1765	A	Inlet	0	1765	2	1	1	2	1	1	27	0.153	0.430	4	11	6
Stormwater	1330	1766	0	1766	A	Inlet	0	1766	2	1	1	2	1	1	27	0.171	0.441	5	12	7
Stormwater	1331	1768B	0	1768B	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.404	5	11	6
Stormwater	1332	1768A	0	1768A	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.404	5	11	6
Stormwater	1333	1768	0.12	1768	A	Inlet	2.12	1768	2	1	1	2	1	1	27	0.216	0.448	6	12	8
Stormwater	1334	PRIVATE	0	PRIVATE	A	PRIVATE	0	0	2	1	1	2	1	1	27	0.039	0.268	1	7	3
Stormwater	1335	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.038	0.200	1	5	2
Stormwater	1336	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.223	0.796	6	21	11
Stormwater	1337	PRIVATE	0	PRIVATE	A	PRIVATE	0	0	2	1	1	2	1	1	27	0.039	0.132	1	4	2
Stormwater	1338	1770	3.24	1770	A	Inlet	5.41	1770	2	1	1	2	1	1	27	0.125	0.340	3	9	5
Stormwater	1339	1771A	0	1771A	A	Inlet	0	0	2	1	1	2	1	1	27	0.164	0.438	4	12	7
Stormwater	1340	1771B	0	1771B	A	Inlet	0	0	2	1	1	2	1	1	27	0.164	0.438	4	12	7
Stormwater	1341	DOT	3.26	DOT	A	DOT	5.5	0	2	1	1	2	1	1	27	0.171	0.477	5	13	7
Stormwater	1342	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.171	0.477	5	13	7
Stormwater	1343	1117	-2.31	1117	A	Inlet	4	1117	2	1	1	2	1	1	27	0.171	0.478	5	13	7
Stormwater	1344	1118	-1.9	1118	A	Inlet	4	1118	2	1	1	2	1	1	27	0.171	0.478	5	13	7
Stormwater	1345	1119	-1.25	1119	A	Inlet	4	1119	2	1	1	2	1	1	27	0.171	0.477	5	13	7
Stormwater	1346	1131	0	1131	A	Inlet	0	1131	2	1	1	2	1	1	27	0.171	0.478	5	13	7
Stormwater	1347	1134	0	1134	A	Inlet	0	1134	2	1	1	2	1	1	27	0.171	0.470	5	13	7
Stormwater	1348	1136	0	1136	A	Inlet	0	1136	2	1	1	2	1	1	27	0.171	0.470	5	13	7
Stormwater	1349	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.100	0.420	3	11	5
Stormwater	1350	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.169	0.427	5	11	7
Stormwater	1351	1146	-0.75	1146	A	Inlet	3.75	1146	2	1	1	2	1	1	27	0.172	0.477	5	13	7
Stormwater	1352	1149	0.95	1149	A	Inlet	3.7	1149	2	1	1	2	1	1	27	0.172	0.469	5	12	7
Stormwater	1353	1150	-0.25	1150	A	Inlet	3.7	1150	2	1	1	2	1	1	27	0.172	0.474	5	13	7
Stormwater	1354	1148	1.35	1148	A	Inlet	3.7	1148	2	1	1	2	1	1	27	0.172	0.478	5	13	7
Stormwater	1355	1173	-1.02	1173	A	Inlet	4.64	1173	2	1	1	2	1	1	27	0.172	0.471	5	13	7
Stormwater	1356	1175	-0.65	1171	A	Inlet	4.53	1171	2	1	1	2	1	1	27	0.172	0.471	5	13	7
Stormwater	1357	1109	0	1109	A	Inlet	0	1109	2	1	1	2	1	1	27	0.004	0.067	0	2	1
Stormwater	1358	1110	0	1110	A	Inlet	0	1110	2	1	1	2	1	1	27	0.004	0.067	0	2	1
Stormwater	1359	1181	0	1181	A	Inlet	0	1181	2	1	1	2	1	1	27	0.004	0.052	0	1	0
Stormwater	1360	1182	0	1182	A	Inlet	0	1182	2	1	1	2	1	1	27	0.004	0.052	0	1	0
Stormwater	1361	1144	0	1144	UNK	Inlet	0	1144	3	1	2	3	1	2	40	0.006	0.069	0	3	1
Stormwater	1362	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.091	0.323	2	9	4
Stormwater	1363	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.091	0.359	2	10	5
Stormwater	1364	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.091	0.286	2	8	4
Stormwater	1365	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.091	0.286	2	8	4
Stormwater	1366	1250	2.62	1250	UNK	Inlet	3.79	1250	2	1	1	2	1	1	27	0.173	0.471	5	13	7
Stormwater	1367	1248	0	1248	UNK	Inlet	0	1248	2	1	1	2	1	1	27	0.173	0.471	5	13	7
Stormwater	1368	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.083	0.329	2	9	4
Stormwater	1369	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.099	0.360	3	10	5
Stormwater	1370	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.478	11	19	13
Stormwater	1371	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.477	11	19	13
Stormwater	1372	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.471	11	19	13
Stormwater	1373	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.474	11	19	13
Stormwater	1374	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.476	11	19	13
Stormwater	1375	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.477	11	19	13
Stormwater	1376	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.479	11	19	13
Stormwater	1377	1771C	0	1771C	A	Inlet	0	0	2	1	1	2	1	1	27	0.161	0.436	4	12	6
Stormwater	1378	1771D	0	1771D	A	Inlet	0	0	2	1	1	2	1	1	27	0.155	0.433	4	12	6
Stormwater	1379	1773	3.25	1773	A	Inlet	5.63	1773	2	1	1	2	1	1	27	0.049	0.346	1	9	4
Stormwater	1380	1773A	3.74	1773A	A	Inlet	5.8	0	2	1	1	2	1	1	27	0.045	0.326	1	9	3
Stormwater	1381	1774	2.47	1774	A	Inlet	4.97	1774	2	1	1	2	1	1	27	0.128	0.384	3	10	5
Stormwater	1382	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.003	0.043	0	1	0
Stormwater	1383	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.002	0.024	0	1	0
Stormwater	1384	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.001	0.030	0	1	0
Stormwater	1385	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.002	0.034	0	1	0
Stormwater	1386	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.002	0.036	0	1	0
Stormwater	1387	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.010	0.054	0	2	1
Stormwater	1388	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.001	0.021	0	1	0
Stormwater	1389	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.001	0.021	0	1	0
Stormwater	1390	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.004	0.185	0	5	2
Stormwater	1391	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.002	0.024	0	1	0
Stormwater	1392	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.120	0.361	5	14	8
Stormwater	1393	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.112	0.311	4	12	7
Stormwater	1394	0190B	0	190B	A	Inlet	0	0	3	1	2	3	1	2	40	0.178	0.418	7	17	10

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1395	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.190	0.409	5	11	7
Stormwater	1396	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.189	0.409	5	11	7
Stormwater	1397	499	1.51	499	UNK	Inlet	3.21	499	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	1398	1570A	0	1570A	A	Inlet	0	0	3	1	2	3	1	2	40	0.004	0.065	0	3	1
Stormwater	1399	1709	0	1709	A	Inlet	0	1709	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1400	1710A	0	1710	A	Inlet	0	1710	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1401	1711A	0	1709	A	Inlet	0	1709	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1402	1711B	0	1710	A	Inlet	0	1710	2	1	1	2	1	1	27	0.177	0.438	5	12	7
Stormwater	1403	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.457	7	18	10
Stormwater	1404	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.472	7	19	10
Stormwater	1405	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	1406	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.477	7	19	11
Stormwater	1407	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.476	7	19	11
Stormwater	1408	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.087	0.398	2	11	5
Stormwater	1409	DOT	3.26	DOT		Inlet	5.5	0	2	1	1	2	1	1	27	0.102	0.405	3	11	5
Stormwater	1410	1372	0	1372	A	Inlet	0	1372	2	1	1	2	1	1	27	0.077	0.336	2	9	4
Stormwater	1411	1371	0	1371	A	Inlet	0	1371	2	1	1	2	1	1	27	0.077	0.361	2	10	4
Stormwater	1412	1370A	0	1370A	A	Inlet	0	0	2	1	1	2	1	1	27	0.087	0.402	2	11	5
Stormwater	1413	1636A	-1.06	1636A	A	Inlet	3.52	0	2	1	1	2	1	1	27	0.642	0.734	17	20	18
Stormwater	1414	1636B	0.44	1636B	UNK	Inlet	3.52	0	2	1	1	2	1	1	27	0.606	0.702	16	19	17
Stormwater	1415	1638	-0.9	1638	A	Inlet	3.02	1638	2	1	1	2	1	1	27	0.158	0.777	4	21	9
Stormwater	1416	1637	1.82	1637	A	Inlet	3.4	1637	2	1	1	2	1	1	27	0.091	0.468	2	12	5
Stormwater	1417	1636	2.44	1636	A	Inlet	3.77	1636	2	1	1	2	1	1	27	0.074	0.368	2	10	4
Stormwater	1418	1635	-1.31	1635	A	Inlet	3.36	1635	2	1	1	2	1	1	27	0.151	0.594	4	16	8
Stormwater	1419	1634	0.68	1634	A	Inlet	3.43	1634	2	1	1	2	1	1	27	0.085	0.381	2	10	5
Stormwater	1420	1573	0	1573	A	Inlet	0	1573	3	1	2	3	1	2	40	0.004	0.049	0	2	1
Stormwater	1421	1577	0	1577	A	Inlet	0	1577	3	1	2	3	1	2	40	0.005	0.091	0	4	1
Stormwater	1422	1648A	0	1648A	A	Inlet	0	0	2	1	1	2	1	1	27	0.180	0.444	5	12	7
Stormwater	1423	1650A	0	1650A	A	Inlet	0	0	2	1	1	2	1	1	27	0.180	0.444	5	12	7
Stormwater	1424	1653B	0	1653B	A	Inlet	0	0	2	1	1	2	1	1	27	0.180	0.444	5	12	7
Stormwater	1425	1653	0	1653	UNK	Inlet	0	1653	2	1	1	2	1	1	27	0.180	0.442	5	12	7
Stormwater	1426	1599	0	1599	A	Inlet	0	1599	2	1	1	2	1	1	27	0.008	0.092	0	2	1
Stormwater	1427	1596	0	1596	A	Inlet	0	1596	2	1	1	2	1	1	27	0.008	0.092	0	2	1
Stormwater	1428	1594	0	1594	A	Inlet	0	1594	2	1	1	2	1	1	27	0.008	0.092	0	2	1
Stormwater	1429	1712	0.29	1712	A	Inlet	3	1712	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1430	1715	0	1715	A	Inlet	0	1715	2	1	1	2	1	1	27	0.177	0.440	5	12	7
Stormwater	1431	1719	0	1719	A	Inlet	0	1719	2	1	1	2	1	1	27	0.177	0.434	5	12	7
Stormwater	1432	1720	0	1720	A	Inlet	0	1720	2	1	1	2	1	1	27	0.177	0.432	5	12	7
Stormwater	1433	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.093	0.424	2	11	5
Stormwater	1434	1341	0	1341	A	Inlet	0	1341	2	1	1	2	1	1	27	0.182	0.458	5	12	7
Stormwater	1435	1343	-2.17	1343	A	Inlet	2.73	1343	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1436	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.477	11	19	13
Stormwater	1437	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.245	0.470	10	19	13
Stormwater	1438	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.158	0.440	6	18	10
Stormwater	1440	733	0	733	UNK	Inlet	0	733	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1441	732	0	732	A	Inlet	0	732	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1442	744	0	744	A	Inlet	0	744	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1443	745	0	745	A	Inlet	0	745	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1444	738	0	738	A	Inlet	0	738	2	1	1	2	1	1	27	0.173	0.473	5	13	7
Stormwater	1445	735	0	735	A	Inlet	0	735	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1446	736	0	736	A	Inlet	0	736	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1447	739	0	739	A	Inlet	0	739	2	1	1	2	1	1	27	0.183	0.474	5	13	7
Stormwater	1448	740	0	740	A	Inlet	0	740	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1449	741	0	741	A	Inlet	0	741	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1450	748	0	748	A	Inlet	0	748	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1451	749	0	749	A	Inlet	0	749	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1452	751	0	751	A	Inlet	0	751	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	1453	756	1.2	756	A	Inlet	4.2	756	3	1	2	3	1	2	40	0.187	0.474	7	19	11
Stormwater	1454	757	0	757	A	Inlet	4.1	757	3	1	2	3	1	2	40	0.191	0.459	8	18	11
Stormwater	1455	761	0.2	761	A	Inlet	4.67	761	2	1	1	2	1	1	27	0.191	0.411	5	11	7
Stormwater	1456	763	0.2	763	A	Inlet	4.6	763	2	1	1	2	1	1	27	0.191	0.411	5	11	7
Stormwater	1457	764	1.61	764	A	Inlet	4.85	764	2	1	1	2	1	1	27	0.191	0.411	5	11	7
Stormwater	1458	766	1.24	766	A	Inlet	4.83	766	2	1	1	2	1	1	27	0.191	0.411	5	11	7
Stormwater	1459	789	-1.2	789	A	Inlet	3.85	789	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1460	790	2.34	790	A	Inlet	3.88	790	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1461	793	-0.1	793	A	Inlet	3.8	793	2	1	1	2	1	1	27	0.191	0.474	5	13	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1462	810	1.66	810	A	Inlet	4.29	810	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1463	808	2.32	808	A	Inlet	4.2	808	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1464	813	2.34	813	A	Inlet	4.28	813	2	1	1	2	1	1	27	0.191	0.475	5	13	7
Stormwater	1465	811	2.49	811	A	Inlet	4.33	811	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1466	0816B	0	814A	A	Inlet	0	0	2	1	1	2	1	1	27	0.189	0.475	5	13	7
Stormwater	1467	0814A	2.22	819	A	Inlet	4.5	819	2	1	1	2	1	1	27	0.188	0.475	5	13	7
Stormwater	1468	815	2.62	815	A	Inlet	4.44	815	2	1	1	2	1	1	27	0.188	0.475	5	13	7
Stormwater	1469	795	-0.1	795	A	Inlet	3.8	795	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1470	792	2.11	792	A	Inlet	3.83	792	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1471	799	1	799	A	Inlet	3.9	799	3	1	2	3	1	2	40	0.191	0.474	8	19	11
Stormwater	1472	0799B	0	781	A	Inlet	0	781	3	1	2	3	1	2	40	0.191	0.474	8	19	11
Stormwater	1473	106	0	106	A	Inlet	0	106	3	1	2	3	1	2	40	0.078	0.412	3	16	7
Stormwater	1474	0123A	0	124A	A	Inlet	0	0	2	1	1	2	1	1	27	0.085	0.415	2	11	5
Stormwater	1475	0123B	0	124B	A	Inlet	0	0	2	1	1	2	1	1	27	0.085	0.415	2	11	5
Stormwater	1476	1790	0	CMA1508	A	Inlet	0	0	2	1	1	2	1	1	27	0.136	0.390	4	10	6
Stormwater	1477	PRIVATE	0	PRIVATE	A	Inlet	0	0	3	1	2	3	1	2	40	0.133	0.400	5	16	9
Stormwater	1478	0314A	0	314A	A	Inlet	0	0	3	1	2	3	1	2	40	0.197	0.383	8	15	10
Stormwater	1479	0264A	0	264A	A	Inlet	0	0	3	1	2	3	1	2	40	0.198	0.414	8	17	11
Stormwater	1480	PRIVATE	0	PRIVATE	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	1481	0573B	4.51	573B	A	Inlet	6.71	0	3	1	2	3	1	2	40	0.064	0.168	3	7	4
Stormwater	1482	1791	0	CMA1517	A	Inlet	0	0	3	1	2	3	1	2	40	0.142	0.276	6	11	7
Stormwater	1483	1792	0	CMA1518	A	Inlet	0	0	3	1	2	3	1	2	40	0.010	0.052	0	2	1
Stormwater	1484	1793	0	CMA1519	A	Inlet	0	0	3	1	2	3	1	2	40	0.024	0.094	1	4	2
Stormwater	1485	0574G	4.35	574G	A	Inlet	6.35	0	2	1	1	2	1	1	27	0.173	0.397	5	11	6
Stormwater	1486	0574F	4.82	574F	A	Inlet	6.78	0	2	1	1	2	1	1	27	0.173	0.397	5	11	6
Stormwater	1487	1794	0	CMA1522	A	Inlet	0	0	2	1	1	2	1	1	27	0.163	0.377	4	10	6
Stormwater	1488	1795	0	CMA1523	A	Inlet	0	0	3	1	2	3	1	2	40	0.087	0.206	3	8	5
Stormwater	1489	1796	0	CMA1524	A	Inlet	0	0	2	1	1	2	1	1	27	0.146	0.331	4	9	5
Stormwater	1490	1797	0	CMA1525	A	Inlet	0	0	3	1	2	3	1	2	40	0.089	0.279	4	11	6
Stormwater	1491	1798	0	CMA1526	A	Inlet	0	0	3	1	2	3	1	2	40	0.100	0.317	4	13	7
Stormwater	1492	1799	0	CMA1528	A	Inlet	0	0	3	1	2	3	1	2	40	0.055	0.206	2	8	4
Stormwater	1493	0534A	-0.77	CMA1529	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.400	5	11	6
Stormwater	1494	1801	0	CMA1530	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.470	5	13	7
Stormwater	1495	1802	0	CMA1532	A	Inlet	0	0	2	1	1	2	1	1	27	0.178	0.470	5	13	7
Stormwater	1496	0566A	0	566A	A	Inlet	0	0	2	1	1	2	1	1	27	0.176	0.400	5	11	6
Stormwater	1497	0603A	0	603A	A	Inlet	0	0	3	1	2	3	1	2	40	0.173	0.461	7	18	10
Stormwater	1498	0598A	0	598A	A	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.472	5	13	7
Stormwater	1499	1803	0	CMA1536	A	Inlet	0	0	2	1	1	2	1	1	27	0.170	0.472	5	13	7
Stormwater	1500	0648C	0	CMA1537	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.472	5	13	7
Stormwater	1501	0642B	0	642B	A	Inlet	0	0	2	1	1	2	1	1	27	0.168	0.472	4	13	7
Stormwater	1502	0660A	0	660A	A	Inlet	0	0	2	1	1	2	1	1	27	0.168	0.472	4	13	7
Stormwater	1503	0660B	0	660B	A	Inlet	0	0	2	1	1	2	1	1	27	0.168	0.472	4	13	7
Stormwater	1504	0662B	0	662B	A	Inlet	0	0	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	1505	0662A	0	662A	A	Inlet	0	0	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	1506	0687A	1.87	687A	A	Inlet	3.72	0	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1507	0687B	1.87	687B	A	Inlet	3.73	0	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1508	1805	0	CMA1545	A	Inlet	0	0	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	1509	1806	0	CMA1546	A	Inlet	0	0	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	1510	0706A	0	706A	A	Inlet	0	0	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1511	691	1.27	691	A	Inlet	3.8	691	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1512	692	1.74	692	A	Inlet	3.73	692	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1513	1807	0	CMA1550	A	Inlet	0	0	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1514	1808	0	CMA1551	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.385	5	10	6
Stormwater	1515	0854A	0	854A	A	Inlet	0	0	2	1	1	2	1	1	27	0.188	0.475	5	13	7
Stormwater	1516	819	2.22	819	A	Inlet	4.5	819	3	1	2	3	1	2	40	0.188	0.466	8	19	11
Stormwater	1517	0759A	0	759A	A	Inlet	0	0	3	1	2	3	1	2	40	0.191	0.472	8	19	11
Stormwater	1518	784	-0.2	784	A	Inlet	3.5	784	3	1	2	3	1	2	40	0.191	0.474	8	19	11
Stormwater	1519	787	0	787	A	Inlet	0	787	3	1	2	3	1	2	40	0.191	0.474	8	19	11
Stormwater	1520	786	0	786	A	Inlet	0	786	3	1	2	3	1	2	40	0.191	0.474	8	19	11
Stormwater	1521	788	-1.2	788	A	Inlet	3.75	788	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1522	753	2	753	A	Inlet	4.5	753	3	1	2	3	1	2	40	0.165	0.473	7	19	10
Stormwater	1523	754	1.5	754	A	Inlet	4.6	754	3	1	2	3	1	2	40	0.110	0.338	4	14	7
Stormwater	1524	728	0	728	A	Inlet	0	728	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1525	729	0	729	A	Inlet	0	729	2	1	1	2	1	1	27	0.165	0.473	4	13	7
Stormwater	1526	0908C	0	908C	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.409	5	11	7
Stormwater	1527	PRIVATE	0	PVT	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.476	5	13	7

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1528	0988A	0	988A	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.434	5	12	7
Stormwater	1529	1809	0	CMA1566	A	Inlet	0	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	1530	1810	0	CMA1567	A	Inlet	0	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	1531	956	0	956	A	Inlet	0	956	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	1532	954	0	954	A	Inlet	0	954	2	1	1	2	1	1	27	0.177	0.476	5	13	7
Stormwater	1533	1811	0	CMA1570	A	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	1534	DOT	0	FDOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	1535	DOT	0	FDOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.176	0.442	7	18	10
Stormwater	1536	PRIVATE	0	PVT	UNK	Inlet	0	0	3	1	2	3	1	2	40	0.176	0.416	7	17	10
Stormwater	1537	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.462	7	18	10
Stormwater	1538	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.176	0.476	7	19	11
Stormwater	1539	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.174	0.477	7	19	11
Stormwater	1540	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	1541	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	1542	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	1543	1857	0		A	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	1544	1145	-0.25	1145	A	Inlet	3.75	1145	2	1	1	2	1	1	27	0.171	0.474	5	13	7
Stormwater	1545	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.265	0.479	11	19	13
Stormwater	1546	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.265	0.479	11	19	13
Stormwater	1547	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.265	0.479	11	19	13
Stormwater	1548	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.265	0.479	11	19	13
Stormwater	1549	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.407	0.512	16	20	18
Stormwater	1550	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.646	0.764	26	31	27
Stormwater	1551	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.064	0.288	3	12	5
Stormwater	1552	PRIVATE	0	PVT	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	1553	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.096	0.314	4	13	6
Stormwater	1554	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.099	0.349	4	14	7
Stormwater	1555	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.119	0.414	5	17	8
Stormwater	1556	PRIVATE	0	PVT	UNK	Inlet	0	0	3	1	2	3	1	2	40	0.080	0.160	3	6	4
Stormwater	1557	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.172	0.442	7	18	10
Stormwater	1558	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.157	0.427	4	11	6
Stormwater	1559	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	1560	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	1561	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	1562	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.471	7	19	10
Stormwater	1563	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.173	0.472	7	19	10
Stormwater	1564	1490A	0	1490A	A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1565	1858	0		A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.465	5	12	7
Stormwater	1566	1377	0	1377	A	Inlet	0	1377	2	1	1	2	1	1	27	0.098	0.405	3	11	5
Stormwater	1567	1534A	0	1534A	A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.463	5	12	7
Stormwater	1568	1554	0	1554	A	Inlet	0	1554	2	1	1	2	1	1	27	0.182	0.432	5	12	7
Stormwater	1569	1559A	0	1559A	A	Inlet	0	0	2	1	1	2	1	1	27	0.181	0.428	5	11	7
Stormwater	1570	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.180	0.366	5	10	6
Stormwater	1571	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.143	0.326	4	9	5
Stormwater	1572	1578	0	1578	A	Inlet	0	1578	3	1	2	3	1	2	40	0.004	0.052	0	2	1
Stormwater	1573	1580	0	1580	A	Inlet	0	1580	3	1	2	3	1	2	40	0.005	0.091	0	4	1
Stormwater	1574	166	0	166	A	Inlet	0	166	3	1	2	3	1	2	40	0.143	0.420	6	17	9
Stormwater	1575	638	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.472	5	13	7
Stormwater	1576	0642A	0	642A	A	Inlet	0	0	2	1	1	2	1	1	27	0.168	0.427	4	11	7
Stormwater	1577	772	3.9	772	A	Inlet	5.67	772	2	1	1	2	1	1	27	0.191	0.474	5	13	7
Stormwater	1578	1860	0	UNK	A	Inlet	0	0	3	1	2	3	1	2	40	0.004	0.043	0	2	1
Stormwater	1579	1639	1.77	1639	A	Inlet	3.77	1639	2	1	1	2	1	1	27	0.243	0.444	6	12	8
Stormwater	1581	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.140	0.323	4	9	5
Stormwater	1582	DOT	3.26	DOT	A	Inlet	5.5	0	2	1	1	2	1	1	27	0.135	0.315	4	8	5
Stormwater	1583	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.009	0.090	0	2	1
Stormwater	1584	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.026	0.096	1	3	1
Stormwater	1585	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.087	0.205	2	5	3
Stormwater	1586	PRIVATE	0	UNK	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.087	0.205	2	5	3
Stormwater	1587	1698C	0	1698C	A	Inlet	0	0	2	1	1	2	1	1	27	0.005	0.092	0	2	1
Stormwater	1588	776	0	776	A	Inlet	0	776	3	1	2	3	1	2	40	0.191	0.474	8	19	11
Stormwater	1589	0803B	0	802C	A	Inlet	0	0	3	1	2	3	1	2	40	0.151	0.335	6	13	8
Stormwater	1590	0797A	0	797A	A	Inlet	0	0	3	1	2	3	1	2	40	0.191	0.469	8	19	11
Stormwater	1591	820	1.14	820	A	Inlet	6.09	820	2	1	1	2	1	1	27	0.159	0.422	4	11	6
Stormwater	1592	PRIVATE	0	PVT	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.140	0.363	4	10	6
Stormwater	1593	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.039	0.239	1	6	3
Stormwater	1594	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.080	0.283	2	8	4

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1595	PRIVATE	0	PVT		Inlet	0	0	2	1	1	2	1	1	27	0.037	0.204	1	5	2
Stormwater	1596	1861	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.226	0.453	6	12	8
Stormwater	1597	1675A	0	1675A	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.435	5	12	7
Stormwater	1598	1679A	0	1679A	A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.435	5	12	7
Stormwater	1599	DOT	3.26	DOT		Inlet	5.5	0	2	1	1	2	1	1	27	0.126	0.340	3	9	5
Stormwater	1600	PRIVATE	0	PVT	A	Inlet	0	0	3	1	2	3	1	2	40	0.024	0.139	1	6	2
Stormwater	1601	1862	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.012	0.144	0	4	1
Stormwater	1602	1863	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.074	0.241	2	6	3
Stormwater	1603	1864	0	UNK	A	Inlet	0	0	3	1	2	3	1	2	40	0.157	0.377	6	15	9
Stormwater	1604	1865	0	UNK	A	Inlet	0	0	3	1	2	3	1	2	40	0.164	0.401	7	16	9
Stormwater	1605	1866	0	UNK	UNK	Inlet	0	0	3	1	2	3	1	2	40	0.077	0.323	3	13	6
Stormwater	1606	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.110	0.359	4	14	7
Stormwater	1607	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.110	0.286	4	11	6
Stormwater	1608	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.134	0.335	5	13	8
Stormwater	1609	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.084	0.248	3	10	5
Stormwater	1610	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.092	0.210	4	8	5
Stormwater	1611	1867	0	UNK		Inlet	0	0	2	1	1	2	1	1	27	0.212	0.764	6	20	10
Stormwater	1612	1868	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.155	0.433	4	12	6
Stormwater	1613	DOT	3.26	DOT	UNK	Inlet	5.5	0	3	1	2	3	1	2	40	0.049	0.255	2	10	4
Stormwater	1614	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.058	0.292	2	12	5
Stormwater	1615	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.076	0.383	3	15	7
Stormwater	1616	DOT	3.26	DOT	UNK	Inlet	5.5	0	2	1	1	2	1	1	27	0.032	0.208	1	6	2
Stormwater	1617	1869	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.049	0.208	1	6	3
Stormwater	1618	DOT	3.26	DOT		Inlet	5.5	0	2	1	1	2	1	1	27	0.079	0.283	2	8	4
Stormwater	1619	1773B	0.12	1768		Inlet	2.12	1768	2	1	1	2	1	1	27	0.048	0.338	1	9	4
Stormwater	1620	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.002	0.029	0	1	0
Stormwater	1621	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.028	0.121	1	5	2
Stormwater	1622	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.009	0.059	0	2	1
Stormwater	1623	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.002	0.025	0	1	0
Stormwater	1624	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.002	0.027	0	1	0
Stormwater	1625	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.008	0.184	0	5	2
Stormwater	1626	DOT	12.47	DOR	A	Inlet	15.39	0	3	1	2	3	1	2	40	0.003	0.040	0	2	1
Stormwater	1627	DOT	12.47	DOR	A	Inlet	15.39	0	3	1	2	3	1	2	40	0.002	0.040	0	2	1
Stormwater	1628	DOT	12.47	DOR	A	Inlet	15.39	0	3	1	2	3	1	2	40	0.002	0.040	0	2	1
Stormwater	1630	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.005	0.185	0	5	2
Stormwater	1631	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.005	0.046	0	2	1
Stormwater	1632	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.003	0.054	0	2	1
Stormwater	1633	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.003	0.073	0	3	1
Stormwater	1634	1870	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.007	0.102	0	3	1
Stormwater	1635	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.005	0.044	0	2	1
Stormwater	1636	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.039	0.271	2	11	4
Stormwater	1637	DOT	0	DOT		Inlet	0	0	3	1	2	3	1	2	40	0.092	0.238	4	10	5
Stormwater	1638	DOT	0	DOT		Inlet	0	0	3	1	2	3	1	2	40	0.059	0.313	2	13	5
Stormwater	1639	1775	2.11	1775	A	Inlet	6.53	1775	2	1	1	2	1	1	27	0.024	0.171	1	5	2
Stormwater	1640	1776	1.99	1776	A	Inlet	6.43	1776	2	1	1	2	1	1	27	0.024	0.170	1	5	2
Stormwater	1641	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.060	0.330	2	13	6
Stormwater	1642	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.048	0.280	2	11	5
Stormwater	1643	1777	2.14	1777		Inlet	5.97	1777	2	1	1	2	1	1	27	0.024	0.173	1	5	2
Stormwater	1644	1778	2.68	1778	A	Inlet	6.18	1778	2	1	1	2	1	1	27	0.024	0.172	1	5	2
Stormwater	1645	1779	2.67	1779		Inlet	6.17	1779	2	1	1	2	1	1	27	0.024	0.173	1	5	2
Stormwater	1646	1780	0	1780	A	Inlet	0	1780	2	1	1	2	1	1	27	0.023	0.173	1	5	2
Stormwater	1647	1782	2.45	1782		Inlet	5.95	1782	2	1	1	2	1	1	27	0.024	0.173	1	5	2
Stormwater	1648	1783	1.84	1783	A	Inlet	5.76	1783	2	1	1	2	1	1	27	0.023	0.171	1	5	2
Stormwater	1649	1784	2.28	1784	A	Inlet	5.7	1784	2	1	1	2	1	1	27	0.023	0.171	1	5	2
Stormwater	1650	1785	2.08	1785	A	Inlet	5.75	1785	2	1	1	2	1	1	27	0.023	0.171	1	5	2
Stormwater	1651	1786	3.09	1786	A	Inlet	6.84	1786	2	1	1	2	1	1	27	0.024	0.182	1	5	2
Stormwater	1652	1787	2.58	1787	A	Inlet	6.66	1787	2	1	1	2	1	1	27	0.024	0.182	1	5	2
Stormwater	1653	1788	2.69	1788		Inlet	8.69	1788	2	1	1	2	1	1	27	0.023	0.179	1	5	2
Stormwater	1654	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.064	0.291	3	12	5
Stormwater	1655	1780A	0	1780A	A	Inlet	0	0	2	1	1	2	1	1	27	0.064	0.291	2	8	4
Stormwater	1656	1780C	0	1780C	A	Inlet	0	0	2	1	1	2	1	1	27	0.064	0.260	2	7	3
Stormwater	1657	1780E	0	1780E		Inlet	0	0	2	1	1	2	1	1	27	0.064	0.291	2	8	4
Stormwater	1658	1780D	0	1780D	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.060	0.291	2	8	3
Stormwater	1659	1780B	0	1780B	A	Inlet	0	0	2	1	1	2	1	1	27	0.062	0.291	2	8	3
Stormwater	1660	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.042	0.277	2	11	4
Stormwater	1661	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.028	0.198	1	8	3

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accura	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1662	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.046	0.267	2	11	4
Stormwater	1663	DOT	0	DOT		Inlet	0	0	3	1	2	3	1	2	40	0.057	0.280	2	11	5
Stormwater	1664	DOT	0	DOT	A	Inlet	0	0	2	1	1	2	1	1	27	0.066	0.259	2	7	3
Stormwater	1665	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.083	0.291	3	12	6
Stormwater	1666	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.100	0.261	4	10	6
Stormwater	1667	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.114	0.274	5	11	6
Stormwater	1668	1788A	0	1788A	A	Inlet	0	0	2	1	1	2	1	1	27	0.003	0.049	0	1	0
Stormwater	1669	1788B	0	1788B	A	Inlet	0	0	2	1	1	2	1	1	27	0.006	0.057	0	2	1
Stormwater	1670	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.095	0.334	4	13	7
Stormwater	1671	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.089	0.270	4	11	6
Stormwater	1672	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.118	0.334	5	13	7
Stormwater	1673	1789	0	1789	A	Inlet	0	1789	2	1	1	2	1	1	27	0.112	0.324	3	9	5
Stormwater	1675	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.089	0.286	4	11	6
Stormwater	1676	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.120	0.335	5	13	7
Stormwater	1677	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.125	0.341	5	14	8
Stormwater	1678	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.064	0.301	3	12	5
Stormwater	1679	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.088	0.278	4	11	6
Stormwater	1680	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.125	0.325	5	13	7
Stormwater	1681	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.125	0.387	5	15	8
Stormwater	1682	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.128	0.276	5	11	7
Stormwater	1683	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.123	0.278	5	11	7
Stormwater	1684	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.126	0.289	5	12	7
Stormwater	1685	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.118	0.338	5	14	7
Stormwater	1686	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.116	0.389	5	16	8
Stormwater	1687	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.122	0.389	5	16	8
Stormwater	1688	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.145	0.413	6	17	9
Stormwater	1689	PRIVATE	0	PVT	A	Inlet	0	0	3	1	2	3	1	2	40	0.116	0.362	5	14	8
Stormwater	1690	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.116	0.389	5	16	8
Stormwater	1691	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.116	0.361	5	14	8
Stormwater	1692	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.112	0.389	4	16	8
Stormwater	1693	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.112	0.389	4	16	8
Stormwater	1694	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.114	0.390	5	16	8
Stormwater	1695	DOT	0	DOT		Inlet	0	0	3	1	2	3	1	2	40	0.115	0.390	5	16	8
Stormwater	1696	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.115	0.390	5	16	8
Stormwater	1697	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.115	0.390	5	16	8
Stormwater	1698	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.094	0.330	4	13	7
Stormwater	1699	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.117	0.390	5	16	8
Stormwater	1700	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.117	0.390	5	16	8
Stormwater	1701	PRIVATE	0	PVT	A	Inlet	0	0	3	1	2	3	1	2	40	0.057	0.226	2	9	4
Stormwater	1702	PRIVATE	0	PVT	A	Inlet	0	0	3	1	2	3	1	2	40	0.061	0.234	2	9	4
Stormwater	1703	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.104	0.348	4	14	7
Stormwater	1704	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.120	0.390	5	16	8
Stormwater	1705	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.120	0.390	5	16	8
Stormwater	1706	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.119	0.390	5	16	8
Stormwater	1707	PRIVATE	0	PVT	A	Inlet	0	0	3	1	2	3	1	2	40	0.071	0.304	3	12	6
Stormwater	1708	DOT	3.26	DOT	UNK	Inlet	5.5	0	3	1	2	3	1	2	40	0.138	0.391	6	16	9
Stormwater	1709	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.138	0.391	6	16	9
Stormwater	1710	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.138	0.391	6	16	9
Stormwater	1711	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.138	0.407	6	16	9
Stormwater	1712	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.098	0.381	4	15	7
Stormwater	1713	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.074	0.340	3	14	6
Stormwater	1714	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.054	0.286	2	11	5
Stormwater	1715	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.054	0.286	2	11	5
Stormwater	1716	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.101	0.380	4	15	7
Stormwater	1717	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.054	0.330	2	13	5
Stormwater	1718	DOT	3.26	DOT		Inlet	5.5	0	3	1	2	3	1	2	40	0.053	0.324	2	13	5
Stormwater	1719	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.071	0.320	3	13	6
Stormwater	1720	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.059	0.266	2	11	5
Stormwater	1721	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.060	0.315	2	13	5
Stormwater	1722	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.054	0.335	2	13	6
Stormwater	1723	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.054	0.295	2	12	5
Stormwater	1724	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.065	0.328	3	13	6
Stormwater	1725	DOT	0	DOT		Inlet	0	0	3	1	2	3	1	2	40	0.069	0.335	3	13	6
Stormwater	1726	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.068	0.335	3	13	6
Stormwater	1727	DOT	0	DOT	A	Inlet	0	0	3	1	2	3	1	2	40	0.073	0.335	3	13	6
Stormwater	1728	DOT	0	DOT		Inlet	0	0	3	1	2	3	1	2	40	0.073	0.335	3	13	6

Table 3-6. Consequence Score and Coastal Vulnerability Index Summary

ASSET GROUP: Stormwater Basin Inlets
Coastal Vulnerability Assessment
Town of Palm Beach

Stormwater Basin	OBJECTID	FACILITYID	INVERTELEV	TPB_Featur	TPB_Accur a	TPB_Type	RIMELEV	FacIDNum	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
									Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater	1729	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.028	0.270	1	11	4
Stormwater	1730	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.044	0.290	2	12	5
Stormwater	1731	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.048	0.291	2	12	5
Stormwater	1732	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.048	0.291	2	12	5
Stormwater	1733	DOT	0	DOT	UNK	Inlet	0	0	3	1	2	3	1	2	40	0.206	0.290	8	12	9
Stormwater	1734	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.196	0.348	8	14	10
Stormwater	1735	DOT	3.26	DOT	A	Inlet	5.5	0	3	1	2	3	1	2	40	0.205	0.352	8	14	10
Stormwater	1736	1871	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.108	0.181	3	5	3
Stormwater	1737	1872	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.161	0.374	4	10	6
Stormwater	1738	0123C	0	127A	A	Inlet	0	0	2	1	1	2	1	1	27	0.085	0.415	2	11	5
Stormwater	1739	135	0	135	A	Inlet	0	135	3	1	2	3	1	2	40	0.030	0.108	1	4	2
Stormwater	1740	0181A	0	181A	A	Inlet	0	0	3	1	2	3	1	2	40	0.162	0.419	6	17	10
Stormwater	1741	378	0.42	378	A	Inlet	4.31	378	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	1742	379	0.52	379	A	Inlet	4.11	379	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	1743	380	0.85	380	A	Inlet	4.32	380	2	1	1	2	1	1	27	0.188	0.408	5	11	7
Stormwater	1744	0437A	0	437A	A	Inlet	0	0	2	1	1	2	1	1	27	0.186	0.406	5	11	7
Stormwater	1745	1873	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.000	0.011	0	0	0
Stormwater	1746	1054A	0	1054A	A	Inlet	0	0	2	1	1	2	1	1	27	0.162	0.451	4	12	7
Stormwater	1747	1054B	0	1054B	A	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.477	5	13	7
Stormwater	1748	1087B	0	1087B	A	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.476	5	13	7
Stormwater	1749	1087	0	1087	UNK	Inlet	0	1087	2	1	1	2	1	1	27	0.173	0.476	5	13	7
Stormwater	1750	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.420	5	11	7
Stormwater	1751	PRIVATE	0	PRIVATE	A	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.420	5	11	7
Stormwater	1752	PRIVATE	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.419	5	11	7
Stormwater	1753	PRIVATE	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.169	0.420	5	11	7
Stormwater	1754	1156A	0	1156A	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.435	5	12	7
Stormwater	1755	1156B	0	1156B	A	Inlet	0	0	2	1	1	2	1	1	27	0.171	0.435	5	12	7
Stormwater	1756	1874	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.208	0.421	6	11	7
Stormwater	1757	1875	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.265	0.477	7	13	9
Stormwater	1758	1876	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.265	0.462	7	12	9
Stormwater	1759	1877	0	UNK	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.265	0.477	7	13	9
Stormwater	1760	1878	0	UNK	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.265	0.477	7	13	9
Stormwater	1761	1879	0	UNK	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.265	0.477	7	13	9
Stormwater	1762	1880	0	UNK	A	Inlet	0	0	2	1	1	2	1	1	27	0.265	0.478	7	13	9
Stormwater	1763	1881	0	UNK	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.265	0.478	7	13	9
Stormwater	1764	1882	0	UNK	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.265	0.477	7	13	9
Stormwater	1765	1883	0	UNK	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.265	0.477	7	13	9
Stormwater	1766	PRIVATE	0	PVT	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.173	0.475	5	13	7
Stormwater	1767	0975A	0	975A	A	Inlet	0	0	2	1	1	2	1	1	27	0.177	0.466	5	12	7
Stormwater	1768	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.004	0.075	0	2	1
Stormwater	1769	1588A	0	1588A	A	Inlet	0	0	2	1	1	2	1	1	27	0.062	0.169	2	5	3
Stormwater	1770	1698A	0	1698A	A	Inlet	0	0	2	1	1	2	1	1	27	0.007	0.092	0	2	1
Stormwater	1771	1698B	0	1698B	A	Inlet	0	0	2	1	1	2	1	1	27	0.007	0.092	0	2	1
Stormwater	1772	PRIVATE	0	PVT	UNK	Inlet	0	0	2	1	1	2	1	1	27	0.164	0.438	4	12	7
Stormwater	1773	PRIVATE	0	PVT	A	Inlet	0	0	2	1	1	2	1	1	27	0.164	0.438	4	12	7
Stormwater	1774	DOT	0	DOT	A	Inlet	0	0	2	1	1	2	1	1	27	0.064	0.291	2	8	4
Stormwater	1775	1290C	0		A	Inlet	0	0	2	1	1	2	1	1	27	0.182	0.470	5	13	7
Stormwater	1776	C12	0.93		A	Inlet	4.17	0	2	1	1	2	1	1	27	0.176	0.470	5	13	7
Stormwater	1777	C10	1.28		A	Inlet	4.95	0	2	1	1	2	1	1	27	0.175	0.471	5	13	7
Stormwater	1778	C09	0.01			Inlet	4.95	0	2	1	1	2	1	1	27	0.175	0.471	5	13	7
Stormwater	1779	B02	1.79		A	Inlet	5.48	0	2	1	1	2	1	1	27	0.176	0.384	5	10	6
Stormwater	1780	B01	2.43			Inlet	5.58	0	2	1	1	2	1	1	27	0.176	0.384	5	10	6
Stormwater	1781	B05	2.04			Inlet	5.87	0	2	1	1	2	1	1	27	0.175	0.385	5	10	6
Stormwater	1782	B04	2.1		A	Inlet	5.87	0	2	1	1	2	1	1	27	0.175	0.385	5	10	6
Stormwater	1783	C14	-0.41			Inlet	3.63	0	2	1	1	2	1	1	27	0.176	0.470	5	13	7



Table 3-7. Consequence Score and Coastal Vulnerability Index Summary
Asset Group Stormwater Pump Stations

Table 3-7. Consequence Score and Coastal Vulnerability Index Summary
 ASSET GROUP: Stormwater Pump Stations
 Town of Palm Beach, Coastal Vulnerability Assessment

Stormwater_PumpStations	FID	OBJECTID	FACILITYID	NAME	STRUCTTYPE	TPB_Featur	Scoring Criteria						Consequence Score	Probability 2000	Probability 2050	CVI_2000	CVI_2050	CVI_Total
							Impacts to Public Health & Environment	Cost of Damage	Impacts to Economic Activities	Impacts to Public Safety Services	Area of Service Loss	Duration of Service Loss						
Stormwater_PumpStations	0	1	D-8	D-8	Pump Station	D-8	3	3	3	3	2	3	57	0.18	0.47	10	27	15
Stormwater_PumpStations	1	2	CMA2	D-4	Pump Station	CMA2	3	3	3	3	2	3	57	0.17	0.47	10	27	15
Stormwater_PumpStations	2	3	D-2	D-2	Pump Station	D-2	3	3	3	3	3	3	60	0.18	0.42	11	25	15
Stormwater_PumpStations	3	4	D7	D7 Well	Pump Station	D7	3	3	3	3	2	3	57	0.26	0.51	15	29	19
Stormwater_PumpStations	4	5	D-14	D-14	Pump Station	D-14	3	3	3	3	2	3	57	0.27	0.44	15	25	18
Stormwater_PumpStations	5	6	D7	D7 Fuel Tank	Pump Station	D7	3	3	3	3	2	3	57	0.16	0.45	9	26	14
Stormwater_PumpStations	6	7	CMA7	D-12	Pump Station	CMA7	3	3	3	3	2	3	57	0.18	0.48	10	27	15
Stormwater_PumpStations	7	8	D17	D-17	Pump Station	D17	3	3	3	3	2	3	57	0.22	0.45	12	26	16
Stormwater_PumpStations	8	9	D16	D-16	Pump Station	D16	3	3	3	3	2	3	57	0.39	0.58	22	33	25
Stormwater_PumpStations	9	10	D18	D18	Pump Station	D18	3	3	3	3	2	3	57	0.2	0.44	11	25	15
Stormwater_PumpStations	10	11	D-10	D-10	Pump Station	D-10	3	3	3	3	2	3	57	0.19	0.34	11	19	13
Stormwater_PumpStations	11	12	CMA12	D-3 Well	Pump Station	CMA12	3	3	3	3	2	3	57	0.16	0.45	9	26	14
Stormwater_PumpStations	12	13	D6	D-6 Well	Pump Station	D6	3	3	3	3	2	3	57	0.27	0.71	15	40	23
Stormwater_PumpStations	13	14	D-9	D-9	Pump Station	D-9	3	3	3	3	3	3	60	0.055	0.32	3	19	8
Stormwater_PumpStations	14	15	Biltmore	PVT	Pump Station	Biltmore	3	3	3	3	2	3	57	0.023	0.11	1	6	3
Stormwater_PumpStations	15	16	D-12	D-12WW	Pump Station	D-12	3	3	3	3	2	3	57	0.15	0.36	9	20	12
Stormwater_PumpStations	16	18		Vault	Pump Station		3	3	3	3	2	3	57	0.14	0.27	8	15	10
Stormwater_PumpStations	17	19	D7	D7 STA	Pump Station	D7	3	3	3	3	2	3	57	0.16	0.48	9	27	15
Stormwater_PumpStations	18	20	D6	D6 STA	Pump Station	D6	3	3	3	3	2	3	57	0.21	0.4	12	23	15
Stormwater_PumpStations	19	21	D18WW	D18WW	Pump Station	D18WW	3	3	3	3	2	3	57	0.17	0.44	10	25	14
Stormwater_PumpStations	20	22	D18 GEN	D18 GEN	Pump Station	D18 GEN	3	3	3	3	2	3	57	0.19	0.44	11	25	15
Stormwater_PumpStations	21	23	D-CC	D-CC	Pump Station	D-CC	3	3	3	3	2	3	57	0.19	0.56	11	32	17
Stormwater_PumpStations	22	24	D-17 GEN	D-17 GEN	Other		3	3	3	3	2	3	57	0.2	0.44	11	25	15



Table 3-8. Ranked Consequence Score

All Assets

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
Police	Buildings	80
Town Hall	Buildings	73
Central Fire	Buildings	73
North Fire Station	Buildings	70
PHIPPS OCEAN PARK	Parks	67
0	Sewer_LiftStations	63
1	Sewer_LiftStations	63
2	Sewer_LiftStations	63
5	Sewer_LiftStations	63
6	Sewer_LiftStations	63
28	Sewer_LiftStations	63
29	Sewer_LiftStations	63
48	Sewer_LiftStations	63
49	Sewer_LiftStations	63
50	Sewer_LiftStations	63
51	Sewer_LiftStations	63
3	Sewer_LiftStations	60
4	Sewer_LiftStations	60
7	Sewer_LiftStations	60
8	Sewer_LiftStations	60
9	Sewer_LiftStations	60
10	Sewer_LiftStations	60
11	Sewer_LiftStations	60
12	Sewer_LiftStations	60
13	Sewer_LiftStations	60
14	Sewer_LiftStations	60
15	Sewer_LiftStations	60
16	Sewer_LiftStations	60
17	Sewer_LiftStations	60
18	Sewer_LiftStations	60
19	Sewer_LiftStations	60
20	Sewer_LiftStations	60
21	Sewer_LiftStations	60
22	Sewer_LiftStations	60
23	Sewer_LiftStations	60
24	Sewer_LiftStations	60
25	Sewer_LiftStations	60
26	Sewer_LiftStations	60
27	Sewer_LiftStations	60
30	Sewer_LiftStations	60
31	Sewer_LiftStations	60
32	Sewer_LiftStations	60

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
33	Sewer_LiftStations	60
34	Sewer_LiftStations	60
35	Sewer_LiftStations	60
37	Sewer_LiftStations	60
52	Sewer_LiftStations	60
53	Sewer_LiftStations	60
54	Sewer_LiftStations	60
55	Sewer_LiftStations	60
56	Sewer_LiftStations	60
57	Sewer_LiftStations	60
63	Sewer_LiftStations	60
64	Sewer_LiftStations	60
2	Stormwater_PumpStations	60
13	Stormwater_PumpStations	60
10362 Royal Palm Way	Streets	60
10362 Royal Palm Way	Streets	60
10371 Royal Poinciana Way	Streets	60
10371 Royal Poinciana Way	Streets	60
10371 Royal Poinciana Way	Streets	60
10371 Royal Poinciana Way	Streets	60
10595 S Ocean Blvd	Streets	60
10595 S Ocean Blvd	Streets	60
MUNICIPAL DOCKS	Parks	57
0	Stormwater_PumpStations	57
1	Stormwater_PumpStations	57
3	Stormwater_PumpStations	57
4	Stormwater_PumpStations	57
5	Stormwater_PumpStations	57
6	Stormwater_PumpStations	57
7	Stormwater_PumpStations	57
8	Stormwater_PumpStations	57
9	Stormwater_PumpStations	57
10	Stormwater_PumpStations	57
11	Stormwater_PumpStations	57
12	Stormwater_PumpStations	57
14	Stormwater_PumpStations	57
15	Stormwater_PumpStations	57
16	Stormwater_PumpStations	57
17	Stormwater_PumpStations	57
18	Stormwater_PumpStations	57
19	Stormwater_PumpStations	57
20	Stormwater_PumpStations	57

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
7979 N County Rd	Streets	50
7979 N County Rd	Streets	50
7979 N County Rd	Streets	50
7979 N County Rd	Streets	50
7979 N County Rd	Streets	50
7979 N County Rd	Streets	50
7979 N County Rd	Streets	50
7979 N County Rd	Streets	50
7979 N County Rd	Streets	50
8041 N Lake Way	Streets	50
8041 N Lake Way	Streets	50
8041 N Lake Way	Streets	50
8041 N Lake Way	Streets	50
8041 N Lake Way	Streets	50
8041 N Lake Way	Streets	50
8041 N Lake Way	Streets	50
17192 N Ocean Blvd	Streets	50
17192 N Ocean Blvd	Streets	50
17192 N Ocean Blvd	Streets	50
17192 N Ocean Blvd	Streets	50
17192 N Ocean Blvd	Streets	50
17192 N Ocean Blvd	Streets	50
17192 N Ocean Blvd	Streets	50
17192 N Ocean Blvd	Streets	50
17192 N Ocean Blvd	Streets	50
17192 N Ocean Blvd	Streets	50
8081 N Ocean Way	Streets	50
8081 N Ocean Way	Streets	50
8081 N Ocean Way	Streets	50
8041 N Lake Way	Streets	50
7979 N County Rd	Streets	50
10595 S Ocean Blvd	Streets	50
10595 S Ocean Blvd	Streets	50
10595 S Ocean Blvd	Streets	50
10595 S Ocean Blvd	Streets	50
10595 S Ocean Blvd	Streets	50
10595 S Ocean Blvd	Streets	50
10595 S Ocean Blvd	Streets	50
7979 N County Rd	Streets	50
243	Stormwater Basin Inlet	47
1024	Stormwater Basin Inlet	47
1025	Stormwater Basin Inlet	47
Angler Ave	Beach Access	43
Peruvian Ave	Beach Access	43
Gulfstream Rd	Beach Access	43

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
Dunbar Rd	Beach Access	40
Merrain Rd	Beach Access	40
Clarke Ave	Beach Access	40
Palmo Way	Beach Access	40
Brazilian Ave	Beach Access	40
Chilean Ave	Beach Access	40
SOUTHERN BLVD. CAUSEWAY	Parks	40
1	Stormwater Basin Inlet	40
2	Stormwater Basin Inlet	40
4	Stormwater Basin Inlet	40
5	Stormwater Basin Inlet	40
8	Stormwater Basin Inlet	40
9	Stormwater Basin Inlet	40
10	Stormwater Basin Inlet	40
11	Stormwater Basin Inlet	40
12	Stormwater Basin Inlet	40
13	Stormwater Basin Inlet	40
14	Stormwater Basin Inlet	40
15	Stormwater Basin Inlet	40
16	Stormwater Basin Inlet	40
17	Stormwater Basin Inlet	40
18	Stormwater Basin Inlet	40
21	Stormwater Basin Inlet	40
22	Stormwater Basin Inlet	40
23	Stormwater Basin Inlet	40
26	Stormwater Basin Inlet	40
27	Stormwater Basin Inlet	40
28	Stormwater Basin Inlet	40
29	Stormwater Basin Inlet	40
30	Stormwater Basin Inlet	40
31	Stormwater Basin Inlet	40
32	Stormwater Basin Inlet	40
33	Stormwater Basin Inlet	40
34	Stormwater Basin Inlet	40
35	Stormwater Basin Inlet	40
36	Stormwater Basin Inlet	40
37	Stormwater Basin Inlet	40
38	Stormwater Basin Inlet	40
39	Stormwater Basin Inlet	40
40	Stormwater Basin Inlet	40
45	Stormwater Basin Inlet	40
46	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
47	Stormwater Basin Inlet	40
48	Stormwater Basin Inlet	40
49	Stormwater Basin Inlet	40
52	Stormwater Basin Inlet	40
59	Stormwater Basin Inlet	40
60	Stormwater Basin Inlet	40
61	Stormwater Basin Inlet	40
62	Stormwater Basin Inlet	40
63	Stormwater Basin Inlet	40
64	Stormwater Basin Inlet	40
65	Stormwater Basin Inlet	40
66	Stormwater Basin Inlet	40
67	Stormwater Basin Inlet	40
70	Stormwater Basin Inlet	40
71	Stormwater Basin Inlet	40
72	Stormwater Basin Inlet	40
73	Stormwater Basin Inlet	40
74	Stormwater Basin Inlet	40
75	Stormwater Basin Inlet	40
76	Stormwater Basin Inlet	40
77	Stormwater Basin Inlet	40
82	Stormwater Basin Inlet	40
83	Stormwater Basin Inlet	40
85	Stormwater Basin Inlet	40
86	Stormwater Basin Inlet	40
87	Stormwater Basin Inlet	40
90	Stormwater Basin Inlet	40
91	Stormwater Basin Inlet	40
92	Stormwater Basin Inlet	40
93	Stormwater Basin Inlet	40
94	Stormwater Basin Inlet	40
95	Stormwater Basin Inlet	40
96	Stormwater Basin Inlet	40
97	Stormwater Basin Inlet	40
98	Stormwater Basin Inlet	40
99	Stormwater Basin Inlet	40
100	Stormwater Basin Inlet	40
101	Stormwater Basin Inlet	40
109	Stormwater Basin Inlet	40
112	Stormwater Basin Inlet	40
113	Stormwater Basin Inlet	40
114	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
119	Stormwater Basin Inlet	40
120	Stormwater Basin Inlet	40
121	Stormwater Basin Inlet	40
122	Stormwater Basin Inlet	40
123	Stormwater Basin Inlet	40
124	Stormwater Basin Inlet	40
125	Stormwater Basin Inlet	40
126	Stormwater Basin Inlet	40
127	Stormwater Basin Inlet	40
128	Stormwater Basin Inlet	40
136	Stormwater Basin Inlet	40
140	Stormwater Basin Inlet	40
141	Stormwater Basin Inlet	40
142	Stormwater Basin Inlet	40
151	Stormwater Basin Inlet	40
152	Stormwater Basin Inlet	40
153	Stormwater Basin Inlet	40
154	Stormwater Basin Inlet	40
155	Stormwater Basin Inlet	40
156	Stormwater Basin Inlet	40
157	Stormwater Basin Inlet	40
158	Stormwater Basin Inlet	40
159	Stormwater Basin Inlet	40
162	Stormwater Basin Inlet	40
163	Stormwater Basin Inlet	40
164	Stormwater Basin Inlet	40
165	Stormwater Basin Inlet	40
166	Stormwater Basin Inlet	40
167	Stormwater Basin Inlet	40
168	Stormwater Basin Inlet	40
169	Stormwater Basin Inlet	40
174	Stormwater Basin Inlet	40
175	Stormwater Basin Inlet	40
176	Stormwater Basin Inlet	40
179	Stormwater Basin Inlet	40
180	Stormwater Basin Inlet	40
181	Stormwater Basin Inlet	40
188	Stormwater Basin Inlet	40
189	Stormwater Basin Inlet	40
194	Stormwater Basin Inlet	40
195	Stormwater Basin Inlet	40
196	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
197	Stormwater Basin Inlet	40
198	Stormwater Basin Inlet	40
199	Stormwater Basin Inlet	40
201	Stormwater Basin Inlet	40
202	Stormwater Basin Inlet	40
205	Stormwater Basin Inlet	40
207	Stormwater Basin Inlet	40
208	Stormwater Basin Inlet	40
209	Stormwater Basin Inlet	40
210	Stormwater Basin Inlet	40
211	Stormwater Basin Inlet	40
214	Stormwater Basin Inlet	40
215	Stormwater Basin Inlet	40
219	Stormwater Basin Inlet	40
220	Stormwater Basin Inlet	40
230	Stormwater Basin Inlet	40
241	Stormwater Basin Inlet	40
242	Stormwater Basin Inlet	40
246	Stormwater Basin Inlet	40
247	Stormwater Basin Inlet	40
257	Stormwater Basin Inlet	40
258	Stormwater Basin Inlet	40
266	Stormwater Basin Inlet	40
267	Stormwater Basin Inlet	40
268	Stormwater Basin Inlet	40
269	Stormwater Basin Inlet	40
270	Stormwater Basin Inlet	40
271	Stormwater Basin Inlet	40
272	Stormwater Basin Inlet	40
273	Stormwater Basin Inlet	40
276	Stormwater Basin Inlet	40
277	Stormwater Basin Inlet	40
278	Stormwater Basin Inlet	40
279	Stormwater Basin Inlet	40
280	Stormwater Basin Inlet	40
291	Stormwater Basin Inlet	40
332	Stormwater Basin Inlet	40
333	Stormwater Basin Inlet	40
335	Stormwater Basin Inlet	40
359	Stormwater Basin Inlet	40
360	Stormwater Basin Inlet	40
375	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
376	Stormwater Basin Inlet	40
377	Stormwater Basin Inlet	40
378	Stormwater Basin Inlet	40
379	Stormwater Basin Inlet	40
380	Stormwater Basin Inlet	40
384	Stormwater Basin Inlet	40
386	Stormwater Basin Inlet	40
402	Stormwater Basin Inlet	40
403	Stormwater Basin Inlet	40
404	Stormwater Basin Inlet	40
405	Stormwater Basin Inlet	40
406	Stormwater Basin Inlet	40
407	Stormwater Basin Inlet	40
409	Stormwater Basin Inlet	40
410	Stormwater Basin Inlet	40
411	Stormwater Basin Inlet	40
412	Stormwater Basin Inlet	40
414	Stormwater Basin Inlet	40
415	Stormwater Basin Inlet	40
416	Stormwater Basin Inlet	40
417	Stormwater Basin Inlet	40
419	Stormwater Basin Inlet	40
420	Stormwater Basin Inlet	40
421	Stormwater Basin Inlet	40
422	Stormwater Basin Inlet	40
436	Stormwater Basin Inlet	40
437	Stormwater Basin Inlet	40
438	Stormwater Basin Inlet	40
439	Stormwater Basin Inlet	40
440	Stormwater Basin Inlet	40
442	Stormwater Basin Inlet	40
444	Stormwater Basin Inlet	40
445	Stormwater Basin Inlet	40
447	Stormwater Basin Inlet	40
451	Stormwater Basin Inlet	40
453	Stormwater Basin Inlet	40
464	Stormwater Basin Inlet	40
465	Stormwater Basin Inlet	40
466	Stormwater Basin Inlet	40
467	Stormwater Basin Inlet	40
471	Stormwater Basin Inlet	40
472	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
473	Stormwater Basin Inlet	40
511	Stormwater Basin Inlet	40
512	Stormwater Basin Inlet	40
513	Stormwater Basin Inlet	40
514	Stormwater Basin Inlet	40
515	Stormwater Basin Inlet	40
516	Stormwater Basin Inlet	40
524	Stormwater Basin Inlet	40
525	Stormwater Basin Inlet	40
526	Stormwater Basin Inlet	40
527	Stormwater Basin Inlet	40
566	Stormwater Basin Inlet	40
579	Stormwater Basin Inlet	40
580	Stormwater Basin Inlet	40
581	Stormwater Basin Inlet	40
582	Stormwater Basin Inlet	40
583	Stormwater Basin Inlet	40
584	Stormwater Basin Inlet	40
587	Stormwater Basin Inlet	40
588	Stormwater Basin Inlet	40
589	Stormwater Basin Inlet	40
590	Stormwater Basin Inlet	40
591	Stormwater Basin Inlet	40
592	Stormwater Basin Inlet	40
593	Stormwater Basin Inlet	40
597	Stormwater Basin Inlet	40
598	Stormwater Basin Inlet	40
616	Stormwater Basin Inlet	40
618	Stormwater Basin Inlet	40
619	Stormwater Basin Inlet	40
646	Stormwater Basin Inlet	40
647	Stormwater Basin Inlet	40
649	Stormwater Basin Inlet	40
701	Stormwater Basin Inlet	40
754	Stormwater Basin Inlet	40
755	Stormwater Basin Inlet	40
756	Stormwater Basin Inlet	40
766	Stormwater Basin Inlet	40
767	Stormwater Basin Inlet	40
768	Stormwater Basin Inlet	40
769	Stormwater Basin Inlet	40
770	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
771	Stormwater Basin Inlet	40
772	Stormwater Basin Inlet	40
777	Stormwater Basin Inlet	40
778	Stormwater Basin Inlet	40
779	Stormwater Basin Inlet	40
780	Stormwater Basin Inlet	40
781	Stormwater Basin Inlet	40
807	Stormwater Basin Inlet	40
808	Stormwater Basin Inlet	40
809	Stormwater Basin Inlet	40
810	Stormwater Basin Inlet	40
814	Stormwater Basin Inlet	40
815	Stormwater Basin Inlet	40
816	Stormwater Basin Inlet	40
817	Stormwater Basin Inlet	40
818	Stormwater Basin Inlet	40
819	Stormwater Basin Inlet	40
820	Stormwater Basin Inlet	40
821	Stormwater Basin Inlet	40
822	Stormwater Basin Inlet	40
823	Stormwater Basin Inlet	40
824	Stormwater Basin Inlet	40
825	Stormwater Basin Inlet	40
826	Stormwater Basin Inlet	40
827	Stormwater Basin Inlet	40
828	Stormwater Basin Inlet	40
829	Stormwater Basin Inlet	40
830	Stormwater Basin Inlet	40
831	Stormwater Basin Inlet	40
832	Stormwater Basin Inlet	40
833	Stormwater Basin Inlet	40
834	Stormwater Basin Inlet	40
835	Stormwater Basin Inlet	40
838	Stormwater Basin Inlet	40
839	Stormwater Basin Inlet	40
840	Stormwater Basin Inlet	40
841	Stormwater Basin Inlet	40
842	Stormwater Basin Inlet	40
843	Stormwater Basin Inlet	40
844	Stormwater Basin Inlet	40
845	Stormwater Basin Inlet	40
846	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
879	Stormwater Basin Inlet	40
889	Stormwater Basin Inlet	40
897	Stormwater Basin Inlet	40
898	Stormwater Basin Inlet	40
899	Stormwater Basin Inlet	40
902	Stormwater Basin Inlet	40
903	Stormwater Basin Inlet	40
904	Stormwater Basin Inlet	40
921	Stormwater Basin Inlet	40
922	Stormwater Basin Inlet	40
1020	Stormwater Basin Inlet	40
1021	Stormwater Basin Inlet	40
1030	Stormwater Basin Inlet	40
1031	Stormwater Basin Inlet	40
1032	Stormwater Basin Inlet	40
1033	Stormwater Basin Inlet	40
1053	Stormwater Basin Inlet	40
1054	Stormwater Basin Inlet	40
1055	Stormwater Basin Inlet	40
1056	Stormwater Basin Inlet	40
1057	Stormwater Basin Inlet	40
1058	Stormwater Basin Inlet	40
1077	Stormwater Basin Inlet	40
1078	Stormwater Basin Inlet	40
1083	Stormwater Basin Inlet	40
1084	Stormwater Basin Inlet	40
1085	Stormwater Basin Inlet	40
1086	Stormwater Basin Inlet	40
1119	Stormwater Basin Inlet	40
1120	Stormwater Basin Inlet	40
1121	Stormwater Basin Inlet	40
1126	Stormwater Basin Inlet	40
1127	Stormwater Basin Inlet	40
1128	Stormwater Basin Inlet	40
1129	Stormwater Basin Inlet	40
1140	Stormwater Basin Inlet	40
1141	Stormwater Basin Inlet	40
1142	Stormwater Basin Inlet	40
1146	Stormwater Basin Inlet	40
1147	Stormwater Basin Inlet	40
1148	Stormwater Basin Inlet	40
1149	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1150	Stormwater Basin Inlet	40
1151	Stormwater Basin Inlet	40
1152	Stormwater Basin Inlet	40
1153	Stormwater Basin Inlet	40
1154	Stormwater Basin Inlet	40
1156	Stormwater Basin Inlet	40
1157	Stormwater Basin Inlet	40
1161	Stormwater Basin Inlet	40
1162	Stormwater Basin Inlet	40
1182	Stormwater Basin Inlet	40
1183	Stormwater Basin Inlet	40
1184	Stormwater Basin Inlet	40
1185	Stormwater Basin Inlet	40
1186	Stormwater Basin Inlet	40
1187	Stormwater Basin Inlet	40
1188	Stormwater Basin Inlet	40
1190	Stormwater Basin Inlet	40
1191	Stormwater Basin Inlet	40
1193	Stormwater Basin Inlet	40
1194	Stormwater Basin Inlet	40
1195	Stormwater Basin Inlet	40
1196	Stormwater Basin Inlet	40
1199	Stormwater Basin Inlet	40
1201	Stormwater Basin Inlet	40
1202	Stormwater Basin Inlet	40
1203	Stormwater Basin Inlet	40
1204	Stormwater Basin Inlet	40
1205	Stormwater Basin Inlet	40
1206	Stormwater Basin Inlet	40
1207	Stormwater Basin Inlet	40
1208	Stormwater Basin Inlet	40
1211	Stormwater Basin Inlet	40
1214	Stormwater Basin Inlet	40
1215	Stormwater Basin Inlet	40
1216	Stormwater Basin Inlet	40
1217	Stormwater Basin Inlet	40
1220	Stormwater Basin Inlet	40
1225	Stormwater Basin Inlet	40
1226	Stormwater Basin Inlet	40
1227	Stormwater Basin Inlet	40
1230	Stormwater Basin Inlet	40
1244	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1245	Stormwater Basin Inlet	40
1264	Stormwater Basin Inlet	40
1265	Stormwater Basin Inlet	40
1266	Stormwater Basin Inlet	40
1267	Stormwater Basin Inlet	40
1268	Stormwater Basin Inlet	40
1269	Stormwater Basin Inlet	40
1270	Stormwater Basin Inlet	40
1277	Stormwater Basin Inlet	40
1278	Stormwater Basin Inlet	40
1282	Stormwater Basin Inlet	40
1283	Stormwater Basin Inlet	40
1284	Stormwater Basin Inlet	40
1286	Stormwater Basin Inlet	40
1287	Stormwater Basin Inlet	40
1288	Stormwater Basin Inlet	40
1289	Stormwater Basin Inlet	40
1290	Stormwater Basin Inlet	40
1291	Stormwater Basin Inlet	40
1316	Stormwater Basin Inlet	40
1361	Stormwater Basin Inlet	40
1370	Stormwater Basin Inlet	40
1371	Stormwater Basin Inlet	40
1372	Stormwater Basin Inlet	40
1373	Stormwater Basin Inlet	40
1374	Stormwater Basin Inlet	40
1375	Stormwater Basin Inlet	40
1376	Stormwater Basin Inlet	40
1384	Stormwater Basin Inlet	40
1385	Stormwater Basin Inlet	40
1386	Stormwater Basin Inlet	40
1387	Stormwater Basin Inlet	40
1388	Stormwater Basin Inlet	40
1389	Stormwater Basin Inlet	40
1391	Stormwater Basin Inlet	40
1392	Stormwater Basin Inlet	40
1393	Stormwater Basin Inlet	40
1394	Stormwater Basin Inlet	40
1398	Stormwater Basin Inlet	40
1403	Stormwater Basin Inlet	40
1404	Stormwater Basin Inlet	40
1405	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1406	Stormwater Basin Inlet	40
1407	Stormwater Basin Inlet	40
1420	Stormwater Basin Inlet	40
1421	Stormwater Basin Inlet	40
1436	Stormwater Basin Inlet	40
1437	Stormwater Basin Inlet	40
1438	Stormwater Basin Inlet	40
1452	Stormwater Basin Inlet	40
1453	Stormwater Basin Inlet	40
1454	Stormwater Basin Inlet	40
1471	Stormwater Basin Inlet	40
1472	Stormwater Basin Inlet	40
1473	Stormwater Basin Inlet	40
1477	Stormwater Basin Inlet	40
1478	Stormwater Basin Inlet	40
1479	Stormwater Basin Inlet	40
1481	Stormwater Basin Inlet	40
1482	Stormwater Basin Inlet	40
1483	Stormwater Basin Inlet	40
1484	Stormwater Basin Inlet	40
1488	Stormwater Basin Inlet	40
1490	Stormwater Basin Inlet	40
1491	Stormwater Basin Inlet	40
1492	Stormwater Basin Inlet	40
1497	Stormwater Basin Inlet	40
1504	Stormwater Basin Inlet	40
1505	Stormwater Basin Inlet	40
1508	Stormwater Basin Inlet	40
1509	Stormwater Basin Inlet	40
1516	Stormwater Basin Inlet	40
1517	Stormwater Basin Inlet	40
1518	Stormwater Basin Inlet	40
1519	Stormwater Basin Inlet	40
1520	Stormwater Basin Inlet	40
1522	Stormwater Basin Inlet	40
1523	Stormwater Basin Inlet	40
1529	Stormwater Basin Inlet	40
1530	Stormwater Basin Inlet	40
1534	Stormwater Basin Inlet	40
1535	Stormwater Basin Inlet	40
1536	Stormwater Basin Inlet	40
1537	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1538	Stormwater Basin Inlet	40
1539	Stormwater Basin Inlet	40
1545	Stormwater Basin Inlet	40
1546	Stormwater Basin Inlet	40
1547	Stormwater Basin Inlet	40
1548	Stormwater Basin Inlet	40
1549	Stormwater Basin Inlet	40
1550	Stormwater Basin Inlet	40
1551	Stormwater Basin Inlet	40
1553	Stormwater Basin Inlet	40
1554	Stormwater Basin Inlet	40
1555	Stormwater Basin Inlet	40
1556	Stormwater Basin Inlet	40
1557	Stormwater Basin Inlet	40
1559	Stormwater Basin Inlet	40
1560	Stormwater Basin Inlet	40
1561	Stormwater Basin Inlet	40
1562	Stormwater Basin Inlet	40
1563	Stormwater Basin Inlet	40
1572	Stormwater Basin Inlet	40
1573	Stormwater Basin Inlet	40
1574	Stormwater Basin Inlet	40
1578	Stormwater Basin Inlet	40
1588	Stormwater Basin Inlet	40
1589	Stormwater Basin Inlet	40
1590	Stormwater Basin Inlet	40
1600	Stormwater Basin Inlet	40
1603	Stormwater Basin Inlet	40
1604	Stormwater Basin Inlet	40
1605	Stormwater Basin Inlet	40
1606	Stormwater Basin Inlet	40
1607	Stormwater Basin Inlet	40
1608	Stormwater Basin Inlet	40
1609	Stormwater Basin Inlet	40
1610	Stormwater Basin Inlet	40
1613	Stormwater Basin Inlet	40
1614	Stormwater Basin Inlet	40
1615	Stormwater Basin Inlet	40
1620	Stormwater Basin Inlet	40
1621	Stormwater Basin Inlet	40
1622	Stormwater Basin Inlet	40
1623	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1624	Stormwater Basin Inlet	40
1626	Stormwater Basin Inlet	40
1627	Stormwater Basin Inlet	40
1628	Stormwater Basin Inlet	40
1631	Stormwater Basin Inlet	40
1632	Stormwater Basin Inlet	40
1633	Stormwater Basin Inlet	40
1635	Stormwater Basin Inlet	40
1636	Stormwater Basin Inlet	40
1637	Stormwater Basin Inlet	40
1638	Stormwater Basin Inlet	40
1641	Stormwater Basin Inlet	40
1642	Stormwater Basin Inlet	40
1654	Stormwater Basin Inlet	40
1660	Stormwater Basin Inlet	40
1661	Stormwater Basin Inlet	40
1662	Stormwater Basin Inlet	40
1663	Stormwater Basin Inlet	40
1665	Stormwater Basin Inlet	40
1666	Stormwater Basin Inlet	40
1667	Stormwater Basin Inlet	40
1670	Stormwater Basin Inlet	40
1671	Stormwater Basin Inlet	40
1672	Stormwater Basin Inlet	40
1675	Stormwater Basin Inlet	40
1676	Stormwater Basin Inlet	40
1677	Stormwater Basin Inlet	40
1678	Stormwater Basin Inlet	40
1679	Stormwater Basin Inlet	40
1680	Stormwater Basin Inlet	40
1681	Stormwater Basin Inlet	40
1682	Stormwater Basin Inlet	40
1683	Stormwater Basin Inlet	40
1684	Stormwater Basin Inlet	40
1685	Stormwater Basin Inlet	40
1686	Stormwater Basin Inlet	40
1687	Stormwater Basin Inlet	40
1688	Stormwater Basin Inlet	40
1689	Stormwater Basin Inlet	40
1690	Stormwater Basin Inlet	40
1691	Stormwater Basin Inlet	40
1692	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1693	Stormwater Basin Inlet	40
1694	Stormwater Basin Inlet	40
1695	Stormwater Basin Inlet	40
1696	Stormwater Basin Inlet	40
1697	Stormwater Basin Inlet	40
1698	Stormwater Basin Inlet	40
1699	Stormwater Basin Inlet	40
1700	Stormwater Basin Inlet	40
1701	Stormwater Basin Inlet	40
1702	Stormwater Basin Inlet	40
1703	Stormwater Basin Inlet	40
1704	Stormwater Basin Inlet	40
1705	Stormwater Basin Inlet	40
1706	Stormwater Basin Inlet	40
1707	Stormwater Basin Inlet	40
1708	Stormwater Basin Inlet	40
1709	Stormwater Basin Inlet	40
1710	Stormwater Basin Inlet	40
1711	Stormwater Basin Inlet	40
1712	Stormwater Basin Inlet	40
1713	Stormwater Basin Inlet	40
1714	Stormwater Basin Inlet	40
1715	Stormwater Basin Inlet	40
1716	Stormwater Basin Inlet	40
1717	Stormwater Basin Inlet	40
1718	Stormwater Basin Inlet	40
1719	Stormwater Basin Inlet	40
1720	Stormwater Basin Inlet	40
1721	Stormwater Basin Inlet	40
1722	Stormwater Basin Inlet	40
1723	Stormwater Basin Inlet	40
1724	Stormwater Basin Inlet	40
1725	Stormwater Basin Inlet	40
1726	Stormwater Basin Inlet	40
1727	Stormwater Basin Inlet	40
1728	Stormwater Basin Inlet	40
1729	Stormwater Basin Inlet	40
1730	Stormwater Basin Inlet	40
1731	Stormwater Basin Inlet	40
1732	Stormwater Basin Inlet	40
1733	Stormwater Basin Inlet	40
1734	Stormwater Basin Inlet	40

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1735	Stormwater Basin Inlet	40
1739	Stormwater Basin Inlet	40
1740	Stormwater Basin Inlet	40
2260 Bradley Pl	Streets	40
2260 Bradley Pl	Streets	40
8986 Oleander Ave	Streets	40
9265 Park Ave	Streets	40
10370 Royal Poinciana Plz	Streets	40
11855 Sunrise Ave	Streets	40
13783 Worth Ave	Streets	40
13783 Worth Ave	Streets	40
13475 Whitehall Way	Streets	40
N Ocean Blvd	Beach Access	37
Kenlyn Rd	Beach Access	37
BRADLEY PARK	Parks	37
Ocean Ln	Beach Access	33
Sunset Ave	Beach Access	33
BARTON PARK/MUNICIPAL POOL	Parks	33
1101 Algoma Rd	Streets	33
1238 Angler Ave	Streets	33
1260 Antigua Ln	Streets	33
1309 Arabian Rd	Streets	33
1440 Atlantic Ave	Streets	33
1582 Bahama Ln	Streets	33
1645 Banyan Rd	Streets	33
1927 Bermuda Ln	Streets	33
2283 Breakers Row	Streets	33
2724 Caribbean Rd	Streets	33
3230 Cocanut Row	Streets	33
3012 Cherry Ln	Streets	33
3142 Clarendon Ave	Streets	33
9673 Plantation Rd	Streets	33
3587 Crest Rd	Streets	33
3959 Dolphin Rd	Streets	33
4075 Dunbar Rd	Streets	33
4191 E Inlet Dr	Streets	33
4347 Eden Rd	Streets	33
4403 El Bravo Way	Streets	33
4404 El Brillo Way	Streets	33
4418 El Jan Ln	Streets	33
4426 El Pueblo Way	Streets	33
4430 El Vedado Rd	Streets	33

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
4498 Emerald Ln	Streets	33
4574 Esplanade Way	Streets	33
4822 Flagler Dr	Streets	33
4826 Flagler Memorial Bridge	Streets	33
4968 Four Arts Plz	Streets	33
5102 Garden Rd	Streets	33
5492 Gulfstream Rd	Streets	33
5545 Hammon Ave	Streets	33
5756 Hi Mount Rd	Streets	33
5992 Ibis Isle Rd	Streets	33
5993 Ibis Isle Rd E	Streets	33
5994 Ibis Isle Rd S	Streets	33
5995 Ibis Isle Rd W	Streets	33
5997 Ibis Way	Streets	33
5997 Ibis Way	Streets	33
6030 Indian Rd	Streets	33
6129 Island Dr	Streets	33
6134 Island Rd	Streets	33
6298 Jungle Rd	Streets	33
6465 Kings Rd	Streets	33
6562 La Puerta Way	Streets	33
6604 Lagomar Rd	Streets	33
6640 Lake Ct	Streets	33
6706 Lake Trail Cir	Streets	33
6715 Lake Worth Rd	Streets	33
7567 Mediterranean Rd	Streets	33
7610 Merrain Rd	Streets	33
7642 Middle Rd	Streets	33
10136 Ridgeview Dr	Streets	33
8040 N Lake Trl	Streets	33
8907 Oceanview Rd	Streets	33
9014 Onondaga Ave	Streets	33
9262 Parc Monceau	Streets	33
9400 Pelican Ln	Streets	33
3230 Cocoanut Row	Streets	33
9459 Peruvian Ave	Streets	33
29308 Primavera Ave	Streets	33
10059 Reef Rd	Streets	33
10076 Regents Park Rd	Streets	33
10562 S Lake Dr	Streets	33
10841 Sanford Ave	Streets	33
17046 S Lake Trl	Streets	33

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
17386 Seagrape Cir	Streets	33
11109 Seaview Ave	Streets	33
11131 Seminole Ave	Streets	33
11381 Sloans Curve Dr	Streets	33
11863 Sunset Ave	Streets	33
12223 Tarpon Way	Streets	33
12223 Tarpon Way	Streets	33
4403 El Bravo Way	Streets	33
12682 Via Agape	Streets	33
12694 Via Bellaria	Streets	33
12721 Via Del Lago	Streets	33
12723 Via Del Mar	Streets	33
12739 Via Fontana	Streets	33
7305 Manana Ln	Streets	33
12790 Via Palma	Streets	33
12825 Via Sunny	Streets	33
12861 Via Vizcaya	Streets	33
12954 Vita Serena	Streets	33
13085 W Indies Dr	Streets	33
13324 Wells Rd	Streets	33
13532 Williams Rd	Streets	33
13619 Windsor Ct	Streets	33
13710 Woodbridge Rd	Streets	33
13783 Worth Ave	Streets	33
Arabian Rd	Beach Access	30
Caribbean Rd	Beach Access	30
Mediterranean Rd	Beach Access	30
Atlantic Ave	Beach Access	30
El Pueblo Way	Beach Access	30
La Puerta Way	Beach Access	30
Par 3 Restaurant	Buildings	30
PHIPPS PARK PLAZA	Parks	30
MUNICIPAL BEACH	Parks	30
1012 Adam Rd	Streets	30
17513 Australian Ave	Streets	30
1709 Barton Ave	Streets	30
2280 Brazilian Ave	Streets	30
2283 Breakers Row	Streets	30
3148 Clarke Ave	Streets	30
2980 Chateaux Dr	Streets	30
3052 Chilean Ave	Streets	30
3230 Cocoanut Row	Streets	30

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
3231 Cocoanut Walk	Streets	30
3280 Colonial Ln	Streets	30
3391 Coral Ln	Streets	30
3498 Country Club Rd	Streets	30
3579 Crescent Dr	Streets	30
3817 Debra Ln	Streets	30
4270 E Woods Rd	Streets	30
4417 El Dorado Ln	Streets	30
4490 Emerald Beach Way	Streets	30
4670 Fairview Rd	Streets	30
5277 Golfview Rd	Streets	30
5762 Hibiscus Ave	Streets	30
6192 Jamaica Ln	Streets	30
6883 Laurian Ln	Streets	30
6884 Laurie Ln	Streets	30
7041 List Rd	Streets	30
7705 Miraflores Dr	Streets	30
7750 Mockingbird Trl	Streets	30
7806 Monterey Rd	Streets	30
7953 N Breakers Row	Streets	30
8149 N Woods Rd	Streets	30
9028 Orange Grove Rd	Streets	30
9222 Palmo Way	Streets	30
12832 Via Tortuga	Streets	30
9477 Phipps Plz	Streets	30
9590 Pine Walk	Streets	30
9673 Plantation Rd	Streets	30
9926 Queens Ln	Streets	30
10136 Ridgeview Dr	Streets	30
10496 S County Rd	Streets	30
10659 S Woods Rd	Streets	30
11107 Seaspray Ave	Streets	30
11382 Slope Trl	Streets	30
11469 Southland Rd	Streets	30
12432 Tradewind Dr	Streets	30
12697 Via Bethesda	Streets	30
10496 S County Rd	Streets	30
12761 Via Linda	Streets	30
12769 Via Marila	Streets	30
12770 Via Marina	Streets	30
12861 Via Vizcaya	Streets	30
13323 Wells Cir	Streets	30

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
Bath Rooms	Buildings	27
Bath Rooms	Buildings	27
Memorial Fountain	Buildings	27
Bradley Casino	Buildings	27
Golf Pro Shop	Buildings	27
Brazilian Docs	Buildings	27
Australian Docs	Buildings	27
Bath Rooms	Buildings	27
CLARKE AVENUE BEACH	Parks	27
6	Stormwater Basin Inlet	27
7	Stormwater Basin Inlet	27
19	Stormwater Basin Inlet	27
20	Stormwater Basin Inlet	27
24	Stormwater Basin Inlet	27
25	Stormwater Basin Inlet	27
41	Stormwater Basin Inlet	27
42	Stormwater Basin Inlet	27
43	Stormwater Basin Inlet	27
44	Stormwater Basin Inlet	27
50	Stormwater Basin Inlet	27
51	Stormwater Basin Inlet	27
53	Stormwater Basin Inlet	27
54	Stormwater Basin Inlet	27
55	Stormwater Basin Inlet	27
56	Stormwater Basin Inlet	27
57	Stormwater Basin Inlet	27
58	Stormwater Basin Inlet	27
68	Stormwater Basin Inlet	27
69	Stormwater Basin Inlet	27
78	Stormwater Basin Inlet	27
79	Stormwater Basin Inlet	27
80	Stormwater Basin Inlet	27
81	Stormwater Basin Inlet	27
84	Stormwater Basin Inlet	27
88	Stormwater Basin Inlet	27
89	Stormwater Basin Inlet	27
102	Stormwater Basin Inlet	27
103	Stormwater Basin Inlet	27
104	Stormwater Basin Inlet	27
105	Stormwater Basin Inlet	27
106	Stormwater Basin Inlet	27
107	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
108	Stormwater Basin Inlet	27
110	Stormwater Basin Inlet	27
111	Stormwater Basin Inlet	27
115	Stormwater Basin Inlet	27
116	Stormwater Basin Inlet	27
117	Stormwater Basin Inlet	27
118	Stormwater Basin Inlet	27
129	Stormwater Basin Inlet	27
130	Stormwater Basin Inlet	27
131	Stormwater Basin Inlet	27
132	Stormwater Basin Inlet	27
133	Stormwater Basin Inlet	27
134	Stormwater Basin Inlet	27
135	Stormwater Basin Inlet	27
137	Stormwater Basin Inlet	27
138	Stormwater Basin Inlet	27
139	Stormwater Basin Inlet	27
143	Stormwater Basin Inlet	27
144	Stormwater Basin Inlet	27
145	Stormwater Basin Inlet	27
146	Stormwater Basin Inlet	27
147	Stormwater Basin Inlet	27
148	Stormwater Basin Inlet	27
149	Stormwater Basin Inlet	27
150	Stormwater Basin Inlet	27
160	Stormwater Basin Inlet	27
161	Stormwater Basin Inlet	27
170	Stormwater Basin Inlet	27
171	Stormwater Basin Inlet	27
172	Stormwater Basin Inlet	27
173	Stormwater Basin Inlet	27
177	Stormwater Basin Inlet	27
178	Stormwater Basin Inlet	27
182	Stormwater Basin Inlet	27
183	Stormwater Basin Inlet	27
184	Stormwater Basin Inlet	27
185	Stormwater Basin Inlet	27
186	Stormwater Basin Inlet	27
187	Stormwater Basin Inlet	27
190	Stormwater Basin Inlet	27
191	Stormwater Basin Inlet	27
192	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
193	Stormwater Basin Inlet	27
200	Stormwater Basin Inlet	27
203	Stormwater Basin Inlet	27
204	Stormwater Basin Inlet	27
206	Stormwater Basin Inlet	27
212	Stormwater Basin Inlet	27
213	Stormwater Basin Inlet	27
216	Stormwater Basin Inlet	27
217	Stormwater Basin Inlet	27
218	Stormwater Basin Inlet	27
221	Stormwater Basin Inlet	27
222	Stormwater Basin Inlet	27
223	Stormwater Basin Inlet	27
224	Stormwater Basin Inlet	27
225	Stormwater Basin Inlet	27
226	Stormwater Basin Inlet	27
227	Stormwater Basin Inlet	27
228	Stormwater Basin Inlet	27
229	Stormwater Basin Inlet	27
231	Stormwater Basin Inlet	27
232	Stormwater Basin Inlet	27
233	Stormwater Basin Inlet	27
234	Stormwater Basin Inlet	27
235	Stormwater Basin Inlet	27
236	Stormwater Basin Inlet	27
237	Stormwater Basin Inlet	27
238	Stormwater Basin Inlet	27
239	Stormwater Basin Inlet	27
240	Stormwater Basin Inlet	27
244	Stormwater Basin Inlet	27
245	Stormwater Basin Inlet	27
248	Stormwater Basin Inlet	27
249	Stormwater Basin Inlet	27
250	Stormwater Basin Inlet	27
251	Stormwater Basin Inlet	27
252	Stormwater Basin Inlet	27
253	Stormwater Basin Inlet	27
254	Stormwater Basin Inlet	27
255	Stormwater Basin Inlet	27
256	Stormwater Basin Inlet	27
259	Stormwater Basin Inlet	27
260	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
261	Stormwater Basin Inlet	27
262	Stormwater Basin Inlet	27
263	Stormwater Basin Inlet	27
264	Stormwater Basin Inlet	27
265	Stormwater Basin Inlet	27
274	Stormwater Basin Inlet	27
275	Stormwater Basin Inlet	27
281	Stormwater Basin Inlet	27
282	Stormwater Basin Inlet	27
283	Stormwater Basin Inlet	27
284	Stormwater Basin Inlet	27
285	Stormwater Basin Inlet	27
286	Stormwater Basin Inlet	27
287	Stormwater Basin Inlet	27
288	Stormwater Basin Inlet	27
289	Stormwater Basin Inlet	27
290	Stormwater Basin Inlet	27
292	Stormwater Basin Inlet	27
293	Stormwater Basin Inlet	27
294	Stormwater Basin Inlet	27
295	Stormwater Basin Inlet	27
296	Stormwater Basin Inlet	27
297	Stormwater Basin Inlet	27
298	Stormwater Basin Inlet	27
299	Stormwater Basin Inlet	27
300	Stormwater Basin Inlet	27
301	Stormwater Basin Inlet	27
302	Stormwater Basin Inlet	27
303	Stormwater Basin Inlet	27
304	Stormwater Basin Inlet	27
305	Stormwater Basin Inlet	27
306	Stormwater Basin Inlet	27
307	Stormwater Basin Inlet	27
308	Stormwater Basin Inlet	27
309	Stormwater Basin Inlet	27
310	Stormwater Basin Inlet	27
311	Stormwater Basin Inlet	27
312	Stormwater Basin Inlet	27
313	Stormwater Basin Inlet	27
314	Stormwater Basin Inlet	27
315	Stormwater Basin Inlet	27
316	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
317	Stormwater Basin Inlet	27
318	Stormwater Basin Inlet	27
319	Stormwater Basin Inlet	27
320	Stormwater Basin Inlet	27
321	Stormwater Basin Inlet	27
322	Stormwater Basin Inlet	27
323	Stormwater Basin Inlet	27
324	Stormwater Basin Inlet	27
325	Stormwater Basin Inlet	27
326	Stormwater Basin Inlet	27
327	Stormwater Basin Inlet	27
328	Stormwater Basin Inlet	27
329	Stormwater Basin Inlet	27
330	Stormwater Basin Inlet	27
331	Stormwater Basin Inlet	27
334	Stormwater Basin Inlet	27
336	Stormwater Basin Inlet	27
337	Stormwater Basin Inlet	27
338	Stormwater Basin Inlet	27
339	Stormwater Basin Inlet	27
340	Stormwater Basin Inlet	27
341	Stormwater Basin Inlet	27
342	Stormwater Basin Inlet	27
343	Stormwater Basin Inlet	27
344	Stormwater Basin Inlet	27
345	Stormwater Basin Inlet	27
346	Stormwater Basin Inlet	27
347	Stormwater Basin Inlet	27
348	Stormwater Basin Inlet	27
349	Stormwater Basin Inlet	27
350	Stormwater Basin Inlet	27
351	Stormwater Basin Inlet	27
352	Stormwater Basin Inlet	27
353	Stormwater Basin Inlet	27
354	Stormwater Basin Inlet	27
355	Stormwater Basin Inlet	27
356	Stormwater Basin Inlet	27
357	Stormwater Basin Inlet	27
358	Stormwater Basin Inlet	27
361	Stormwater Basin Inlet	27
362	Stormwater Basin Inlet	27
363	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
364	Stormwater Basin Inlet	27
365	Stormwater Basin Inlet	27
366	Stormwater Basin Inlet	27
367	Stormwater Basin Inlet	27
368	Stormwater Basin Inlet	27
369	Stormwater Basin Inlet	27
370	Stormwater Basin Inlet	27
371	Stormwater Basin Inlet	27
372	Stormwater Basin Inlet	27
373	Stormwater Basin Inlet	27
374	Stormwater Basin Inlet	27
381	Stormwater Basin Inlet	27
382	Stormwater Basin Inlet	27
383	Stormwater Basin Inlet	27
385	Stormwater Basin Inlet	27
387	Stormwater Basin Inlet	27
388	Stormwater Basin Inlet	27
389	Stormwater Basin Inlet	27
390	Stormwater Basin Inlet	27
391	Stormwater Basin Inlet	27
392	Stormwater Basin Inlet	27
393	Stormwater Basin Inlet	27
394	Stormwater Basin Inlet	27
395	Stormwater Basin Inlet	27
396	Stormwater Basin Inlet	27
397	Stormwater Basin Inlet	27
398	Stormwater Basin Inlet	27
399	Stormwater Basin Inlet	27
400	Stormwater Basin Inlet	27
401	Stormwater Basin Inlet	27
408	Stormwater Basin Inlet	27
413	Stormwater Basin Inlet	27
418	Stormwater Basin Inlet	27
423	Stormwater Basin Inlet	27
424	Stormwater Basin Inlet	27
425	Stormwater Basin Inlet	27
426	Stormwater Basin Inlet	27
427	Stormwater Basin Inlet	27
428	Stormwater Basin Inlet	27
429	Stormwater Basin Inlet	27
430	Stormwater Basin Inlet	27
431	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
432	Stormwater Basin Inlet	27
433	Stormwater Basin Inlet	27
434	Stormwater Basin Inlet	27
435	Stormwater Basin Inlet	27
441	Stormwater Basin Inlet	27
443	Stormwater Basin Inlet	27
446	Stormwater Basin Inlet	27
448	Stormwater Basin Inlet	27
449	Stormwater Basin Inlet	27
450	Stormwater Basin Inlet	27
452	Stormwater Basin Inlet	27
454	Stormwater Basin Inlet	27
455	Stormwater Basin Inlet	27
456	Stormwater Basin Inlet	27
457	Stormwater Basin Inlet	27
458	Stormwater Basin Inlet	27
459	Stormwater Basin Inlet	27
460	Stormwater Basin Inlet	27
461	Stormwater Basin Inlet	27
462	Stormwater Basin Inlet	27
463	Stormwater Basin Inlet	27
468	Stormwater Basin Inlet	27
469	Stormwater Basin Inlet	27
470	Stormwater Basin Inlet	27
474	Stormwater Basin Inlet	27
475	Stormwater Basin Inlet	27
476	Stormwater Basin Inlet	27
477	Stormwater Basin Inlet	27
478	Stormwater Basin Inlet	27
479	Stormwater Basin Inlet	27
480	Stormwater Basin Inlet	27
481	Stormwater Basin Inlet	27
482	Stormwater Basin Inlet	27
483	Stormwater Basin Inlet	27
484	Stormwater Basin Inlet	27
485	Stormwater Basin Inlet	27
486	Stormwater Basin Inlet	27
487	Stormwater Basin Inlet	27
488	Stormwater Basin Inlet	27
489	Stormwater Basin Inlet	27
490	Stormwater Basin Inlet	27
491	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
492	Stormwater Basin Inlet	27
493	Stormwater Basin Inlet	27
494	Stormwater Basin Inlet	27
495	Stormwater Basin Inlet	27
496	Stormwater Basin Inlet	27
497	Stormwater Basin Inlet	27
498	Stormwater Basin Inlet	27
499	Stormwater Basin Inlet	27
500	Stormwater Basin Inlet	27
501	Stormwater Basin Inlet	27
502	Stormwater Basin Inlet	27
503	Stormwater Basin Inlet	27
504	Stormwater Basin Inlet	27
505	Stormwater Basin Inlet	27
506	Stormwater Basin Inlet	27
507	Stormwater Basin Inlet	27
508	Stormwater Basin Inlet	27
509	Stormwater Basin Inlet	27
510	Stormwater Basin Inlet	27
517	Stormwater Basin Inlet	27
518	Stormwater Basin Inlet	27
519	Stormwater Basin Inlet	27
520	Stormwater Basin Inlet	27
521	Stormwater Basin Inlet	27
522	Stormwater Basin Inlet	27
523	Stormwater Basin Inlet	27
528	Stormwater Basin Inlet	27
529	Stormwater Basin Inlet	27
530	Stormwater Basin Inlet	27
531	Stormwater Basin Inlet	27
532	Stormwater Basin Inlet	27
533	Stormwater Basin Inlet	27
534	Stormwater Basin Inlet	27
535	Stormwater Basin Inlet	27
536	Stormwater Basin Inlet	27
537	Stormwater Basin Inlet	27
538	Stormwater Basin Inlet	27
539	Stormwater Basin Inlet	27
540	Stormwater Basin Inlet	27
541	Stormwater Basin Inlet	27
542	Stormwater Basin Inlet	27
543	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
544	Stormwater Basin Inlet	27
545	Stormwater Basin Inlet	27
546	Stormwater Basin Inlet	27
547	Stormwater Basin Inlet	27
548	Stormwater Basin Inlet	27
549	Stormwater Basin Inlet	27
550	Stormwater Basin Inlet	27
551	Stormwater Basin Inlet	27
552	Stormwater Basin Inlet	27
553	Stormwater Basin Inlet	27
554	Stormwater Basin Inlet	27
555	Stormwater Basin Inlet	27
556	Stormwater Basin Inlet	27
557	Stormwater Basin Inlet	27
558	Stormwater Basin Inlet	27
559	Stormwater Basin Inlet	27
560	Stormwater Basin Inlet	27
561	Stormwater Basin Inlet	27
562	Stormwater Basin Inlet	27
563	Stormwater Basin Inlet	27
564	Stormwater Basin Inlet	27
565	Stormwater Basin Inlet	27
567	Stormwater Basin Inlet	27
568	Stormwater Basin Inlet	27
569	Stormwater Basin Inlet	27
570	Stormwater Basin Inlet	27
571	Stormwater Basin Inlet	27
572	Stormwater Basin Inlet	27
573	Stormwater Basin Inlet	27
574	Stormwater Basin Inlet	27
575	Stormwater Basin Inlet	27
576	Stormwater Basin Inlet	27
577	Stormwater Basin Inlet	27
578	Stormwater Basin Inlet	27
585	Stormwater Basin Inlet	27
586	Stormwater Basin Inlet	27
594	Stormwater Basin Inlet	27
595	Stormwater Basin Inlet	27
596	Stormwater Basin Inlet	27
599	Stormwater Basin Inlet	27
600	Stormwater Basin Inlet	27
601	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
602	Stormwater Basin Inlet	27
603	Stormwater Basin Inlet	27
604	Stormwater Basin Inlet	27
605	Stormwater Basin Inlet	27
606	Stormwater Basin Inlet	27
607	Stormwater Basin Inlet	27
608	Stormwater Basin Inlet	27
609	Stormwater Basin Inlet	27
610	Stormwater Basin Inlet	27
611	Stormwater Basin Inlet	27
612	Stormwater Basin Inlet	27
613	Stormwater Basin Inlet	27
614	Stormwater Basin Inlet	27
615	Stormwater Basin Inlet	27
617	Stormwater Basin Inlet	27
620	Stormwater Basin Inlet	27
621	Stormwater Basin Inlet	27
622	Stormwater Basin Inlet	27
623	Stormwater Basin Inlet	27
624	Stormwater Basin Inlet	27
625	Stormwater Basin Inlet	27
626	Stormwater Basin Inlet	27
627	Stormwater Basin Inlet	27
628	Stormwater Basin Inlet	27
629	Stormwater Basin Inlet	27
630	Stormwater Basin Inlet	27
631	Stormwater Basin Inlet	27
632	Stormwater Basin Inlet	27
633	Stormwater Basin Inlet	27
634	Stormwater Basin Inlet	27
635	Stormwater Basin Inlet	27
636	Stormwater Basin Inlet	27
637	Stormwater Basin Inlet	27
638	Stormwater Basin Inlet	27
639	Stormwater Basin Inlet	27
640	Stormwater Basin Inlet	27
641	Stormwater Basin Inlet	27
642	Stormwater Basin Inlet	27
643	Stormwater Basin Inlet	27
644	Stormwater Basin Inlet	27
645	Stormwater Basin Inlet	27
648	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
650	Stormwater Basin Inlet	27
654	Stormwater Basin Inlet	27
655	Stormwater Basin Inlet	27
656	Stormwater Basin Inlet	27
657	Stormwater Basin Inlet	27
658	Stormwater Basin Inlet	27
663	Stormwater Basin Inlet	27
664	Stormwater Basin Inlet	27
665	Stormwater Basin Inlet	27
666	Stormwater Basin Inlet	27
667	Stormwater Basin Inlet	27
668	Stormwater Basin Inlet	27
669	Stormwater Basin Inlet	27
670	Stormwater Basin Inlet	27
671	Stormwater Basin Inlet	27
672	Stormwater Basin Inlet	27
673	Stormwater Basin Inlet	27
674	Stormwater Basin Inlet	27
675	Stormwater Basin Inlet	27
676	Stormwater Basin Inlet	27
677	Stormwater Basin Inlet	27
678	Stormwater Basin Inlet	27
679	Stormwater Basin Inlet	27
680	Stormwater Basin Inlet	27
681	Stormwater Basin Inlet	27
682	Stormwater Basin Inlet	27
683	Stormwater Basin Inlet	27
684	Stormwater Basin Inlet	27
685	Stormwater Basin Inlet	27
686	Stormwater Basin Inlet	27
687	Stormwater Basin Inlet	27
688	Stormwater Basin Inlet	27
689	Stormwater Basin Inlet	27
690	Stormwater Basin Inlet	27
691	Stormwater Basin Inlet	27
692	Stormwater Basin Inlet	27
693	Stormwater Basin Inlet	27
694	Stormwater Basin Inlet	27
695	Stormwater Basin Inlet	27
696	Stormwater Basin Inlet	27
697	Stormwater Basin Inlet	27
698	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
699	Stormwater Basin Inlet	27
700	Stormwater Basin Inlet	27
702	Stormwater Basin Inlet	27
703	Stormwater Basin Inlet	27
704	Stormwater Basin Inlet	27
705	Stormwater Basin Inlet	27
706	Stormwater Basin Inlet	27
707	Stormwater Basin Inlet	27
708	Stormwater Basin Inlet	27
709	Stormwater Basin Inlet	27
710	Stormwater Basin Inlet	27
711	Stormwater Basin Inlet	27
712	Stormwater Basin Inlet	27
713	Stormwater Basin Inlet	27
714	Stormwater Basin Inlet	27
715	Stormwater Basin Inlet	27
716	Stormwater Basin Inlet	27
717	Stormwater Basin Inlet	27
718	Stormwater Basin Inlet	27
719	Stormwater Basin Inlet	27
720	Stormwater Basin Inlet	27
721	Stormwater Basin Inlet	27
722	Stormwater Basin Inlet	27
723	Stormwater Basin Inlet	27
724	Stormwater Basin Inlet	27
725	Stormwater Basin Inlet	27
726	Stormwater Basin Inlet	27
727	Stormwater Basin Inlet	27
728	Stormwater Basin Inlet	27
729	Stormwater Basin Inlet	27
730	Stormwater Basin Inlet	27
731	Stormwater Basin Inlet	27
732	Stormwater Basin Inlet	27
733	Stormwater Basin Inlet	27
734	Stormwater Basin Inlet	27
735	Stormwater Basin Inlet	27
736	Stormwater Basin Inlet	27
737	Stormwater Basin Inlet	27
738	Stormwater Basin Inlet	27
739	Stormwater Basin Inlet	27
740	Stormwater Basin Inlet	27
741	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
742	Stormwater Basin Inlet	27
743	Stormwater Basin Inlet	27
744	Stormwater Basin Inlet	27
745	Stormwater Basin Inlet	27
746	Stormwater Basin Inlet	27
747	Stormwater Basin Inlet	27
748	Stormwater Basin Inlet	27
749	Stormwater Basin Inlet	27
750	Stormwater Basin Inlet	27
751	Stormwater Basin Inlet	27
752	Stormwater Basin Inlet	27
753	Stormwater Basin Inlet	27
757	Stormwater Basin Inlet	27
758	Stormwater Basin Inlet	27
759	Stormwater Basin Inlet	27
760	Stormwater Basin Inlet	27
761	Stormwater Basin Inlet	27
762	Stormwater Basin Inlet	27
763	Stormwater Basin Inlet	27
764	Stormwater Basin Inlet	27
765	Stormwater Basin Inlet	27
773	Stormwater Basin Inlet	27
774	Stormwater Basin Inlet	27
775	Stormwater Basin Inlet	27
776	Stormwater Basin Inlet	27
782	Stormwater Basin Inlet	27
783	Stormwater Basin Inlet	27
784	Stormwater Basin Inlet	27
785	Stormwater Basin Inlet	27
786	Stormwater Basin Inlet	27
787	Stormwater Basin Inlet	27
788	Stormwater Basin Inlet	27
789	Stormwater Basin Inlet	27
790	Stormwater Basin Inlet	27
791	Stormwater Basin Inlet	27
792	Stormwater Basin Inlet	27
793	Stormwater Basin Inlet	27
794	Stormwater Basin Inlet	27
795	Stormwater Basin Inlet	27
796	Stormwater Basin Inlet	27
797	Stormwater Basin Inlet	27
798	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
799	Stormwater Basin Inlet	27
800	Stormwater Basin Inlet	27
801	Stormwater Basin Inlet	27
802	Stormwater Basin Inlet	27
803	Stormwater Basin Inlet	27
804	Stormwater Basin Inlet	27
805	Stormwater Basin Inlet	27
806	Stormwater Basin Inlet	27
811	Stormwater Basin Inlet	27
812	Stormwater Basin Inlet	27
813	Stormwater Basin Inlet	27
836	Stormwater Basin Inlet	27
837	Stormwater Basin Inlet	27
847	Stormwater Basin Inlet	27
848	Stormwater Basin Inlet	27
849	Stormwater Basin Inlet	27
850	Stormwater Basin Inlet	27
851	Stormwater Basin Inlet	27
852	Stormwater Basin Inlet	27
853	Stormwater Basin Inlet	27
854	Stormwater Basin Inlet	27
855	Stormwater Basin Inlet	27
856	Stormwater Basin Inlet	27
857	Stormwater Basin Inlet	27
858	Stormwater Basin Inlet	27
859	Stormwater Basin Inlet	27
860	Stormwater Basin Inlet	27
861	Stormwater Basin Inlet	27
862	Stormwater Basin Inlet	27
863	Stormwater Basin Inlet	27
864	Stormwater Basin Inlet	27
865	Stormwater Basin Inlet	27
866	Stormwater Basin Inlet	27
867	Stormwater Basin Inlet	27
868	Stormwater Basin Inlet	27
869	Stormwater Basin Inlet	27
870	Stormwater Basin Inlet	27
871	Stormwater Basin Inlet	27
872	Stormwater Basin Inlet	27
873	Stormwater Basin Inlet	27
874	Stormwater Basin Inlet	27
875	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
876	Stormwater Basin Inlet	27
877	Stormwater Basin Inlet	27
878	Stormwater Basin Inlet	27
880	Stormwater Basin Inlet	27
881	Stormwater Basin Inlet	27
882	Stormwater Basin Inlet	27
883	Stormwater Basin Inlet	27
884	Stormwater Basin Inlet	27
885	Stormwater Basin Inlet	27
886	Stormwater Basin Inlet	27
887	Stormwater Basin Inlet	27
888	Stormwater Basin Inlet	27
890	Stormwater Basin Inlet	27
891	Stormwater Basin Inlet	27
892	Stormwater Basin Inlet	27
893	Stormwater Basin Inlet	27
894	Stormwater Basin Inlet	27
895	Stormwater Basin Inlet	27
896	Stormwater Basin Inlet	27
900	Stormwater Basin Inlet	27
901	Stormwater Basin Inlet	27
905	Stormwater Basin Inlet	27
906	Stormwater Basin Inlet	27
907	Stormwater Basin Inlet	27
908	Stormwater Basin Inlet	27
909	Stormwater Basin Inlet	27
910	Stormwater Basin Inlet	27
911	Stormwater Basin Inlet	27
912	Stormwater Basin Inlet	27
913	Stormwater Basin Inlet	27
914	Stormwater Basin Inlet	27
915	Stormwater Basin Inlet	27
916	Stormwater Basin Inlet	27
917	Stormwater Basin Inlet	27
918	Stormwater Basin Inlet	27
919	Stormwater Basin Inlet	27
920	Stormwater Basin Inlet	27
923	Stormwater Basin Inlet	27
924	Stormwater Basin Inlet	27
925	Stormwater Basin Inlet	27
926	Stormwater Basin Inlet	27
927	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
928	Stormwater Basin Inlet	27
929	Stormwater Basin Inlet	27
930	Stormwater Basin Inlet	27
931	Stormwater Basin Inlet	27
932	Stormwater Basin Inlet	27
933	Stormwater Basin Inlet	27
934	Stormwater Basin Inlet	27
935	Stormwater Basin Inlet	27
936	Stormwater Basin Inlet	27
937	Stormwater Basin Inlet	27
938	Stormwater Basin Inlet	27
939	Stormwater Basin Inlet	27
940	Stormwater Basin Inlet	27
941	Stormwater Basin Inlet	27
942	Stormwater Basin Inlet	27
943	Stormwater Basin Inlet	27
944	Stormwater Basin Inlet	27
945	Stormwater Basin Inlet	27
946	Stormwater Basin Inlet	27
947	Stormwater Basin Inlet	27
948	Stormwater Basin Inlet	27
949	Stormwater Basin Inlet	27
950	Stormwater Basin Inlet	27
951	Stormwater Basin Inlet	27
952	Stormwater Basin Inlet	27
953	Stormwater Basin Inlet	27
954	Stormwater Basin Inlet	27
955	Stormwater Basin Inlet	27
956	Stormwater Basin Inlet	27
957	Stormwater Basin Inlet	27
958	Stormwater Basin Inlet	27
959	Stormwater Basin Inlet	27
960	Stormwater Basin Inlet	27
961	Stormwater Basin Inlet	27
962	Stormwater Basin Inlet	27
963	Stormwater Basin Inlet	27
964	Stormwater Basin Inlet	27
965	Stormwater Basin Inlet	27
966	Stormwater Basin Inlet	27
967	Stormwater Basin Inlet	27
968	Stormwater Basin Inlet	27
969	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
970	Stormwater Basin Inlet	27
971	Stormwater Basin Inlet	27
972	Stormwater Basin Inlet	27
973	Stormwater Basin Inlet	27
974	Stormwater Basin Inlet	27
975	Stormwater Basin Inlet	27
976	Stormwater Basin Inlet	27
977	Stormwater Basin Inlet	27
978	Stormwater Basin Inlet	27
979	Stormwater Basin Inlet	27
980	Stormwater Basin Inlet	27
981	Stormwater Basin Inlet	27
982	Stormwater Basin Inlet	27
983	Stormwater Basin Inlet	27
984	Stormwater Basin Inlet	27
985	Stormwater Basin Inlet	27
986	Stormwater Basin Inlet	27
987	Stormwater Basin Inlet	27
988	Stormwater Basin Inlet	27
989	Stormwater Basin Inlet	27
990	Stormwater Basin Inlet	27
991	Stormwater Basin Inlet	27
992	Stormwater Basin Inlet	27
993	Stormwater Basin Inlet	27
994	Stormwater Basin Inlet	27
995	Stormwater Basin Inlet	27
996	Stormwater Basin Inlet	27
997	Stormwater Basin Inlet	27
998	Stormwater Basin Inlet	27
999	Stormwater Basin Inlet	27
1000	Stormwater Basin Inlet	27
1001	Stormwater Basin Inlet	27
1002	Stormwater Basin Inlet	27
1003	Stormwater Basin Inlet	27
1004	Stormwater Basin Inlet	27
1005	Stormwater Basin Inlet	27
1006	Stormwater Basin Inlet	27
1007	Stormwater Basin Inlet	27
1008	Stormwater Basin Inlet	27
1009	Stormwater Basin Inlet	27
1010	Stormwater Basin Inlet	27
1011	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1012	Stormwater Basin Inlet	27
1013	Stormwater Basin Inlet	27
1014	Stormwater Basin Inlet	27
1015	Stormwater Basin Inlet	27
1016	Stormwater Basin Inlet	27
1017	Stormwater Basin Inlet	27
1018	Stormwater Basin Inlet	27
1019	Stormwater Basin Inlet	27
1022	Stormwater Basin Inlet	27
1023	Stormwater Basin Inlet	27
1026	Stormwater Basin Inlet	27
1027	Stormwater Basin Inlet	27
1028	Stormwater Basin Inlet	27
1029	Stormwater Basin Inlet	27
1034	Stormwater Basin Inlet	27
1035	Stormwater Basin Inlet	27
1036	Stormwater Basin Inlet	27
1037	Stormwater Basin Inlet	27
1038	Stormwater Basin Inlet	27
1039	Stormwater Basin Inlet	27
1040	Stormwater Basin Inlet	27
1041	Stormwater Basin Inlet	27
1042	Stormwater Basin Inlet	27
1043	Stormwater Basin Inlet	27
1044	Stormwater Basin Inlet	27
1045	Stormwater Basin Inlet	27
1046	Stormwater Basin Inlet	27
1047	Stormwater Basin Inlet	27
1048	Stormwater Basin Inlet	27
1049	Stormwater Basin Inlet	27
1050	Stormwater Basin Inlet	27
1051	Stormwater Basin Inlet	27
1052	Stormwater Basin Inlet	27
1059	Stormwater Basin Inlet	27
1060	Stormwater Basin Inlet	27
1061	Stormwater Basin Inlet	27
1062	Stormwater Basin Inlet	27
1063	Stormwater Basin Inlet	27
1064	Stormwater Basin Inlet	27
1065	Stormwater Basin Inlet	27
1066	Stormwater Basin Inlet	27
1067	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1068	Stormwater Basin Inlet	27
1069	Stormwater Basin Inlet	27
1070	Stormwater Basin Inlet	27
1071	Stormwater Basin Inlet	27
1072	Stormwater Basin Inlet	27
1073	Stormwater Basin Inlet	27
1074	Stormwater Basin Inlet	27
1075	Stormwater Basin Inlet	27
1076	Stormwater Basin Inlet	27
1079	Stormwater Basin Inlet	27
1080	Stormwater Basin Inlet	27
1081	Stormwater Basin Inlet	27
1082	Stormwater Basin Inlet	27
1087	Stormwater Basin Inlet	27
1088	Stormwater Basin Inlet	27
1089	Stormwater Basin Inlet	27
1090	Stormwater Basin Inlet	27
1091	Stormwater Basin Inlet	27
1092	Stormwater Basin Inlet	27
1093	Stormwater Basin Inlet	27
1094	Stormwater Basin Inlet	27
1095	Stormwater Basin Inlet	27
1096	Stormwater Basin Inlet	27
1097	Stormwater Basin Inlet	27
1098	Stormwater Basin Inlet	27
1099	Stormwater Basin Inlet	27
1100	Stormwater Basin Inlet	27
1101	Stormwater Basin Inlet	27
1102	Stormwater Basin Inlet	27
1103	Stormwater Basin Inlet	27
1104	Stormwater Basin Inlet	27
1105	Stormwater Basin Inlet	27
1106	Stormwater Basin Inlet	27
1107	Stormwater Basin Inlet	27
1108	Stormwater Basin Inlet	27
1109	Stormwater Basin Inlet	27
1110	Stormwater Basin Inlet	27
1111	Stormwater Basin Inlet	27
1112	Stormwater Basin Inlet	27
1113	Stormwater Basin Inlet	27
1114	Stormwater Basin Inlet	27
1115	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1116	Stormwater Basin Inlet	27
1117	Stormwater Basin Inlet	27
1118	Stormwater Basin Inlet	27
1122	Stormwater Basin Inlet	27
1123	Stormwater Basin Inlet	27
1124	Stormwater Basin Inlet	27
1125	Stormwater Basin Inlet	27
1130	Stormwater Basin Inlet	27
1131	Stormwater Basin Inlet	27
1132	Stormwater Basin Inlet	27
1133	Stormwater Basin Inlet	27
1134	Stormwater Basin Inlet	27
1135	Stormwater Basin Inlet	27
1136	Stormwater Basin Inlet	27
1137	Stormwater Basin Inlet	27
1138	Stormwater Basin Inlet	27
1139	Stormwater Basin Inlet	27
1143	Stormwater Basin Inlet	27
1144	Stormwater Basin Inlet	27
1145	Stormwater Basin Inlet	27
1155	Stormwater Basin Inlet	27
1158	Stormwater Basin Inlet	27
1159	Stormwater Basin Inlet	27
1160	Stormwater Basin Inlet	27
1163	Stormwater Basin Inlet	27
1164	Stormwater Basin Inlet	27
1165	Stormwater Basin Inlet	27
1166	Stormwater Basin Inlet	27
1167	Stormwater Basin Inlet	27
1168	Stormwater Basin Inlet	27
1169	Stormwater Basin Inlet	27
1170	Stormwater Basin Inlet	27
1171	Stormwater Basin Inlet	27
1172	Stormwater Basin Inlet	27
1173	Stormwater Basin Inlet	27
1174	Stormwater Basin Inlet	27
1175	Stormwater Basin Inlet	27
1176	Stormwater Basin Inlet	27
1177	Stormwater Basin Inlet	27
1178	Stormwater Basin Inlet	27
1179	Stormwater Basin Inlet	27
1180	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1181	Stormwater Basin Inlet	27
1189	Stormwater Basin Inlet	27
1192	Stormwater Basin Inlet	27
1197	Stormwater Basin Inlet	27
1198	Stormwater Basin Inlet	27
1200	Stormwater Basin Inlet	27
1209	Stormwater Basin Inlet	27
1210	Stormwater Basin Inlet	27
1212	Stormwater Basin Inlet	27
1213	Stormwater Basin Inlet	27
1218	Stormwater Basin Inlet	27
1219	Stormwater Basin Inlet	27
1221	Stormwater Basin Inlet	27
1222	Stormwater Basin Inlet	27
1223	Stormwater Basin Inlet	27
1224	Stormwater Basin Inlet	27
1228	Stormwater Basin Inlet	27
1229	Stormwater Basin Inlet	27
1231	Stormwater Basin Inlet	27
1232	Stormwater Basin Inlet	27
1233	Stormwater Basin Inlet	27
1234	Stormwater Basin Inlet	27
1235	Stormwater Basin Inlet	27
1236	Stormwater Basin Inlet	27
1237	Stormwater Basin Inlet	27
1238	Stormwater Basin Inlet	27
1239	Stormwater Basin Inlet	27
1240	Stormwater Basin Inlet	27
1241	Stormwater Basin Inlet	27
1242	Stormwater Basin Inlet	27
1243	Stormwater Basin Inlet	27
1246	Stormwater Basin Inlet	27
1247	Stormwater Basin Inlet	27
1248	Stormwater Basin Inlet	27
1249	Stormwater Basin Inlet	27
1250	Stormwater Basin Inlet	27
1251	Stormwater Basin Inlet	27
1252	Stormwater Basin Inlet	27
1253	Stormwater Basin Inlet	27
1254	Stormwater Basin Inlet	27
1255	Stormwater Basin Inlet	27
1256	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1257	Stormwater Basin Inlet	27
1258	Stormwater Basin Inlet	27
1259	Stormwater Basin Inlet	27
1260	Stormwater Basin Inlet	27
1261	Stormwater Basin Inlet	27
1262	Stormwater Basin Inlet	27
1263	Stormwater Basin Inlet	27
1271	Stormwater Basin Inlet	27
1272	Stormwater Basin Inlet	27
1273	Stormwater Basin Inlet	27
1274	Stormwater Basin Inlet	27
1275	Stormwater Basin Inlet	27
1276	Stormwater Basin Inlet	27
1279	Stormwater Basin Inlet	27
1280	Stormwater Basin Inlet	27
1281	Stormwater Basin Inlet	27
1285	Stormwater Basin Inlet	27
1292	Stormwater Basin Inlet	27
1293	Stormwater Basin Inlet	27
1294	Stormwater Basin Inlet	27
1295	Stormwater Basin Inlet	27
1296	Stormwater Basin Inlet	27
1297	Stormwater Basin Inlet	27
1298	Stormwater Basin Inlet	27
1299	Stormwater Basin Inlet	27
1300	Stormwater Basin Inlet	27
1301	Stormwater Basin Inlet	27
1302	Stormwater Basin Inlet	27
1303	Stormwater Basin Inlet	27
1304	Stormwater Basin Inlet	27
1305	Stormwater Basin Inlet	27
1306	Stormwater Basin Inlet	27
1307	Stormwater Basin Inlet	27
1309	Stormwater Basin Inlet	27
1310	Stormwater Basin Inlet	27
1311	Stormwater Basin Inlet	27
1312	Stormwater Basin Inlet	27
1313	Stormwater Basin Inlet	27
1314	Stormwater Basin Inlet	27
1315	Stormwater Basin Inlet	27
1317	Stormwater Basin Inlet	27
1318	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1319	Stormwater Basin Inlet	27
1320	Stormwater Basin Inlet	27
1321	Stormwater Basin Inlet	27
1322	Stormwater Basin Inlet	27
1323	Stormwater Basin Inlet	27
1324	Stormwater Basin Inlet	27
1325	Stormwater Basin Inlet	27
1326	Stormwater Basin Inlet	27
1327	Stormwater Basin Inlet	27
1328	Stormwater Basin Inlet	27
1329	Stormwater Basin Inlet	27
1330	Stormwater Basin Inlet	27
1331	Stormwater Basin Inlet	27
1332	Stormwater Basin Inlet	27
1333	Stormwater Basin Inlet	27
1334	Stormwater Basin Inlet	27
1335	Stormwater Basin Inlet	27
1336	Stormwater Basin Inlet	27
1337	Stormwater Basin Inlet	27
1338	Stormwater Basin Inlet	27
1339	Stormwater Basin Inlet	27
1340	Stormwater Basin Inlet	27
1341	Stormwater Basin Inlet	27
1342	Stormwater Basin Inlet	27
1343	Stormwater Basin Inlet	27
1344	Stormwater Basin Inlet	27
1345	Stormwater Basin Inlet	27
1346	Stormwater Basin Inlet	27
1347	Stormwater Basin Inlet	27
1348	Stormwater Basin Inlet	27
1349	Stormwater Basin Inlet	27
1350	Stormwater Basin Inlet	27
1351	Stormwater Basin Inlet	27
1352	Stormwater Basin Inlet	27
1353	Stormwater Basin Inlet	27
1354	Stormwater Basin Inlet	27
1355	Stormwater Basin Inlet	27
1356	Stormwater Basin Inlet	27
1357	Stormwater Basin Inlet	27
1358	Stormwater Basin Inlet	27
1359	Stormwater Basin Inlet	27
1360	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1362	Stormwater Basin Inlet	27
1363	Stormwater Basin Inlet	27
1364	Stormwater Basin Inlet	27
1365	Stormwater Basin Inlet	27
1366	Stormwater Basin Inlet	27
1367	Stormwater Basin Inlet	27
1368	Stormwater Basin Inlet	27
1369	Stormwater Basin Inlet	27
1377	Stormwater Basin Inlet	27
1378	Stormwater Basin Inlet	27
1379	Stormwater Basin Inlet	27
1380	Stormwater Basin Inlet	27
1381	Stormwater Basin Inlet	27
1382	Stormwater Basin Inlet	27
1383	Stormwater Basin Inlet	27
1390	Stormwater Basin Inlet	27
1395	Stormwater Basin Inlet	27
1396	Stormwater Basin Inlet	27
1397	Stormwater Basin Inlet	27
1399	Stormwater Basin Inlet	27
1400	Stormwater Basin Inlet	27
1401	Stormwater Basin Inlet	27
1402	Stormwater Basin Inlet	27
1408	Stormwater Basin Inlet	27
1409	Stormwater Basin Inlet	27
1410	Stormwater Basin Inlet	27
1411	Stormwater Basin Inlet	27
1412	Stormwater Basin Inlet	27
1413	Stormwater Basin Inlet	27
1414	Stormwater Basin Inlet	27
1415	Stormwater Basin Inlet	27
1416	Stormwater Basin Inlet	27
1417	Stormwater Basin Inlet	27
1418	Stormwater Basin Inlet	27
1419	Stormwater Basin Inlet	27
1422	Stormwater Basin Inlet	27
1423	Stormwater Basin Inlet	27
1424	Stormwater Basin Inlet	27
1425	Stormwater Basin Inlet	27
1426	Stormwater Basin Inlet	27
1427	Stormwater Basin Inlet	27
1428	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1429	Stormwater Basin Inlet	27
1430	Stormwater Basin Inlet	27
1431	Stormwater Basin Inlet	27
1432	Stormwater Basin Inlet	27
1433	Stormwater Basin Inlet	27
1434	Stormwater Basin Inlet	27
1435	Stormwater Basin Inlet	27
1440	Stormwater Basin Inlet	27
1441	Stormwater Basin Inlet	27
1442	Stormwater Basin Inlet	27
1443	Stormwater Basin Inlet	27
1444	Stormwater Basin Inlet	27
1445	Stormwater Basin Inlet	27
1446	Stormwater Basin Inlet	27
1447	Stormwater Basin Inlet	27
1448	Stormwater Basin Inlet	27
1449	Stormwater Basin Inlet	27
1450	Stormwater Basin Inlet	27
1451	Stormwater Basin Inlet	27
1455	Stormwater Basin Inlet	27
1456	Stormwater Basin Inlet	27
1457	Stormwater Basin Inlet	27
1458	Stormwater Basin Inlet	27
1459	Stormwater Basin Inlet	27
1460	Stormwater Basin Inlet	27
1461	Stormwater Basin Inlet	27
1462	Stormwater Basin Inlet	27
1463	Stormwater Basin Inlet	27
1464	Stormwater Basin Inlet	27
1465	Stormwater Basin Inlet	27
1466	Stormwater Basin Inlet	27
1467	Stormwater Basin Inlet	27
1468	Stormwater Basin Inlet	27
1469	Stormwater Basin Inlet	27
1470	Stormwater Basin Inlet	27
1474	Stormwater Basin Inlet	27
1475	Stormwater Basin Inlet	27
1476	Stormwater Basin Inlet	27
1480	Stormwater Basin Inlet	27
1485	Stormwater Basin Inlet	27
1486	Stormwater Basin Inlet	27
1487	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1489	Stormwater Basin Inlet	27
1493	Stormwater Basin Inlet	27
1494	Stormwater Basin Inlet	27
1495	Stormwater Basin Inlet	27
1496	Stormwater Basin Inlet	27
1498	Stormwater Basin Inlet	27
1499	Stormwater Basin Inlet	27
1500	Stormwater Basin Inlet	27
1501	Stormwater Basin Inlet	27
1502	Stormwater Basin Inlet	27
1503	Stormwater Basin Inlet	27
1506	Stormwater Basin Inlet	27
1507	Stormwater Basin Inlet	27
1510	Stormwater Basin Inlet	27
1511	Stormwater Basin Inlet	27
1512	Stormwater Basin Inlet	27
1513	Stormwater Basin Inlet	27
1514	Stormwater Basin Inlet	27
1515	Stormwater Basin Inlet	27
1521	Stormwater Basin Inlet	27
1524	Stormwater Basin Inlet	27
1525	Stormwater Basin Inlet	27
1526	Stormwater Basin Inlet	27
1527	Stormwater Basin Inlet	27
1528	Stormwater Basin Inlet	27
1531	Stormwater Basin Inlet	27
1532	Stormwater Basin Inlet	27
1533	Stormwater Basin Inlet	27
1540	Stormwater Basin Inlet	27
1541	Stormwater Basin Inlet	27
1542	Stormwater Basin Inlet	27
1543	Stormwater Basin Inlet	27
1544	Stormwater Basin Inlet	27
1552	Stormwater Basin Inlet	27
1558	Stormwater Basin Inlet	27
1564	Stormwater Basin Inlet	27
1565	Stormwater Basin Inlet	27
1566	Stormwater Basin Inlet	27
1567	Stormwater Basin Inlet	27
1568	Stormwater Basin Inlet	27
1569	Stormwater Basin Inlet	27
1570	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1571	Stormwater Basin Inlet	27
1575	Stormwater Basin Inlet	27
1576	Stormwater Basin Inlet	27
1577	Stormwater Basin Inlet	27
1579	Stormwater Basin Inlet	27
1581	Stormwater Basin Inlet	27
1582	Stormwater Basin Inlet	27
1583	Stormwater Basin Inlet	27
1584	Stormwater Basin Inlet	27
1585	Stormwater Basin Inlet	27
1586	Stormwater Basin Inlet	27
1587	Stormwater Basin Inlet	27
1591	Stormwater Basin Inlet	27
1592	Stormwater Basin Inlet	27
1593	Stormwater Basin Inlet	27
1594	Stormwater Basin Inlet	27
1595	Stormwater Basin Inlet	27
1596	Stormwater Basin Inlet	27
1597	Stormwater Basin Inlet	27
1598	Stormwater Basin Inlet	27
1599	Stormwater Basin Inlet	27
1601	Stormwater Basin Inlet	27
1602	Stormwater Basin Inlet	27
1611	Stormwater Basin Inlet	27
1612	Stormwater Basin Inlet	27
1616	Stormwater Basin Inlet	27
1617	Stormwater Basin Inlet	27
1618	Stormwater Basin Inlet	27
1619	Stormwater Basin Inlet	27
1625	Stormwater Basin Inlet	27
1630	Stormwater Basin Inlet	27
1634	Stormwater Basin Inlet	27
1639	Stormwater Basin Inlet	27
1640	Stormwater Basin Inlet	27
1643	Stormwater Basin Inlet	27
1644	Stormwater Basin Inlet	27
1645	Stormwater Basin Inlet	27
1646	Stormwater Basin Inlet	27
1647	Stormwater Basin Inlet	27
1648	Stormwater Basin Inlet	27
1649	Stormwater Basin Inlet	27
1650	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1651	Stormwater Basin Inlet	27
1652	Stormwater Basin Inlet	27
1653	Stormwater Basin Inlet	27
1655	Stormwater Basin Inlet	27
1656	Stormwater Basin Inlet	27
1657	Stormwater Basin Inlet	27
1658	Stormwater Basin Inlet	27
1659	Stormwater Basin Inlet	27
1664	Stormwater Basin Inlet	27
1668	Stormwater Basin Inlet	27
1669	Stormwater Basin Inlet	27
1673	Stormwater Basin Inlet	27
1736	Stormwater Basin Inlet	27
1737	Stormwater Basin Inlet	27
1738	Stormwater Basin Inlet	27
1741	Stormwater Basin Inlet	27
1742	Stormwater Basin Inlet	27
1743	Stormwater Basin Inlet	27
1744	Stormwater Basin Inlet	27
1745	Stormwater Basin Inlet	27
1746	Stormwater Basin Inlet	27
1747	Stormwater Basin Inlet	27
1748	Stormwater Basin Inlet	27
1749	Stormwater Basin Inlet	27
1750	Stormwater Basin Inlet	27
1751	Stormwater Basin Inlet	27
1752	Stormwater Basin Inlet	27
1753	Stormwater Basin Inlet	27
1754	Stormwater Basin Inlet	27
1755	Stormwater Basin Inlet	27
1756	Stormwater Basin Inlet	27
1757	Stormwater Basin Inlet	27
1758	Stormwater Basin Inlet	27
1759	Stormwater Basin Inlet	27
1760	Stormwater Basin Inlet	27
1761	Stormwater Basin Inlet	27
1762	Stormwater Basin Inlet	27
1763	Stormwater Basin Inlet	27
1764	Stormwater Basin Inlet	27
1765	Stormwater Basin Inlet	27
1766	Stormwater Basin Inlet	27
1767	Stormwater Basin Inlet	27

Table 3-8. Ranked Consequence Score
 ALL ASSETS
 Coastal Vulnerability Assessment
 Town of Palm Beach

ASSET	TYPE	CONSEQUENCE SCORE
1768	Stormwater Basin Inlet	27
1769	Stormwater Basin Inlet	27
1770	Stormwater Basin Inlet	27
1771	Stormwater Basin Inlet	27
1772	Stormwater Basin Inlet	27
1773	Stormwater Basin Inlet	27
1774	Stormwater Basin Inlet	27
1775	Stormwater Basin Inlet	27
1776	Stormwater Basin Inlet	27
1777	Stormwater Basin Inlet	27
1778	Stormwater Basin Inlet	27
1779	Stormwater Basin Inlet	27
1780	Stormwater Basin Inlet	27
1781	Stormwater Basin Inlet	27
1782	Stormwater Basin Inlet	27
1783	Stormwater Basin Inlet	27
Life Guard Office	Buildings	23
Tennis Office	Buildings	23
Par 3 Maint bldg	Buildings	23
Tennis Office	Buildings	23
Life Guard	Buildings	23
TANGIER/MIRAFLORES PARK	Parks	23
Storage	Buildings	20
Tennis Storage	Buildings	20
Tennis Pavillion	Buildings	20



Table 4-9. Combined Coastal Vulnerability Index Summary

All Assets

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
PHIPPS OCEAN PARK	Parks	56
MUNICIPAL DOCKS	Parks	48
SOUTHERN BLVD. CAUSEWAY	Parks	40
10362 Royal Palm Way	Street	37
Sani Sailor	Sewer_LiftStations	36
BARTON PARK/MUNICIPAL POOL	Parks	33
BRADLEY PARK	Parks	33
17192 N Ocean Blvd	Street	31
E-04	Sewer_LiftStations	30
Sani Sailor	Sewer_LiftStations	29
1550	Inlet	27
8	Stormwater_PumpStations	25
G-07	Sewer_LiftStations	24
Sani Sailor	Sewer_LiftStations	24
1296	Inlet	24
12	Stormwater_PumpStations	23
12223 Tarpon Way	Street	22
10362 Royal Palm Way	Street	20
10362 Royal Palm Way	Street	20
3	Stormwater_PumpStations	19
Town Hall	Buildings	19
E-12	Sewer_LiftStations	19
4075 Dunbar Rd	Street	19
4	Stormwater_PumpStations	18
North Fire Station	Buildings	18
755	Inlet	18
1174	Inlet	18
1413	Inlet	18
1549	Inlet	18
Brazilian Docs	Buildings	18
SPB STA	Sewer_LiftStations	17
E-13	Sewer_LiftStations	17
21	Stormwater_PumpStations	17
1414	Inlet	17
E-05	Sewer_LiftStations	17
E-50	Sewer_LiftStations	17
11863 Sunset Ave	Street	17
E-02	Sewer_LiftStations	17
7	Stormwater_PumpStations	16
10371 Royal Poinciana Way	Street	16
10371 Royal Poinciana Way	Street	16
10371 Royal Poinciana Way	Street	16
G-01	Sewer_LiftStations	16

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
A-06	Sewer_LiftStations	16
13324 Wells Rd	Street	16
E-07	Sewer_LiftStations	16
11131 Seminole Ave	Street	16
1186	Inlet	16
E-09	Sewer_LiftStations	15
E-10	Sewer_LiftStations	15
E-11	Sewer_LiftStations	15
9	Stormwater_PumpStations	15
22	Stormwater_PumpStations	15
10371 Royal Poinciana Way	Street	15
EverG-Club	Sewer_LiftStations	15
6	Stormwater_PumpStations	15
13783 Worth Ave	Street	15
18	Stormwater_PumpStations	15
0	Stormwater_PumpStations	15
2	Stormwater_PumpStations	15
E-15	Sewer_LiftStations	15
E-16	Sewer_LiftStations	15
1294	Inlet	15
20	Stormwater_PumpStations	15
17046 S Lake Trl	Street	15
10362 Royal Palm Way	Street	15
10362 Royal Palm Way	Street	15
MUNICIPAL BEACH	Parks	15
8041 N Lake Way	Street	15
8041 N Lake Way	Street	15
8041 N Lake Way	Street	15
1	Stormwater_PumpStations	15
8041 N Lake Way	Street	15
E-14	Sewer_LiftStations	15
8041 N Lake Way	Street	15
17	Stormwater_PumpStations	15
E-20	Sewer_LiftStations	14
7979 N County Rd	Street	14
7979 N County Rd	Street	14
7979 N County Rd	Street	14
10371 Royal Poinciana Way	Street	14
10371 Royal Poinciana Way	Street	14
7979 N County Rd	Street	14
Australian Docs	Buildings	14
A-07	Sewer_LiftStations	14

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
Police	Buildings	14
19	Stormwater_PumpStations	14
7979 N County Rd	Street	14
7979 N County Rd	Street	14
E-06	Sewer_LiftStations	14
8041 N Lake Way	Street	14
8081 N Ocean Way	Street	14
8041 N Lake Way	Street	14
8041 N Lake Way	Street	14
8041 N Lake Way	Street	14
8041 N Lake Way	Street	14
5	Stormwater_PumpStations	14
11	Stormwater_PumpStations	14
8041 N Lake Way	Street	14
8081 N Ocean Way	Street	14
8081 N Ocean Way	Street	14
8081 N Ocean Way	Street	14
8041 N Lake Way	Street	14
8040 N Lake Trl	Street	14
8041 N Lake Way	Street	14
8041 N Lake Way	Street	14
7979 N County Rd	Street	14
7979 N County Rd	Street	14
7979 N County Rd	Street	14
7979 N County Rd	Street	14
7979 N County Rd	Street	14
7979 N County Rd	Street	14
8041 N Lake Way	Street	14
8041 N Lake Way	Street	14
8041 N Lake Way	Street	14
8041 N Lake Way	Street	14
7979 N County Rd	Street	14
7979 N County Rd	Street	14
8081 N Ocean Way	Street	14
7979 N County Rd	Street	14
7979 N County Rd	Street	14
17192 N Ocean Blvd	Street	14
17192 N Ocean Blvd	Street	14
17192 N Ocean Blvd	Street	14
17192 N Ocean Blvd	Street	14
17192 N Ocean Blvd	Street	14
17192 N Ocean Blvd	Street	14

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
8041 N Lake Way	Street	14
7979 N County Rd	Street	13
8041 N Lake Way	Street	13
8041 N Lake Way	Street	13
8041 N Lake Way	Street	13
17192 N Ocean Blvd	Street	13
10	Stormwater_PumpStations	13
17192 N Ocean Blvd	Street	13
8041 N Lake Way	Street	13
E-23	Sewer_LiftStations	13
8041 N Lake Way	Street	13
8041 N Lake Way	Street	13
7979 N County Rd	Street	13
7979 N County Rd	Street	13
17192 N Ocean Blvd	Street	13
17192 N Ocean Blvd	Street	13
17192 N Ocean Blvd	Street	13
766	Inlet	13
767	Inlet	13
768	Inlet	13
769	Inlet	13
780	Inlet	13
1376	Inlet	13
1545	Inlet	13
1546	Inlet	13
1547	Inlet	13
1548	Inlet	13
772	Inlet	13
781	Inlet	13
1370	Inlet	13
7979 N County Rd	Street	13
SEAVIEW AVENUE PARK	Parks	13
1152	Inlet	13
1153	Inlet	13
1371	Inlet	13
1375	Inlet	13
1436	Inlet	13
1374	Inlet	13
1373	Inlet	13
E-19	Sewer_LiftStations	13
1372	Inlet	13
7979 N County Rd	Street	13

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
8041 N Lake Way	Street	13
938	Inlet	13
777	Inlet	13
8041 N Lake Way	Street	13
17192 N Ocean Blvd	Street	13
10595 S Ocean Blvd	Street	13
17192 N Ocean Blvd	Street	13
7979 N County Rd	Street	13
A-41	Sewer_LiftStations	13
E-03	Sewer_LiftStations	13
Rec Center	Buildings	13
8	Inlet	13
779	Inlet	13
8081 N Ocean Way	Street	13
463	Inlet	13
1437	Inlet	13
771	Inlet	12
Central Fire	Buildings	12
462	Inlet	12
7979 N County Rd	Street	12
770	Inlet	12
7979 N County Rd	Street	12
E-18	Sewer_LiftStations	12
12723 Via Del Mar	Street	12
8041 N Lake Way	Street	12
A-04	Sewer_LiftStations	12
8041 N Lake Way	Street	12
8041 N Lake Way	Street	12
8081 N Ocean Way	Street	12
15	Stormwater_PumpStations	12
8041 N Lake Way	Street	12
13783 Worth Ave	Street	12
8041 N Lake Way	Street	12
7979 N County Rd	Street	12
243	Inlet	12
12694 Via Bellaria	Street	12
8081 N Ocean Way	Street	12
10595 S Ocean Blvd	Street	12
PVT	Sewer_LiftStations	12
10595 S Ocean Blvd	Street	12
E-21	Sewer_LiftStations	12
E-01	Sewer_LiftStations	12

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
529	Inlet	11
8041 N Lake Way	Street	11
10595 S Ocean Blvd	Street	11
8041 N Lake Way	Street	11
1151	Inlet	11
8081 N Ocean Way	Street	11
E-17	Sewer_LiftStations	11
939	Inlet	11
445	Inlet	11
447	Inlet	11
453	Inlet	11
465	Inlet	11
1471	Inlet	11
1472	Inlet	11
1518	Inlet	11
1519	Inlet	11
1520	Inlet	11
1588	Inlet	11
10595 S Ocean Blvd	Street	11
1517	Inlet	11
466	Inlet	11
1590	Inlet	11
4968 Four Arts Plz	Street	11
11109 Seaview Ave	Street	11
467	Inlet	11
471	Inlet	11
472	Inlet	11
473	Inlet	11
1453	Inlet	11
9459 Peruvian Ave	Street	11
1440 Atlantic Ave	Street	11
1454	Inlet	11
1516	Inlet	11
941	Inlet	11
756	Inlet	11
S-02	Sewer_LiftStations	11
13783 Worth Ave	Street	11
442	Inlet	11
2260 Bradley Pl	Street	11
2260 Bradley Pl	Street	11
8986 Oleander Ave	Street	11
9265 Park Ave	Street	11

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
E-08	Sewer_LiftStations	11
11855 Sunrise Ave	Street	11
12223 Tarpon Way	Street	11
580	Inlet	11
583	Inlet	11
584	Inlet	11
590	Inlet	11
593	Inlet	11
1282	Inlet	11
1283	Inlet	11
1284	Inlet	11
1529	Inlet	11
1530	Inlet	11
1534	Inlet	11
1538	Inlet	11
8041 N Lake Way	Street	11
1539	Inlet	11
649	Inlet	11
13475 Whitehall Way	Street	11
807	Inlet	11
808	Inlet	11
809	Inlet	11
810	Inlet	11
814	Inlet	11
815	Inlet	11
816	Inlet	11
817	Inlet	11
818	Inlet	11
819	Inlet	11
820	Inlet	11
821	Inlet	11
822	Inlet	11
823	Inlet	11
825	Inlet	11
826	Inlet	11
827	Inlet	11
829	Inlet	11
1405	Inlet	11
1406	Inlet	11
136	Inlet	11
140	Inlet	11
141	Inlet	11

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
142	Inlet	11
162	Inlet	11
163	Inlet	11
164	Inlet	11
165	Inlet	11
166	Inlet	11
1407	Inlet	11
1202	Inlet	11
1201	Inlet	11
828	Inlet	11
824	Inlet	11
380	Inlet	11
167	Inlet	11
1336	Inlet	11
168	Inlet	11
210	Inlet	11
169	Inlet	11
831	Inlet	11
581	Inlet	11
174	Inlet	11
175	Inlet	11
176	Inlet	11
1479	Inlet	11
1404	Inlet	10
1563	Inlet	10
1562	Inlet	10
830	Inlet	10
211	Inlet	10
1155	Inlet	10
832	Inlet	10
833	Inlet	10
834	Inlet	10
840	Inlet	10
841	Inlet	10
842	Inlet	10
843	Inlet	10
844	Inlet	10
845	Inlet	10
846	Inlet	10
1559	Inlet	10
1560	Inlet	10
1561	Inlet	10

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
598	Inlet	10
8041 N Lake Way	Street	10
1537	Inlet	10
11459 Southern Blvd	Street	10
179	Inlet	10
180	Inlet	10
181	Inlet	10
198	Inlet	10
199	Inlet	10
201	Inlet	10
202	Inlet	10
205	Inlet	10
207	Inlet	10
209	Inlet	10
451	Inlet	10
208	Inlet	10
407	Inlet	10
406	Inlet	10
444	Inlet	10
1497	Inlet	10
403	Inlet	10
937	Inlet	10
8041 N Lake Way	Street	10
1403	Inlet	10
412	Inlet	10
414	Inlet	10
415	Inlet	10
416	Inlet	10
417	Inlet	10
440	Inlet	10
1452	Inlet	10
1508	Inlet	10
1509	Inlet	10
1522	Inlet	10
375	Inlet	10
10362 Royal Palm Way	Street	10
404	Inlet	10
419	Inlet	10
420	Inlet	10
421	Inlet	10
422	Inlet	10
1504	Inlet	10

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1505	Inlet	10
1535	Inlet	10
156	Inlet	10
157	Inlet	10
158	Inlet	10
159	Inlet	10
1290	Inlet	10
1291	Inlet	10
495	Inlet	10
1277	Inlet	10
1278	Inlet	10
214	Inlet	10
215	Inlet	10
230	Inlet	10
266	Inlet	10
267	Inlet	10
268	Inlet	10
269	Inlet	10
270	Inlet	10
271	Inlet	10
272	Inlet	10
1214	Inlet	10
1215	Inlet	10
1216	Inlet	10
1217	Inlet	10
1289	Inlet	10
16	Stormwater_PumpStations	10
579	Inlet	10
616	Inlet	10
1288	Inlet	10
1557	Inlet	10
197	Inlet	10
1203	Inlet	10
1204	Inlet	10
1205	Inlet	10
1478	Inlet	10
1211	Inlet	10
1611	Inlet	10
246	Inlet	10
247	Inlet	10
273	Inlet	10
277	Inlet	10

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
8081 N Ocean Way	Street	10
402	Inlet	10
582	Inlet	10
278	Inlet	10
125	Inlet	10
126	Inlet	10
127	Inlet	10
128	Inlet	10
1199	Inlet	10
1394	Inlet	10
647	Inlet	10
405	Inlet	10
438	Inlet	10
646	Inlet	10
1735	Inlet	10
109	Inlet	10
112	Inlet	10
113	Inlet	10
589	Inlet	10
114	Inlet	10
7979 N County Rd	Street	10
597	Inlet	10
587	Inlet	10
588	Inlet	10
591	Inlet	10
592	Inlet	10
618	Inlet	10
619	Inlet	10
1536	Inlet	10
10595 S Ocean Blvd	Street	10
194	Inlet	10
195	Inlet	10
196	Inlet	10
241	Inlet	10
242	Inlet	10
10370 Royal Poinciana Plz	Street	10
511	Inlet	10
512	Inlet	10
291	Inlet	10
835	Inlet	10
335	Inlet	10
8041 N Lake Way	Street	10

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
8041 N Lake Way	Street	10
8041 N Lake Way	Street	10
524	Inlet	10
E-22	Sewer_LiftStations	10
378	Inlet	10
1185	Inlet	10
778	Inlet	10
332	Inlet	10
1438	Inlet	10
1734	Inlet	10
1230	Inlet	10
17192 N Ocean Blvd	Street	10
17192 N Ocean Blvd	Street	10
8041 N Lake Way	Street	10
CLARKE AVENUE BEACH	Parks	10
3	Inlet	10
8041 N Lake Way	Street	10
8041 N Lake Way	Street	10
333	Inlet	10
1740	Inlet	10
359	Inlet	10
379	Inlet	10
3142 Clarendon Ave	Street	10
8041 N Lake Way	Street	10
A-39	Sewer_LiftStations	10
513	Inlet	9
155	Inlet	9
525	Inlet	9
4403 El Bravo Way	Street	9
1604	Inlet	9
8081 N Ocean Way	Street	9
377	Inlet	9
219	Inlet	9
376	Inlet	9
411	Inlet	9
153	Inlet	9
1733	Inlet	9
10841 Sanford Ave	Street	9
4498 Emerald Ln	Street	9
1244	Inlet	9
17192 N Ocean Blvd	Street	9
1245	Inlet	9

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1415	Inlet	9
8041 N Lake Way	Street	9
91	Inlet	9
98	Inlet	9
99	Inlet	9
100	Inlet	9
101	Inlet	9
124	Inlet	9
120	Inlet	9
514	Inlet	9
119	Inlet	9
121	Inlet	9
122	Inlet	9
151	Inlet	9
1574	Inlet	9
7979 N County Rd	Street	9
17192 N Ocean Blvd	Street	9
17192 N Ocean Blvd	Street	9
8081 N Ocean Way	Street	9
8081 N Ocean Way	Street	9
1688	Inlet	9
17192 N Ocean Blvd	Street	9
17192 N Ocean Blvd	Street	9
17192 N Ocean Blvd	Street	9
90	Inlet	9
152	Inlet	9
1603	Inlet	9
154	Inlet	9
13619 Windsor Ct	Street	9
3012 Cherry Ln	Street	9
13085 W Indies Dr	Street	9
3230 Coconut Row	Street	9
384	Inlet	9
7979 N County Rd	Street	9
725	Inlet	9
726	Inlet	9
727	Inlet	9
728	Inlet	9
723	Inlet	9
724	Inlet	9
1762	Inlet	9
1763	Inlet	9

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
6562 La Puerta Way	Street	9
1711	Inlet	9
1757	Inlet	9
1759	Inlet	9
1760	Inlet	9
1761	Inlet	9
1764	Inlet	9
1765	Inlet	9
A-05	Sewer_LiftStations	9
6706 Lake Trail Cir	Street	9
4426 El Pueblo Way	Street	9
722	Inlet	9
919	Inlet	9
923	Inlet	9
924	Inlet	9
925	Inlet	9
926	Inlet	9
927	Inlet	9
940	Inlet	9
942	Inlet	9
943	Inlet	9
944	Inlet	9
936	Inlet	9
806	Inlet	9
123	Inlet	9
805	Inlet	9
804	Inlet	9
8041 N Lake Way	Street	9
1758	Inlet	9
12790 Via Palma	Street	9
6134 Island Rd	Street	9
1260 Antigua Ln	Street	9
4403 El Bravo Way	Street	9
409	Inlet	9
1132	Inlet	9
928	Inlet	9
929	Inlet	9
1708	Inlet	9
1709	Inlet	9
1710	Inlet	9
759	Inlet	9
764	Inlet	9

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
761	Inlet	9
762	Inlet	9
763	Inlet	9
773	Inlet	9
4430 El Vedado Rd	Street	9
6298 Jungle Rd	Street	9
1477	Inlet	9
439	Inlet	9
1059	Inlet	9
1060	Inlet	9
1061	Inlet	9
9400 Pelican Ln	Street	9
4404 El Brillo Way	Street	9
29308 Primavera Ave	Street	8
5102 Garden Rd	Street	8
10595 S Ocean Blvd	Street	8
10595 S Ocean Blvd	Street	8
4347 Eden Rd	Street	8
8041 N Lake Way	Street	8
10136 Ridgeview Dr	Street	8
12721 Via Del Lago	Street	8
436	Inlet	8
276	Inlet	8
1555	Inlet	8
4826 Flagler Memorial Bridge	Street	8
386	Inlet	8
12832 Via Tortuga	Street	8
1589	Inlet	8
3391 Coral Ln	Street	8
3579 Crescent Dr	Street	8
5492 Gulfstream Rd	Street	8
1323	Inlet	8
10076 Regents Park Rd	Street	8
1681	Inlet	8
1582 Bahama Ln	Street	8
10562 S Lake Dr	Street	8
10595 S Ocean Blvd	Street	8
12861 Via Vizcaya	Street	8
1579	Inlet	8
1687	Inlet	8
879	Inlet	8
1064	Inlet	8

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
13	Stormwater_PumpStations	8
N Ocean Blvd	Beach Access	8
17513 Australian Ave	Street	8
2280 Brazilian Ave	Street	8
3052 Chilean Ave	Street	8
5762 Hibiscus Ave	Street	8
1705	Inlet	8
1645 Banyan Rd	Street	8
1704	Inlet	8
1706	Inlet	8
3230 Cocconut Row	Street	8
2980 Chateaux Dr	Street	8
1700	Inlet	8
3498 Country Club Rd	Street	8
92	Inlet	8
93	Inlet	8
94	Inlet	8
1699	Inlet	8
11382 Slope Trl	Street	8
4670 Fairview Rd	Street	8
10136 Ridgeview Dr	Street	8
526	Inlet	8
527	Inlet	8
11107 Seaspray Ave	Street	8
10496 S County Rd	Street	8
2283 Breakers Row	Street	8
3231 Cocconut Walk	Street	8
9590 Pine Walk	Street	8
1686	Inlet	8
1690	Inlet	8
7750 Mockingbird Trl	Street	8
3148 Clarke Ave	Street	8
1709 Barton Ave	Street	8
1695	Inlet	8
1696	Inlet	8
1697	Inlet	8
11469 Southland Rd	Street	8
12761 Via Linda	Street	8
E-38	Sewer_LiftStations	8
1694	Inlet	8
9477 Phipps Plz	Street	8
95	Inlet	8

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1927 Bermuda Ln	Street	8
3280 Colonial Ln	Street	8
1596	Inlet	8
8149 N Woods Rd	Street	8
9673 Plantation Rd	Street	8
4270 E Woods Rd	Street	8
801	Inlet	8
9926 Queens Ln	Street	8
5277 Golfview Rd	Street	8
10659 S Woods Rd	Street	8
PHIPPS PARK PLAZA	Parks	8
1692	Inlet	8
1693	Inlet	8
1101 Algoma Rd	Street	8
1608	Inlet	8
12697 Via Bethesda	Street	8
7806 Monterey Rd	Street	8
7705 Miraflores Dr	Street	8
1392	Inlet	8
9028 Orange Grove Rd	Street	8
A-42	Sewer_LiftStations	8
1012 Adam Rd	Street	8
12769 Via Marila	Street	8
7041 List Rd	Street	8
10595 S Ocean Blvd	Street	8
1333	Inlet	8
1689	Inlet	8
1677	Inlet	8
7979 N County Rd	Street	8
1691	Inlet	8
1418	Inlet	8
12432 Tradewind Dr	Street	8
7610 Merrain Rd	Street	8
5545 Hammon Ave	Street	8
803	Inlet	8
8041 N Lake Way	Street	7
6192 Jamaica Ln	Street	7
220	Inlet	7
7953 N Breakers Row	Street	7
73	Inlet	7
74	Inlet	7
75	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
77	Inlet	7
83	Inlet	7
1680	Inlet	7
838	Inlet	7
1716	Inlet	7
1606	Inlet	7
12954 Vita Serena	Street	7
909	Inlet	7
1676	Inlet	7
783	Inlet	7
456	Inlet	7
457	Inlet	7
469	Inlet	7
470	Inlet	7
484	Inlet	7
485	Inlet	7
1442	Inlet	7
1443	Inlet	7
1448	Inlet	7
1449	Inlet	7
1459	Inlet	7
1460	Inlet	7
1461	Inlet	7
1462	Inlet	7
1463	Inlet	7
1465	Inlet	7
1469	Inlet	7
1470	Inlet	7
1521	Inlet	7
1577	Inlet	7
10595 S Ocean Blvd	Street	7
1190	Inlet	7
1464	Inlet	7
1685	Inlet	7
1321	Inlet	7
1466	Inlet	7
760	Inlet	7
5	Inlet	7
1672	Inlet	7
1712	Inlet	7
474	Inlet	7
475	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
476	Inlet	7
477	Inlet	7
478	Inlet	7
479	Inlet	7
480	Inlet	7
481	Inlet	7
482	Inlet	7
483	Inlet	7
486	Inlet	7
489	Inlet	7
490	Inlet	7
491	Inlet	7
492	Inlet	7
1246	Inlet	7
1247	Inlet	7
1250	Inlet	7
1251	Inlet	7
1467	Inlet	7
1468	Inlet	7
1515	Inlet	7
4417 El Dorado Ln	Street	7
1482	Inlet	7
10	Inlet	7
11	Inlet	7
12	Inlet	7
13	Inlet	7
14	Inlet	7
15	Inlet	7
16	Inlet	7
17	Inlet	7
18	Inlet	7
26	Inlet	7
27	Inlet	7
28	Inlet	7
29	Inlet	7
30	Inlet	7
31	Inlet	7
34	Inlet	7
40	Inlet	7
4	Inlet	7
448	Inlet	7
1756	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
A-43	Sewer_LiftStations	7
1183	Inlet	7
1184	Inlet	7
1187	Inlet	7
1188	Inlet	7
21	Inlet	7
22	Inlet	7
23	Inlet	7
39	Inlet	7
37	Inlet	7
38	Inlet	7
59	Inlet	7
60	Inlet	7
62	Inlet	7
66	Inlet	7
67	Inlet	7
70	Inlet	7
71	Inlet	7
72	Inlet	7
85	Inlet	7
86	Inlet	7
87	Inlet	7
446	Inlet	7
1196	Inlet	7
1447	Inlet	7
33	Inlet	7
410	Inlet	7
9	Inlet	7
52	Inlet	7
795	Inlet	7
796	Inlet	7
797	Inlet	7
798	Inlet	7
799	Inlet	7
800	Inlet	7
854	Inlet	7
855	Inlet	7
856	Inlet	7
857	Inlet	7
858	Inlet	7
859	Inlet	7
860	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
864	Inlet	7
865	Inlet	7
866	Inlet	7
867	Inlet	7
868	Inlet	7
869	Inlet	7
870	Inlet	7
871	Inlet	7
872	Inlet	7
873	Inlet	7
874	Inlet	7
876	Inlet	7
891	Inlet	7
892	Inlet	7
913	Inlet	7
914	Inlet	7
915	Inlet	7
916	Inlet	7
917	Inlet	7
918	Inlet	7
920	Inlet	7
945	Inlet	7
946	Inlet	7
949	Inlet	7
950	Inlet	7
959	Inlet	7
960	Inlet	7
961	Inlet	7
963	Inlet	7
964	Inlet	7
965	Inlet	7
966	Inlet	7
967	Inlet	7
968	Inlet	7
969	Inlet	7
970	Inlet	7
971	Inlet	7
972	Inlet	7
973	Inlet	7
974	Inlet	7
975	Inlet	7
982	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
983	Inlet	7
984	Inlet	7
985	Inlet	7
986	Inlet	7
987	Inlet	7
988	Inlet	7
989	Inlet	7
995	Inlet	7
996	Inlet	7
997	Inlet	7
1018	Inlet	7
1019	Inlet	7
1435	Inlet	7
1564	Inlet	7
1775		7
957	Inlet	7
962	Inlet	7
956	Inlet	7
875	Inlet	7
954	Inlet	7
852	Inlet	7
853	Inlet	7
955	Inlet	7
1008	Inlet	7
1009	Inlet	7
1010	Inlet	7
1011	Inlet	7
1014	Inlet	7
1015	Inlet	7
1017	Inlet	7
990	Inlet	7
1012	Inlet	7
793	Inlet	7
1013	Inlet	7
757	Inlet	7
802	Inlet	7
794	Inlet	7
1523	Inlet	7
863	Inlet	7
96	Inlet	7
97	Inlet	7
1193	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1194	Inlet	7
1195	Inlet	7
1473	Inlet	7
493	Inlet	7
496	Inlet	7
497	Inlet	7
498	Inlet	7
499	Inlet	7
500	Inlet	7
501	Inlet	7
502	Inlet	7
503	Inlet	7
507	Inlet	7
508	Inlet	7
509	Inlet	7
510	Inlet	7
528	Inlet	7
533	Inlet	7
534	Inlet	7
535	Inlet	7
536	Inlet	7
537	Inlet	7
538	Inlet	7
539	Inlet	7
540	Inlet	7
541	Inlet	7
546	Inlet	7
547	Inlet	7
548	Inlet	7
549	Inlet	7
550	Inlet	7
551	Inlet	7
552	Inlet	7
558	Inlet	7
559	Inlet	7
1252	Inlet	7
1253	Inlet	7
1254	Inlet	7
1262	Inlet	7
1263	Inlet	7
1531	Inlet	7
1532	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1038	Inlet	7
1565	Inlet	7
557	Inlet	7
556	Inlet	7
1527	Inlet	7
1259	Inlet	7
1258	Inlet	7
553	Inlet	7
554	Inlet	7
555	Inlet	7
564	Inlet	7
565	Inlet	7
1260	Inlet	7
1261	Inlet	7
736	Inlet	7
785	Inlet	7
786	Inlet	7
791	Inlet	7
1016	Inlet	7
787	Inlet	7
1567	Inlet	7
1703	Inlet	7
569	Inlet	7
570	Inlet	7
571	Inlet	7
572	Inlet	7
573	Inlet	7
574	Inlet	7
575	Inlet	7
576	Inlet	7
578	Inlet	7
585	Inlet	7
586	Inlet	7
594	Inlet	7
595	Inlet	7
601	Inlet	7
636	Inlet	7
637	Inlet	7
638	Inlet	7
639	Inlet	7
1281	Inlet	7
1285	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
454	Inlet	7
792	Inlet	7
336	Inlet	7
337	Inlet	7
338	Inlet	7
339	Inlet	7
340	Inlet	7
1495	Inlet	7
341	Inlet	7
309	Inlet	7
334	Inlet	7
330	Inlet	7
357	Inlet	7
356	Inlet	7
862	Inlet	7
331	Inlet	7
306	Inlet	7
355	Inlet	7
307	Inlet	7
342	Inlet	7
305	Inlet	7
311	Inlet	7
312	Inlet	7
323	Inlet	7
324	Inlet	7
325	Inlet	7
328	Inlet	7
329	Inlet	7
344	Inlet	7
345	Inlet	7
346	Inlet	7
347	Inlet	7
348	Inlet	7
349	Inlet	7
350	Inlet	7
351	Inlet	7
1397	Inlet	7
310	Inlet	7
321	Inlet	7
313	Inlet	7
314	Inlet	7
322	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
326	Inlet	7
327	Inlet	7
1222	Inlet	7
1494	Inlet	7
381	Inlet	7
1434	Inlet	7
788	Inlet	7
716	Inlet	7
717	Inlet	7
718	Inlet	7
719	Inlet	7
720	Inlet	7
729	Inlet	7
730	Inlet	7
620	Inlet	7
621	Inlet	7
622	Inlet	7
623	Inlet	7
625	Inlet	7
626	Inlet	7
627	Inlet	7
628	Inlet	7
629	Inlet	7
631	Inlet	7
632	Inlet	7
633	Inlet	7
634	Inlet	7
635	Inlet	7
648	Inlet	7
650	Inlet	7
655	Inlet	7
1533	Inlet	7
1540	Inlet	7
1541	Inlet	7
1542	Inlet	7
1543	Inlet	7
1747	Inlet	7
17192 N Ocean Blvd	Street	7
1776		7
1783		7
308	Inlet	7
790	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1304	Inlet	7
1305	Inlet	7
861	Inlet	7
679	Inlet	7
747	Inlet	7
748	Inlet	7
749	Inlet	7
750	Inlet	7
1552	Inlet	7
774	Inlet	7
665	Inlet	7
684	Inlet	7
657	Inlet	7
1300	Inlet	7
1301	Inlet	7
1748	Inlet	7
1749	Inlet	7
666	Inlet	7
133	Inlet	7
134	Inlet	7
135	Inlet	7
137	Inlet	7
138	Inlet	7
139	Inlet	7
143	Inlet	7
144	Inlet	7
145	Inlet	7
146	Inlet	7
147	Inlet	7
148	Inlet	7
160	Inlet	7
161	Inlet	7
1200	Inlet	7
680	Inlet	7
697	Inlet	7
698	Inlet	7
699	Inlet	7
700	Inlet	7
712	Inlet	7
713	Inlet	7
714	Inlet	7
715	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1354	Inlet	7
681	Inlet	7
1767	Inlet	7
663	Inlet	7
654	Inlet	7
1778		7
1777		7
577	Inlet	7
596	Inlet	7
673	Inlet	7
674	Inlet	7
675	Inlet	7
676	Inlet	7
702	Inlet	7
707	Inlet	7
708	Inlet	7
709	Inlet	7
710	Inlet	7
711	Inlet	7
738	Inlet	7
1351	Inlet	7
658	Inlet	7
1039	Inlet	7
1766	Inlet	7
1346	Inlet	7
1292	Inlet	7
690	Inlet	7
687	Inlet	7
688	Inlet	7
689	Inlet	7
706	Inlet	7
1343	Inlet	7
1344	Inlet	7
1444	Inlet	7
682	Inlet	7
789	Inlet	7
1228	Inlet	7
363	Inlet	7
364	Inlet	7
365	Inlet	7
366	Inlet	7
367	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
368	Inlet	7
369	Inlet	7
370	Inlet	7
371	Inlet	7
372	Inlet	7
373	Inlet	7
374	Inlet	7
1229	Inlet	7
1498	Inlet	7
703	Inlet	7
667	Inlet	7
669	Inlet	7
670	Inlet	7
678	Inlet	7
685	Inlet	7
704	Inlet	7
1341	Inlet	7
1342	Inlet	7
1345	Inlet	7
705	Inlet	7
494	Inlet	7
1684	Inlet	7
677	Inlet	7
543	Inlet	7
170	Inlet	7
171	Inlet	7
172	Inlet	7
173	Inlet	7
1353	Inlet	7
4490 Emerald Beach Way	Street	7
542	Inlet	7
563	Inlet	7
567	Inlet	7
656	Inlet	7
1544	Inlet	7
731	Inlet	7
732	Inlet	7
742	Inlet	7
745	Inlet	7
746	Inlet	7
751	Inlet	7
752	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
753	Inlet	7
1366	Inlet	7
1367	Inlet	7
3230 Coconut Row	Street	7
664	Inlet	7
1234	Inlet	7
177	Inlet	7
178	Inlet	7
184	Inlet	7
186	Inlet	7
187	Inlet	7
200	Inlet	7
203	Inlet	7
204	Inlet	7
206	Inlet	7
387	Inlet	7
388	Inlet	7
393	Inlet	7
1231	Inlet	7
1232	Inlet	7
1235	Inlet	7
1236	Inlet	7
1575	Inlet	7
1355	Inlet	7
1356	Inlet	7
358	Inlet	7
392	Inlet	7
343	Inlet	7
1554	Inlet	7
1347	Inlet	7
1348	Inlet	7
599	Inlet	7
1352	Inlet	7
721	Inlet	7
396	Inlet	7
13710 Woodbridge Rd	Street	7
877	Inlet	7
878	Inlet	7
880	Inlet	7
881	Inlet	7
951	Inlet	7
978	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
979	Inlet	7
980	Inlet	7
981	Inlet	7
1042	Inlet	7
1043	Inlet	7
1044	Inlet	7
1045	Inlet	7
397	Inlet	7
398	Inlet	7
782	Inlet	7
8041 N Lake Way	Street	7
1499	Inlet	7
976	Inlet	7
399	Inlet	7
401	Inlet	7
76	Inlet	7
185	Inlet	7
1500	Inlet	7
1046	Inlet	7
977	Inlet	7
354	Inlet	7
1065	Inlet	7
953	Inlet	7
686	Inlet	7
1237	Inlet	7
1501	Inlet	7
1502	Inlet	7
1503	Inlet	7
1066	Inlet	7
1067	Inlet	7
1068	Inlet	7
1069	Inlet	7
1070	Inlet	7
1422	Inlet	7
1424	Inlet	7
1238	Inlet	7
1423	Inlet	7
1682	Inlet	7
320	Inlet	7
49	Inlet	7
1233	Inlet	7
319	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
455	Inlet	7
390	Inlet	7
1425	Inlet	7
1303	Inlet	7
848	Inlet	7
849	Inlet	7
851	Inlet	7
1004	Inlet	7
1005	Inlet	7
1006	Inlet	7
1007	Inlet	7
1103	Inlet	7
1104	Inlet	7
1105	Inlet	7
1313	Inlet	7
1314	Inlet	7
1315	Inlet	7
1598	Inlet	7
568	Inlet	7
1041	Inlet	7
624	Inlet	7
1047	Inlet	7
413	Inlet	7
418	Inlet	7
423	Inlet	7
424	Inlet	7
425	Inlet	7
426	Inlet	7
427	Inlet	7
428	Inlet	7
429	Inlet	7
430	Inlet	7
432	Inlet	7
433	Inlet	7
435	Inlet	7
1241	Inlet	7
1242	Inlet	7
1243	Inlet	7
1440	Inlet	7
1441	Inlet	7
1445	Inlet	7
1446	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1450	Inlet	7
1451	Inlet	7
1506	Inlet	7
1507	Inlet	7
1510	Inlet	7
1511	Inlet	7
1512	Inlet	7
1513	Inlet	7
1524	Inlet	7
1525	Inlet	7
1040	Inlet	7
190	Inlet	7
431	Inlet	7
1455	Inlet	7
1456	Inlet	7
1457	Inlet	7
1458	Inlet	7
45	Inlet	7
46	Inlet	7
47	Inlet	7
48	Inlet	7
992	Inlet	7
630	Inlet	7
1568	Inlet	7
191	Inlet	7
400	Inlet	7
1071	Inlet	7
394	Inlet	7
1048	Inlet	7
1393	Inlet	7
1072	Inlet	7
1075	Inlet	7
1076	Inlet	7
192	Inlet	7
193	Inlet	7
683	Inlet	7
1002	Inlet	7
1003	Inlet	7
911	Inlet	7
912	Inlet	7
224	Inlet	7
391	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
225	Inlet	7
1106	Inlet	7
1107	Inlet	7
1108	Inlet	7
1109	Inlet	7
1110	Inlet	7
1111	Inlet	7
1133	Inlet	7
1134	Inlet	7
1135	Inlet	7
1311	Inlet	7
1312	Inlet	7
1319	Inlet	7
1322	Inlet	7
1324	Inlet	7
1399	Inlet	7
1400	Inlet	7
1401	Inlet	7
1429	Inlet	7
1430	Inlet	7
226	Inlet	7
227	Inlet	7
1001	Inlet	7
1302	Inlet	7
784	Inlet	7
487	Inlet	7
1402	Inlet	7
1112	Inlet	7
1395	Inlet	7
2	Inlet	7
1172	Inlet	7
991	Inlet	7
1	Inlet	7
1396	Inlet	7
1569	Inlet	7
1113	Inlet	7
1683	Inlet	7
1597	Inlet	7
1431	Inlet	7
560	Inlet	7
561	Inlet	7
609	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
614	Inlet	7
1274	Inlet	7
1275	Inlet	7
1276	Inlet	7
1279	Inlet	7
1528	Inlet	7
212	Inlet	7
213	Inlet	7
216	Inlet	7
217	Inlet	7
218	Inlet	7
221	Inlet	7
222	Inlet	7
223	Inlet	7
228	Inlet	7
229	Inlet	7
231	Inlet	7
232	Inlet	7
233	Inlet	7
234	Inlet	7
235	Inlet	7
236	Inlet	7
237	Inlet	7
238	Inlet	7
239	Inlet	7
240	Inlet	7
244	Inlet	7
245	Inlet	7
251	Inlet	7
252	Inlet	7
253	Inlet	7
254	Inlet	7
255	Inlet	7
256	Inlet	7
265	Inlet	7
1209	Inlet	7
1213	Inlet	7
1741	Inlet	7
1742	Inlet	7
1743	Inlet	7
9222 Palmo Way	Street	7
607	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1432	Inlet	7
606	Inlet	7
6883 Laurian Ln	Street	7
248	Inlet	7
617	Inlet	7
360	Inlet	7
10595 S Ocean Blvd	Street	7
765	Inlet	7
182	Inlet	7
183	Inlet	7
1330	Inlet	7
1615	Inlet	7
1000	Inlet	7
249	Inlet	7
250	Inlet	7
259	Inlet	7
261	Inlet	7
262	Inlet	7
274	Inlet	7
275	Inlet	7
287	Inlet	7
288	Inlet	7
289	Inlet	7
290	Inlet	7
1218	Inlet	7
1219	Inlet	7
1480	Inlet	7
1744	Inlet	7
352	Inlet	7
1170	Inlet	7
1171	Inlet	7
263	Inlet	7
61	Inlet	7
1754	Inlet	7
129	Inlet	7
130	Inlet	7
131	Inlet	7
132	Inlet	7
1755	Inlet	7
353	Inlet	7
395	Inlet	7
1670	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
264	Inlet	7
908	Inlet	7
602	Inlet	7
285	Inlet	7
10595 S Ocean Blvd	Street	7
668	Inlet	7
643	Inlet	7
281	Inlet	7
282	Inlet	7
283	Inlet	7
284	Inlet	7
286	Inlet	7
1221	Inlet	7
1746	Inlet	7
640	Inlet	7
641	Inlet	7
642	Inlet	7
644	Inlet	7
645	Inlet	7
1163	Inlet	7
1238 Angler Ave	Street	7
1328	Inlet	7
1049	Inlet	7
604	Inlet	7
691	Inlet	7
1074	Inlet	7
1491	Inlet	7
605	Inlet	7
615	Inlet	7
603	Inlet	7
1273	Inlet	7
952	Inlet	7
850	Inlet	7
741	Inlet	7
740	Inlet	7
1698	Inlet	7
504	Inlet	7
608	Inlet	7
1255	Inlet	7
1256	Inlet	7
1257	Inlet	7
1526	Inlet	7

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1350	Inlet	7
1339	Inlet	7
1340	Inlet	7
1772	Inlet	7
1773	Inlet	7
1114	Inlet	7
1073	Inlet	7
260	Inlet	7
32	Inlet	7
1576	Inlet	7
839	Inlet	7
17192 N Ocean Blvd	Street	7
931	Inlet	7
932	Inlet	7
294	Inlet	7
296	Inlet	7
562	Inlet	7
671	Inlet	7
672	Inlet	7
1307	Inlet	7
1750	Inlet	7
1751	Inlet	7
1753	Inlet	7
295	Inlet	7
258	Inlet	7
1306	Inlet	7
297	Inlet	7
1752	Inlet	7
905	Inlet	7
947	Inlet	7
907	Inlet	7
906	Inlet	7
1607	Inlet	6
315	Inlet	6
1377	Inlet	6
1493	Inlet	6
316	Inlet	6
1223	Inlet	6
836	Inlet	6
1496	Inlet	6
1327	Inlet	6
317	Inlet	6

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
318	Inlet	6
1553	Inlet	6
1667	Inlet	6
441	Inlet	6
1088	Inlet	6
298	Inlet	6
12770 Via Marina	Street	6
8041 N Lake Way	Street	6
1136	Inlet	6
361	Inlet	6
1173	Inlet	6
1089	Inlet	6
1325	Inlet	6
1331	Inlet	6
1332	Inlet	6
362	Inlet	6
1293	Inlet	6
1297	Inlet	6
1485	Inlet	6
1486	Inlet	6
1298	Inlet	6
1299	Inlet	6
4418 El Jan Ln	Street	6
1378	Inlet	6
1612	Inlet	6
1591	Inlet	6
116	Inlet	6
1224	Inlet	6
1779		6
1780		6
1781		6
1782		6
1558	Inlet	6
1115	Inlet	6
1329	Inlet	6
6465 Kings Rd	Street	6
408	Inlet	6
1139	Inlet	6
488	Inlet	6
1570	Inlet	6
385	Inlet	6
1239	Inlet	6

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1240	Inlet	6
1514	Inlet	6
958	Inlet	6
115	Inlet	6
505	Inlet	6
1123	Inlet	6
1124	Inlet	6
1125	Inlet	6
Memorial Fountain	Buildings	6
10595 S Ocean Blvd	Street	6
292	Inlet	6
7979 N County Rd	Street	6
1122	Inlet	6
1713	Inlet	6
758	Inlet	6
933	Inlet	6
Tennis Office	Buildings	6
910	Inlet	6
4574 Esplanade Way	Street	6
9014 Onondaga Ave	Street	6
1227	Inlet	6
TANGIER/MIRAFLORES PARK	Parks	6
1727	Inlet	6
1728	Inlet	6
1487	Inlet	6
102	Inlet	6
103	Inlet	6
104	Inlet	6
105	Inlet	6
110	Inlet	6
935	Inlet	6
1175	Inlet	6
106	Inlet	6
107	Inlet	6
108	Inlet	6
111	Inlet	6
117	Inlet	6
118	Inlet	6
149	Inlet	6
150	Inlet	6
443	Inlet	6
1605	Inlet	6

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
6030 Indian Rd	Street	6
1309 Arabian Rd	Street	6
1079	Inlet	6
7305 Manana Ln	Street	6
7567 Mediterranean Rd	Street	6
1116	Inlet	6
4191 E Inlet Dr	Street	6
934	Inlet	6
1737	Inlet	6
1725	Inlet	6
1666	Inlet	6
3959 Dolphin Rd	Street	6
1675	Inlet	6
1726	Inlet	6
1320	Inlet	6
10059 Reef Rd	Street	6
1490	Inlet	6
13323 Wells Cir	Street	6
1719	Inlet	6
1665	Inlet	6
437	Inlet	6
1087	Inlet	6
1050	Inlet	6
304	Inlet	6
1679	Inlet	6
600	Inlet	6
452	Inlet	6
1724	Inlet	6
948	Inlet	6
1671	Inlet	6
930	Inlet	6
2724 Caribbean Rd	Street	6
1476	Inlet	6
6640 Lake Ct	Street	6
1167	Inlet	6
545	Inlet	6
257	Inlet	6
1641	Inlet	6
1164	Inlet	6
1707	Inlet	6
12825 Via Sunny	Street	6
1165	Inlet	6

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1180	Inlet	6
1181	Inlet	6
1722	Inlet	6
1326	Inlet	6
6884 Laurie Ln	Street	6
1592	Inlet	6
1721	Inlet	5
1381	Inlet	5
1717	Inlet	5
1416	Inlet	5
1137	Inlet	5
1637	Inlet	5
3817 Debra Ln	Street	5
1678	Inlet	5
1638	Inlet	5
Arabian Rd	Beach Access	5
1489	Inlet	5
1718	Inlet	5
1609	Inlet	5
1182	Inlet	5
1197	Inlet	5
1198	Inlet	5
517	Inlet	5
518	Inlet	5
519	Inlet	5
520	Inlet	5
521	Inlet	5
522	Inlet	5
523	Inlet	5
1269	Inlet	5
1270	Inlet	5
694	Inlet	5
1571	Inlet	5
1654	Inlet	5
1551	Inlet	5
693	Inlet	5
1349	Inlet	5
1581	Inlet	5
692	Inlet	5
389	Inlet	5
837	Inlet	5
1409	Inlet	5

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1210	Inlet	5
1118	Inlet	5
1433	Inlet	5
1614	Inlet	5
1610	Inlet	5
293	Inlet	5
8041 N Lake Way	Street	5
734	Inlet	5
1309	Inlet	5
1599	Inlet	5
695	Inlet	5
696	Inlet	5
1566	Inlet	5
1723	Inlet	5
1338	Inlet	5
1582	Inlet	5
1226	Inlet	5
E-44	Sewer_LiftStations	5
739	Inlet	5
566	Inlet	5
1264	Inlet	5
79	Inlet	5
80	Inlet	5
81	Inlet	5
84	Inlet	5
1295	Inlet	5
1663	Inlet	5
1714	Inlet	5
1715	Inlet	5
1488	Inlet	5
88	Inlet	5
89	Inlet	5
1192	Inlet	5
1474	Inlet	5
1475	Inlet	5
1738	Inlet	5
890	Inlet	5
1099	Inlet	5
1101	Inlet	5
1102	Inlet	5
1100	Inlet	5
6	Inlet	5

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
7	Inlet	5
1097	Inlet	5
1098	Inlet	5
1310	Inlet	5
1138	Inlet	5
1096	Inlet	5
1720	Inlet	5
1732	Inlet	5
882	Inlet	5
1412	Inlet	5
1731	Inlet	5
1094	Inlet	5
1090	Inlet	5
1091	Inlet	5
1092	Inlet	5
1093	Inlet	5
883	Inlet	5
25	Inlet	5
24	Inlet	5
42	Inlet	5
41	Inlet	5
53	Inlet	5
54	Inlet	5
55	Inlet	5
56	Inlet	5
57	Inlet	5
58	Inlet	5
68	Inlet	5
69	Inlet	5
1189	Inlet	5
1408	Inlet	5
1095	Inlet	5
847	Inlet	5
19	Inlet	5
20	Inlet	5
735	Inlet	5
813	Inlet	5
733	Inlet	5
884	Inlet	5
886	Inlet	5
885	Inlet	5
506	Inlet	5

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1369	Inlet	5
1730	Inlet	5
1642	Inlet	5
11381 Sloans Curve Dr	Street	5
1673	Inlet	5
1419	Inlet	5
1062	Inlet	5
1063	Inlet	5
43	Inlet	5
44	Inlet	5
50	Inlet	5
51	Inlet	5
1363	Inlet	5
17192 N Ocean Blvd	Street	5
1702	Inlet	4
1660	Inlet	4
1662	Inlet	4
8907 Oceanview Rd	Street	4
1613	Inlet	4
1166	Inlet	4
1636	Inlet	4
1417	Inlet	4
1411	Inlet	4
1701	Inlet	4
82	Inlet	4
1212	Inlet	4
E-40	Sewer_LiftStations	4
1362	Inlet	4
1249	Inlet	4
1271	Inlet	4
1272	Inlet	4
737	Inlet	4
1368	Inlet	4
1556	Inlet	4
1248	Inlet	4
Par 3 Maint bldg	Buildings	4
1410	Inlet	4
1492	Inlet	4
1729	Inlet	4
1364	Inlet	4
1365	Inlet	4
812	Inlet	4

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1191	Inlet	4
6129 Island Dr	Street	4
743	Inlet	4
1481	Inlet	4
6715 Lake Worth Rd	Street	4
744	Inlet	4
8041 N Lake Way	Street	4
1618	Inlet	4
1594	Inlet	4
Bradley Casino	Buildings	4
998	Inlet	4
999	Inlet	4
1379	Inlet	4
E-24	Sewer_LiftStations	4
1028	Inlet	4
1029	Inlet	4
811	Inlet	4
6604 Lagomar Rd	Street	4
1117	Inlet	4
1619	Inlet	4
1176	Inlet	4
1177	Inlet	4
1655	Inlet	4
1657	Inlet	4
1774	Inlet	4
1659	Inlet	3
1736	Inlet	3
Bath Rooms	Buildings	3
1380	Inlet	3
1658	Inlet	3
1052	Inlet	3
78	Inlet	3
8041 N Lake Way	Street	3
1225	Inlet	3
1178	Inlet	3
1602	Inlet	3
E-27	Sewer_LiftStations	3
1280	Inlet	3
1664	Inlet	3
Ocean Ln	Beach Access	3
1206	Inlet	3
1656	Inlet	3

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1585	Inlet	3
1586	Inlet	3
1268	Inlet	3
South Fire	Buildings	3
8041 N Lake Way	Street	3
8081 N Ocean Way	Street	3
1661	Inlet	3
434	Inlet	3
468	Inlet	3
Tennis Office	Buildings	3
10595 S Ocean Blvd	Street	3
1051	Inlet	3
10496 S County Rd	Street	3
35	Inlet	3
449	Inlet	3
450	Inlet	3
1207	Inlet	3
1208	Inlet	3
1334	Inlet	3
1130	Inlet	3
1317	Inlet	3
1131	Inlet	3
1318	Inlet	3
993	Inlet	3
189	Inlet	3
1286	Inlet	3
14	Stormwater_PumpStations	3
459	Inlet	3
460	Inlet	3
461	Inlet	3
458	Inlet	3
188	Inlet	3
17192 N Ocean Blvd	Street	3
Caribbean Rd	Beach Access	3
1145	Inlet	3
8041 N Lake Way	Street	3
17192 N Ocean Blvd	Street	3
1143	Inlet	3
1142	Inlet	3
Tennis Storage	Buildings	3
1593	Inlet	3
1144	Inlet	3

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1617	Inlet	3
5993 Ibis Isle Rd E	Street	3
63	Inlet	3
64	Inlet	3
65	Inlet	3
1769	Inlet	3
1287	Inlet	3
36	Inlet	3
17192 N Ocean Blvd	Street	2
994	Inlet	2
17192 N Ocean Blvd	Street	2
Tennis Pavillion	Buildings	2
1022	Inlet	2
1023	Inlet	2
1027	Inlet	2
1026	Inlet	2
Storage	Buildings	2
10595 S Ocean Blvd	Street	2
Golf Pro Shop	Buildings	2
17192 N Ocean Blvd	Street	2
5994 Ibis Isle Rd S	Street	2
1600	Inlet	2
10595 S Ocean Blvd	Street	2
5995 Ibis Isle Rd W	Street	2
894	Inlet	2
1595	Inlet	2
17386 Seagrape Cir	Street	2
1335	Inlet	2
17192 N Ocean Blvd	Street	2
5997 Ibis Way	Street	2
893	Inlet	2
1084	Inlet	2
1616	Inlet	2
5997 Ibis Way	Street	2
5992 Ibis Isle Rd	Street	2
1621	Inlet	2
1739	Inlet	2
887	Inlet	2
17192 N Ocean Blvd	Street	2
17192 N Ocean Blvd	Street	2
1086	Inlet	2
888	Inlet	2

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
12861 Via Vizcaya	Street	2
1078	Inlet	2
1651	Inlet	2
1652	Inlet	2
1653	Inlet	2
Mediterranean Rd	Beach Access	2
17192 N Ocean Blvd	Street	2
544	Inlet	2
1643	Inlet	2
1645	Inlet	2
1647	Inlet	2
9262 Parc Monceau	Street	2
10595 S Ocean Blvd	Street	2
1644	Inlet	2
1646	Inlet	2
1484	Inlet	2
8041 N Lake Way	Street	2
17192 N Ocean Blvd	Street	2
1639	Inlet	2
1640	Inlet	2
1648	Inlet	2
1649	Inlet	2
1650	Inlet	2
Par 3 Restaurant	Buildings	2
1083	Inlet	2
1337	Inlet	2
1168	Inlet	2
1169	Inlet	2
Clarke Ave	Beach Access	2
17192 N Ocean Blvd	Street	2
17192 N Ocean Blvd	Street	2
10595 S Ocean Blvd	Street	2
17192 N Ocean Blvd	Street	2
1625	Inlet	2
1085	Inlet	2
1630	Inlet	2
1390	Inlet	2
1077	Inlet	2
1034	Inlet	2
1035	Inlet	2
1036	Inlet	2
1037	Inlet	2

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
Bath Rooms	Buildings	2
Dunbar Rd	Beach Access	2
E-25	Sewer_LiftStations	1
10595 S Ocean Blvd	Street	1
10595 S Ocean Blvd	Street	1
1267	Inlet	1
10595 S Ocean Blvd	Street	1
1601	Inlet	1
10595 S Ocean Blvd	Street	1
10595 S Ocean Blvd	Street	1
10595 S Ocean Blvd	Street	1
10595 S Ocean Blvd	Street	1
Angler Ave	Beach Access	1
610	Inlet	1
17192 N Ocean Blvd	Street	1
17192 N Ocean Blvd	Street	1
1265	Inlet	1
17192 N Ocean Blvd	Street	1
1266	Inlet	1
10595 S Ocean Blvd	Street	1
10595 S Ocean Blvd	Street	1
1584	Inlet	1
1053	Inlet	1
515	Inlet	1
10595 S Ocean Blvd	Street	1
1421	Inlet	1
516	Inlet	1
1020	Inlet	1
1021	Inlet	1
1573	Inlet	1
1150	Inlet	1
613	Inlet	1
Atlantic Ave	Beach Access	1
1057	Inlet	1
1149	Inlet	1
1129	Inlet	1
1120	Inlet	1
Merrain Rd	Beach Access	1
1058	Inlet	1
7642 Middle Rd	Street	1
464	Inlet	1
1054	Inlet	1

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
10595 S Ocean Blvd	Street	1
17192 N Ocean Blvd	Street	1
1154	Inlet	1
1119	Inlet	1
Gulfstream Rd	Beach Access	1
701	Inlet	1
Sunset Ave	Beach Access	1
1361	Inlet	1
1141	Inlet	1
E-28	Sewer_LiftStations	1
1633	Inlet	1
1080	Inlet	1
1622	Inlet	1
1634	Inlet	1
10595 S Ocean Blvd	Street	1
1387	Inlet	1
10595 S Ocean Blvd	Street	1
12739 Via Fontana	Street	1
10595 S Ocean Blvd	Street	1
Life Guard	Buildings	1
2283 Breakers Row	Street	1
1398	Inlet	1
1128	Inlet	1
10595 S Ocean Blvd	Street	1
10595 S Ocean Blvd	Street	1
1483	Inlet	1
1081	Inlet	1
1082	Inlet	1
1426	Inlet	1
1427	Inlet	1
1428	Inlet	1
1146	Inlet	1
1583	Inlet	1
1770	Inlet	1
1771	Inlet	1
Kenlyn Rd	Beach Access	1
10595 S Ocean Blvd	Street	1
10595 S Ocean Blvd	Street	1
10595 S Ocean Blvd	Street	1
1587	Inlet	1
612	Inlet	1
1316	Inlet	1

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
611	Inlet	1
1157	Inlet	1
Life Guard	Buildings	1
4822 Flagler Dr	Street	1
Brazilian Ave	Beach Access	1
G-09	Sewer_LiftStations	1
1024	Inlet	1
10595 S Ocean Blvd	Street	1
Palmo Way	Beach Access	1
10595 S Ocean Blvd	Street	1
10595 S Ocean Blvd	Street	1
1147	Inlet	1
Life Guard	Buildings	1
Peruvian Ave	Beach Access	1
1572	Inlet	1
1632	Inlet	1
La Puerta Way	Beach Access	1
922	Inlet	1
530	Inlet	1
1156	Inlet	1
1631	Inlet	1
10595 S Ocean Blvd	Street	1
1420	Inlet	1
1159	Inlet	1
1148	Inlet	1
El Pueblo Way	Beach Access	1
1768	Inlet	1
754	Inlet	1
1025	Inlet	1
1635	Inlet	1
921	Inlet	1
10595 S Ocean Blvd	Street	1
10595 S Ocean Blvd	Street	1
17192 N Ocean Blvd	Street	1
1055	Inlet	1
532	Inlet	1
1140	Inlet	1
897	Inlet	1
898	Inlet	1
889	Inlet	1
1357	Inlet	1
1358	Inlet	1

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
1578	Inlet	1
13532 Williams Rd	Street	1
10595 S Ocean Blvd	Street	1
1030	Inlet	1
1031	Inlet	1
1032	Inlet	1
1033	Inlet	1
1626	Inlet	1
902	Inlet	1
904	Inlet	1
1669	Inlet	1
899	Inlet	1
903	Inlet	1
1056	Inlet	1
1628	Inlet	1
1627	Inlet	1
10595 S Ocean Blvd	Street	1
Chilean Ave	Beach Access	1
12682 Via Agape	Street	1
10595 S Ocean Blvd	Street	1
1161	Inlet	1
1162	Inlet	1
1121	Inlet	0
10595 S Ocean Blvd	Street	0
1359	Inlet	0
1360	Inlet	0
1386	Inlet	0
1126	Inlet	0
1385	Inlet	0
1160	Inlet	0
1668	Inlet	0
1158	Inlet	0
1127	Inlet	0
3587 Crest Rd	Street	0
9673 Plantation Rd	Street	0
895	Inlet	0
896	Inlet	0
1620	Inlet	0
1382	Inlet	0
10595 S Ocean Blvd	Street	0
1624	Inlet	0
1384	Inlet	0

Table 4-9. Combined Coastal Vulnerability Index Summary

ALL ASSETS

Coastal Vulnerability Assessment

Town of Palm Beach

ASSET	TYPE	Total CVI
900	Inlet	0
901	Inlet	0
Bath Rooms	Buildings	0
382	Inlet	0
1623	Inlet	0
1391	Inlet	0
383	Inlet	0
531	Inlet	0
Life Guard	Buildings	0
776	Inlet	0
Life Guard Office	Buildings	0
775	Inlet	0
1388	Inlet	0
1389	Inlet	0
1179	Inlet	0
300	Inlet	0
1383	Inlet	0
8041 N Lake Way	Street	0
299	Inlet	0
279	Inlet	0
280	Inlet	0
1220	Inlet	0
1745	Inlet	0
5756 Hi Mount Rd	Street	0
302	Inlet	0
301	Inlet	0
303	Inlet	0